



THE UNIVERSITY *of* EDINBURGH

Edinburgh Research Explorer

Epigenome-wide association study of lung function level and its change

Citation for published version:

Imboden, M, Wielscher, M, Rezwan, FI, Amaral, AFS, Schaffner, E, Jeong, A, Beckmeyer-Borowko, A, Harris, S, Starr, J, Deary, I, Flexeder, C, Waldenberger, M, Peters, A, Schulz, H, Chen, S, Shadia Khan, S, Karmaus, WJJ, Jiang, Y, Erhart, G, Kronenberg, F, Arathimos, R, Sharp, GC, Henderson, AJ, Fu, Y, Piirilä, P, Pietiläinen, KH, Ollikainen, M, Johansson, A, Gyllenstein, U, de Vries, M, van der Plaat, DA, de Jong, K, Boezen, HM, Hall, IP, Tobin, MD, Jarvelin, M-R, Holloway, JW, Jarvis, DL & Probst-Hensch, NM 2019, 'Epigenome-wide association study of lung function level and its change', *European Respiratory Journal*, vol. 53, no. 5. <https://doi.org/10.1183/13993003.00457-2019>

Digital Object Identifier (DOI):

[10.1183/13993003.00457-2019](https://doi.org/10.1183/13993003.00457-2019)

Link:

[Link to publication record in Edinburgh Research Explorer](#)

Document Version:

Peer reviewed version

Published In:

European Respiratory Journal

Publisher Rights Statement:

This is an author-submitted, peer-reviewed version of a manuscript that has been accepted for publication in the European Respiratory Journal, prior to copy-editing, formatting and typesetting. This version of the manuscript may not be duplicated or reproduced without prior permission from the copyright owner, the European Respiratory Society. The publisher is not responsible or liable for any errors or omissions in this version of the manuscript or in any version derived from it by any other parties. The final, copy-edited, published article, which is the version of record, is available without a subscription 18 months after the date of issue publication.

<https://erj.ersjournals.com/content/early/2019/03/27/13993003.00457-2019>

10.1183/13993003.00457-2019

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.



Epigenome-wide association study of lung function level and its change

Medea Imboden^{1,2*}, Matthias Wielscher^{3,4*}, Faisal I. Rezwan^{5*}, André F.S. Amaral^{3,6*}, Emmanuel Schaffner^{1,2}, Ayoung Jeong^{1,2}, Anna Beckmeyer-Borowko^{1,2}, Sarah E. Harris^{7,8}, John M Starr^{7,9}, Ian J. Deary^{7,10}, Claudia Flexeder¹¹, Melanie Waldenberger^{11,12}, Annette Peters^{11,12}, Holger Schulz^{11,13}, Su Chen¹⁴, Shadia Khan Sunny¹⁵, Wilfried J.J. Karmaus¹⁵, Yu Jiang¹⁵, Gertraud Erhart¹⁶, Florian Kronenberg¹⁶, Ryan Arathimos^{17,18}, Gemma C. Sharp^{17,18,19}, Alexander John Henderson¹⁸, Yu Fu²⁰, Päivi Piirilä²¹, Kirsi H. Pietiläinen^{22,23}, Miina Ollikainen²⁰, Asa Johansson²⁴, Ulf Gyllensten²⁴, Maaïke de Vries^{25,26}, Diana A. van der Plaat^{25,26}, Kim de Jong^{25,26}, H. Marika Boezen^{25,26}, Ian P. Hall²⁷, Martin D. Tobin^{28,29}, Marjo-Riitta Jarvelin^{4,30,31,32,33*}, John W. Holloway^{5*}, Deborah Jarvis^{3,6*}, and Nicole M. Probst-Hensch^{1,2*}.

* These authors have contributed equally.

Affiliations:

¹ Swiss Tropical and Public Health Institute, Basel, Switzerland

² University of Basel, Switzerland

³ MRC-PHE Centre for Environment and Health, Imperial College London, London, UK

⁴ Department of Epidemiology and Biostatistics, School of Public Health, Imperial College London, London, UK

⁵ Human Development and Health, Faculty of Medicine, University of Southampton, Southampton, UK

⁶ Population Health and Occupational Disease, NHLI, Imperial College London, London, UK

⁷ Centre for Cognitive Ageing and Cognitive Epidemiology, University of Edinburgh, 7 George Square, Edinburgh EH8 9JZ, UK

⁸ Medical Genetics Section, University of Edinburgh Centre for Genomic and Experimental Medicine and MRC Institute of Genetics and Molecular Medicine, Western General Hospital, Crewe Road, Edinburgh EH4 2XU, UK

⁹ Alzheimer Scotland Dementia Research Centre, University of Edinburgh, 7 George Square, Edinburgh EH8 9JZ, UK

¹⁰ Department of Psychology, University of Edinburgh, 7 George Square, Edinburgh EH8 9JZ, UK

¹¹ Institute of Epidemiology, Helmholtz Zentrum München, German Research Center for Environmental Health, Neuherberg, Germany

¹² Research Unit Molecular Epidemiology, Helmholtz Zentrum München, German Research Center for Environmental Health, Neuherberg, Germany

¹³ Comprehensive Pneumology Center Munich (CPC-M), Member of the German Center for Lung Research (DZL)

¹⁴ Department of Mathematical Sciences, University of Memphis, 373 Dunn Hall, Memphis, TN, 38152, USA

¹⁵ Division of Epidemiology, Biostatistics, and Environmental Health, School of Public Health, University of Memphis, 236A Robison Hall, Memphis, TN, 38152, USA

¹⁶ Division of Genetic Epidemiology, Department of Medical Genetics, Molecular and Clinical Pharmacology, Medical University of Innsbruck, Innsbruck, Austria

¹⁷ MRC Integrative Epidemiology Unit, University of Bristol, Bristol, UK

¹⁸ Department of Population Health Sciences, Bristol Medical School, University of Bristol, UK

¹⁹ Bristol Dental School, University of Bristol, Bristol, UK

- ²⁰ Institute for Molecular Medicine Finland, FIMM, University of Helsinki, Helsinki, Finland
- ²¹ Unit of Clinical Physiology, HUS Medical Imaging Center, Helsinki University Central Hospital and University of Helsinki, Helsinki, Finland
- ²² Obesity Research Unit, Research Programs Unit, University of Helsinki, Helsinki, Finland
- ²³ Abdominal Center, Endocrinology, Helsinki University Hospital and University of Helsinki, Helsinki, Finland
- ²⁴ Department of Immunology, Genetics and Pathology, Science for Life Laboratory, Uppsala University, Sweden
- ²⁵ University of Groningen, University Medical Center Groningen, Department of Epidemiology, Groningen, Netherlands
- ²⁶ Groningen Research Institute for Asthma and COPD (GRIAC), University of Groningen, University Medical Center Groningen, Groningen, Netherlands
- ²⁷ Division of Respiratory Medicine, University of Nottingham, Nottingham, UK; National Institute for Health Research, Nottingham Biomedical Research Centre, Nottingham University Hospitals, Nottingham, UK
- ²⁸ Department of Health Sciences, University of Leicester, Leicester, UK
- ²⁹ National Institute of Health Research Biomedical Research Centre, University of Leicester, Leicester, UK
- ³⁰ Center for Life Course Health Research, Faculty of Medicine, University of Oulu, Finland
- ³¹ Biocenter Oulu, University of Oulu, Oulu, Finland
- ³² Unit of Primary Health Care, Oulu University Hospital, Finland
- ³³ Department of Life Sciences, College of Health and Life Sciences, Brunel University London, UK

(Word Count: 3989)

Corresponding authors:

Dr. Medea Imboden, Chronic Disease Epidemiology Unit, Department of Epidemiology and Public Health, Swiss Tropical and Public Health Institute, Socinstrasse 57, 4002 Basel, Switzerland.
e-mail: medea.imboden@swisstph.ch, Tel: +41 61 284 82 40

Prof. Dr. Nicole Probst-Hensch, Chronic Disease Epidemiology Unit, Department of Epidemiology and Public Health, Swiss Tropical and Public Health Institute, Socinstrasse 57, 4002 Basel, Switzerland.
e-mail: nicole.probst@swisstph.ch, Tel: +41 61 284 83 78

Take home message

An agnostic association study on lung function using longitudinal population-based cohort data shows that differentially methylated genomic sites related to smoking are strongly associated with lung function in adults.

Abstract (248 words)

Previous reports link differential DNA methylation (DNAm) to environmental exposures which are associated with lung function. Direct evidence on lung function DNAm is however limited. We undertook an agnostic epigenome-wide association study (EWAS) on pre-bronchodilation lung function and its change in adults.

In a discovery-replication EWAS design, DNAm in blood and spirometry were measured twice, six-to-15 years apart, in the same participants of three adult population-based discovery cohorts (n=2,043). Associated DNAm markers ($P < 5 \times 10^{-7}$) were tested in seven replication cohorts (adult: n=3,327; childhood: n=420). Technical-bias adjusted residuals of a regression of the normalized absolute beta-values on control-probe-derived principle components were regressed on level and change of FEV₁, FEV₁/FVC and FVC in covariate-adjusted discovery EWAS. Inverse-variance weighted meta-analyses were performed on results from discovery and replication samples in all participants and never smokers.

EWAS signals were enriched for smoking-related DNAm. We replicated 57 lung function DNAm in adult, but not childhood samples, all previously associated with smoking. Markers not previously associated with smoking failed replication. cg05575921 (*AHRR*) showed the statistically most significant association with cross-sectional lung function (FEV₁/FVC: $P_{\text{discovery}} = 3.96 \times 10^{-21}$ and $P_{\text{combined}} = 7.22 \times 10^{-50}$). A score combining ten DNAm markers previously reported to mediate the smoking effect on lung function was associated with lung function (FEV₁/FVC: $P = 2.65 \times 10^{-20}$).

Our results reveal that lung function associated methylation signals in adults are predominantly smoking-related and possibly of clinical utility in identifying poor lung function and accelerated decline. Larger studies with more repeat time points are needed to identify lung function DNAm in never smokers and in children.

Introduction

Lung function has an estimated heritability between 30 and 70% [1]. The variance in phenotype remains incompletely explained by genetic variation, but the impact of environmental exposure on respiratory health and lung function over the life course is well recognized. In particular, pro-inflammatory and oxidative inhalants such as cigarette and environmental tobacco smoke, air pollution, and occupational exposures are important contributors to the increased risk of respiratory symptoms, accelerated lung function decline in adults and poor lung growth in children. DNA methylation (DNAm) has been associated with a large variety of traits and chronic diseases.

A large body of evidence including results from epigenome-wide association analyses (EWAS) shows differentially methylated 5'-cytosine-phosphate-guanine-3' di-nucleotide (CpG) sites throughout the genome in response to environmental exposures in particular cigarette smoking [2-4]. In contrast, reports of DNAm associated with respiratory diseases and lung function show inconsistent findings [5, 6]. Most recently independent reports however pointed to the consistent association of DNAm in *AHRR* gene, cg05575921, with lung function in adults [4, 6, 7].

The current study aimed at agnostically identifying lung function-specific DNAm signals. We undertook a covariate-adjusted EWAS using questionnaire data, spirometry, and peripheral blood samples collected in the same participants (discovery cohorts: ECRHS, NFBC1966, SAPALDIA; see online supplement for cohort description) at two time points six-to-15 years apart. EWAS analyses were performed on lung function parameters of forced expiratory volume in one second (FEV₁), forced vital capacity (FVC) and their ratio (FEV₁/FVC). The analyses focused on cross-sectional associations at different time points and on identifying DNAm markers predicting change in lung function. We tested discovery-identified CpGs ($P < 5 \times 10^{-7}$ for at least one lung function parameter) for replication in adult samples from five adult cohorts (LBC1936, KORA, LifeLines, NSPHS, FTC) and in childhood samples from two birth cohorts (ALSPAC, IOWBC).

Methods

Study design and participants

The discovery sample (n=2,043) comprised three population-based cohort studies, part of the Aging Lungs in European Cohorts (ALEC) project. ECRHS (n=470, European Community Respiratory Health Study) and SAPALDIA (n=962, Swiss Study on Air Pollution Heart and Lung Disease in Adults) are adult cohorts designed to investigate respiratory health. NFBC1966 (n=611, Northern Finland Birth Cohort 1966) is a birth cohort with follow-up to adult age. The replication sample consisted of five adult cohorts, KORA (n= 628, Cooperative Health Research in the Augsburg Region Study), LifeLines (n=1,622, LifeLines cohort study), NSPHS (n=535, North Sweden Population Health Study), LBC1936 (n=449, Lothian Birth Cohort 1936, adult inception birth cohort), FTC (n=93, Finnish Twin Cohort study), and two childhood birth cohorts ALSPAC (n=258, Avon longitudinal Study of Parents and Children) and IOWBC (n=162, Isle of Wight Birth Cohort). Replication data from two time points was available only for KORA, LBC1936 (adult), and ALSPAC, IOWBC (childhood) (for cohort details and contribution to analysis see online supplement text and figure S1). All cohorts comply with the Declaration of Helsinki and ethical approval was obtained from the respective national and regional ethical review committees.

Procedures

In the discovery cohorts, DNAME measurement using Illumina® Infinium technology was obtained from peripheral blood samples collected at two consecutive follow-up surveys several years apart. The 450K BeadChip was used for samples of 984 SAPALDIA participants from both time points and of 732 NFBC1966 participants collected at time point 1. The EPIC BeadChip was used for samples of 509 ECRHS participants from both time points and of 716 NFBC1966 participants collected at time point 2. For cohort-specific EWAS analyses, we used all autosomal markers available for each time point and cohort-specific EWAS marker results were meta-analysed without restriction to markers

common to both arrays. DNAm data used for replication was restricted to discovery-identified (sentinel) CpGs and analyzed on various arrays.

Epidemiological data, including covariate information at subject level, was collected by interview-assisted questionnaires and objective measures. Pre-bronchodilation spirometric data was obtained by performing ATS/ERS-compliant spirometry (see online supplement).

Statistical analyses

Epigenome-wide methylation data was analysed in R (version 3.4.3). Differential blood cell count was estimated using a reference dataset and the minfi R package [8, 9]. DNAm used as predictors in the statistical models for the adult cohorts were obtained by deriving residuals from linear regression of the normalized absolute DNA methylation (β -values) on the Illumina control probe derived 30 first principal components to correct for correlation structures within the data, including technical bias. Thus here reported effect sizes of the association are not comparable to elsewhere reported effect sizes using normalized β -values as predictor. In the childhood data, batch effect was corrected at the analysis level by regressing the DNAm values against the technical covariates.

Epigenome-wide covariate-adjusted linear regression was performed to assess the association of single CpG markers with forced expiratory volume in one second (FEV_1 , (L)), forced vital capacity (FVC, (L)), their ratio (FEV_1/FVC) and their change during follow-up. This multi-level EWAS design tested different models in all and never-smoking participants (figure 1). First, cross-sectional EWAS were examined separately at time point 1 (EWAS1) and time point 2 (EWAS2) assessing the consistency of the association over follow-up time. Second, the association of DNAm at the first time point (DNAm1) with change in lung function during follow-up was assessed (prediction EWAS (EWAS_{predict})). Covariate-adjusted mixed linear regressions with a random intercept on the subject were undertaken using data from both time points (repeat cross-sectional analysis (EWAS_{repeat})).

All associations were adjusted for a set of *a priori* selected covariates known to influence respiratory outcomes from previous research conducted by SAPALDIA and ECRHS. The covariate-adjusted model M_{base} included age, age², height, squared deviation of height from the mean, sex and interaction terms of sex with four covariates (age, age², height and squared deviation of height), education, body mass index, spirometer type, study center as well as estimated cell composition (CD8-, CD4-, natural killer cells, B-cells, monocytes, eosinophils and neutrophils). Analyses in all participants were run without (M_{base}) and with additional smoking adjustment including smoking status and packyears (M_{smok}). In never smokers M_{base} -covariate adjustment was applied. Prediction associations of DNAm1 were additionally adjusted for lung function at time point 1. The same covariate adjustment was applied in adult replication analyses, whereas childhood covariates did not include squared terms.

Cohort-specific EWAS results were summarized by inverse-variance weighted meta-analyses using METAL [10]. Meta-analysis results were not controlled for genomic inflation after confirming its negligible influence. Epigenome-wide significance level was set to $P\text{-value} < 1 \times 10^{-7}$ (Bonferroni correction, 450,000 tests). The selection criteria for replication of sentinel CpGs was less stringent ($P\text{-value} < 5 \times 10^{-7}$). Successful replication was defined as $P\text{-value}$ below outcome-specific Bonferroni-correction threshold.

Replicated CpGs were characterized by enrichment, pathway, and functional analyses and additional *post hoc* analyses were performed (see details in online supplement). First, a two-sample Mendelian randomization analysis based on publicly available data was applied to investigate the causality of replicated CpGs associations. Second, a replication of a recently published mediation analysis [4] evidencing ten smoking-related CpGs mediating the smoking effect on lung function was undertaken in one discovery cohort (SAPALDIA). Third, to assess the combined effects of smoking-related CpGs on lung function in three discovery cohorts, we built two different DNAm smoking indices based on CpGs a) predicting lung function effects of smoking [4] and b) located in GWAS-identified

lung function genes [2]. These smoking indices were tested for association with lung function in covariate-adjusted linear regression analyses, in all participants and in subgroups stratified by smoking status.

Role of funding sources

This EWAS was funded by European Union's H2020 research programme. The funding agency had no role in the design, data collection and analysis of the data. Cohort-specific funding details provided in the online supplement.

Data availability statement

Statistical codes, and full discovery and replication EWAS effect estimates (meta-analysed and cohort-specific) are made publically available with no end date on the public repository DRYAD (<http://datadryad.org/>) at the time of publication. Access restrictions apply to the individual methylome data underlying the analysis. Contact details for data requests to the contributing cohorts can be found in the supplement material.

Results

Differences in the cohorts' age structure and smoking habits are shown in table 1. Mean age was highest for LBC1936 (69.9 years) and youngest (30.4 years) for FTC. Self-report of current smoking status was lowest in LBC1936 (5.8%) and highest in LifeLines (43.5% due to over-sampling of current smokers for DNAm typed subset).

Across all discovery EWAS meta-analyses, we identified 111 CpG markers for replication ($P < 5 \times 10^{-7}$; 74 for FEV₁; 47 for FEV₁/FVC and 16 for FVC; online supplement tables S1 & S2). We present here the results for FEV₁/FVC (for FEV₁ and FVC see online supplement).

Cross-sectional associations without smoking adjustment

In study-specific and meta-analyzed discovery EWAS, the number of lung function associated DNAm increased from first to second cross-sectional time point in the same participants, despite age-adjustment (figure 2). We therefore meta-analyzed cross-sectional discovery and replication results from the older participants' age time point available. We observed 29 cross-sectional CpG associations with FEV₁/FVC. 27 of them replicated formally (Bonferroni correction, $P < 0.0011$, 47 tests on FEV₁/FVC; table 2; online supplement table S3). All replicated CpG-lung function associations were exclusively DNAm previously associated with smoking [2]. Successful replication was observed for cg05575921 (*AHRR*) showing the strongest signal for FEV₁ and FEV₁/FVC (FEV₁/FVC: P-value combining discovery and replication cohorts (P_{combined}) = 7.22×10^{-50}) among all identified lung function DNAm markers. Methylation at this CpG, previously shown to be hypo-methylated with increased smoking, showed positive cross-sectional lung function association. The top ten CpGs associated with FEV₁/FVC (table 2) were located in six loci: cg03636183 (*F2RL3*), cg21566642, cg01940273 and cg03329539 (vicinity of *ALPL2*), cg05575921 and cg21161138 (*AHRR*), cg23771366 and cg11660018 (*PRSS23*), cg21611682 (*LRP5*), and cg15342087 (*IER3*). The same CpGs, along with cg19572487 (*RARA*) were also among the top 11 markers cross-sectionally associated with FEV₁. Formal replication of cross-sectional associations with FEV₁ was observed for 44 CpGs and with FVC for

three CpGs (online supplement tables S4 & S5). Similar results were found for repeat cross-sectional analyses (EWAS_{repeat}, online supplement table S6, figure S3).

Cross-sectional smoking-adjusted associations

The smoking-adjusted EWAS (M_{smok}) resulted in fewer genome-wide significant results (figure 2). Yet, despite adjustment for self-report of smoking history, the top five CpGs were known smoking-related CpGs. DNAm at cg05575921 (*AHRR*) remained the top cross-sectional association signal for FEV₁/FVC ($P_{\text{combined}}=2.21 \times 10^{-11}$; table S7).

Predictive associations without smoking adjustment

The prediction EWAS results (table 3, figure 3) revealed that DNAm at time point 1 (DNAm₁) at six of nine sentinel CpGs ($P < 5 \times 10^{-7}$) associated with change in FEV₁/FVC were replicated (cg05575921 and cg21161138 (*AHRR*), cg21566642, cg01940273 and cg03329539 (vicinity of *ALPPL2*), and cg03636183 (*F2RL3*)). These six replicated CpGs were smoking-related markers. They were also associated with cross-sectional FEV₁/FVC and four of them also with predicting change in FEV₁ (*AHRR* (cg05575921), *ALPPL2* (cg05951221, cg01940273), and *F2RL3* (cg03636183), online supplement table S8).

Associations in never smokers

The agnostic discovery EWAS (M_{base}) in never smokers, similarly to the entire sample, showed more statistically significant associations at time point 2 (older age). Eight CpGs were cross-sectionally associated with FEV₁/FVC in never smokers ($P < 5 \times 10^{-7}$), but none replicated (table 4, online supplement figure S5). The CpG, cg14366110 (*FIBCD1*) showed predictive association of DNAm₁ with change in FEV₁/FVC ($P_{\text{discovery}}=4.2 \times 10^{-9}$, $P_{\text{combined}}=3.6 \times 10^{-9}$) in never smokers, but it did not replicate in KORA and LBC1936 ($P_{\text{replication}}=0.439$, replication cohorts with lung function at two time points). The direction of effect however was consistent (table 5, online supplement table S9 for

cross-sectional associations; table S10 for prediction associations) in discovery and replication cohorts.

Characterization of replicated CpGs

None of the not-smoking-related discovery-identified sentinel CpGs (n=25) were confirmed by replication. In contrast, 78% of the sentinel CpGs (n=86) had previously been identified as smoking-related and 57 of these (mapping to 43 loci) formally replicated across all models and lung function outcomes tested (online supplement table S11). They were used jointly for functional annotation and pathway analyses (online supplement tables S12-to-S16). Briefly, these 57 lung function associated CpGs displayed enrichment for transcription factors, such as *RELA* ($P_{FDR}=0.002$) and *EP300* ($P_{FDR}=0.004$) and suggestive enrichment ($P_{FDR}<0.1$) for chromatin state model of flanking active transcription start sites, of transcription at gene 5' and 3', and of enhancers. Using IPA database, or GO term enrichment no significant pathways were revealed. Transcriptional misregulation in cancer, pathways in cancer and regulation of actin cytoskeleton were identified ($P_{FDR}<0.05$) using KEGG pathways enrichment.

Using the weighted Kolmogorov Smirnov test on the entire EWAS discovery results, we noted statistically significant enrichment for smoking-related CpGs among the lung function associated CpGs. This enrichment was also present in the smoking-adjusted EWAS and even in the EWAS restricted to never smokers (online supplement table S17).

Association of adult lung function CpG markers with childhood lung function

Using the same scheme of analysis as for the adult replication cohorts, none of the sentinel CpGs showed associations with FEV_1 , FEV_1/FVC and FVC in the childhood replication cohorts (ALSPAC, IOWBC) (online supplement table S18). The strongest associations observed in children ($P<0.01$) were for five CpGs not known to be smoking-related DNAm markers and one smoking-related CpG, cg00310412 (*SEMA7A*).

Comparison with published DNAm – lung function association reports

Our agnostic results were compared with previously reported lung function- [4, 6, 7, 11] or COPD- [12, 13] specific DNAm. We retrieved all CpGs reported being associated with lung function (n=376) for a look-up in the cross-sectional FEV₁, FEV₁/FVC and FVC associations at time point 2. Only 12 out of 376 CpGs showed evidence for association (Bonferroni correction for 376 tests: $P < 1.3 \times 10^{-4}$, online supplement table S19). Notably, the most recently reported CpG markers [4, 6] – having also been related to smoking - showed consistent associations with lung function e.g. cg05575921, cg21161138 (*AHRR*), cg05951221 (near *ALPPL2*) and cg06126421 (*IER3*). They were among our top replicated lung function association signals.

Two-sample Mendelian Randomisation investigation

To assess the causality of replicated DNAm-lung function association, we conducted a *post-hoc* Mendelian randomization (MR) look-up using publicly available databases [14, 15]. Genetic instruments were identified for 12 replicated CpGs. For seven CpGs a two sample MR on cross-sectional lung function could be completed (see online supplement table S20). Results support causal effects for cg23771366, cg11660018 (*PRSS23*); cg21990700 (*C1RL*); cg00073460 (*ZC3H12D*) on FEV₁ and for cg00073460 (*ZC3H12D*); cg24086068 (*SHROOM3*) on FVC.

Integration of DNAm into a smoking index

A recent smoking EWAS followed-up by a mediation analysis identified ten CpGs as mediators of the smoking-lung function association [4]. Eight of these mediating CpGs were among our replicated lung-function associated CpGs (see online table S21). In a *post hoc* mediation analysis in SAPALDIA, we showed statistically significant average causal mediation on lung function for nine of these mediating CpGs (FEV₁/FVC: table 6; FEV₁ and FVC: online supplement table S22).

To assess the combined effect of these smoking-exposure-mediating CpGs on lung function, we constructed a mediation-smoking index (Mediation-SI). Its association with lung function by smoking

status was tested in covariate-adjusted regression models in the discovery cohorts and following EWAS models (SAPALDIA, ECRHS, NFBC1966). Meta-analyzed results of the Mediation-SI showed strong association with cross-sectional FEV₁/FVC in all participants and ever smokers (table 7, figure 4; FEV₁ and FVC, online supplement table S23). The Mediation-SI association in all participants was more pronounced for cross-sectional (coefficient (β) (standard error (SE))=-1.2 (0.13), $P = 2.65 \times 10^{-20}$) than for prediction association (β (SE)=-0.03% (0.01), $P = 0.0072$). We noted comparable associations of the Mediation-SI and of packyears with lung function (figure 5). Both were inversely associated with level of FEV₁/FVC. Adding the Mediation-SI or self-reported smoking history (smoking status and packyears) to the different M_{base} -adjusted statistical models showed a comparable increase in total adjusted R^2 . Highest total adjusted R^2 was obtained when including both, DNAm score and self-reported smoking history. Covariate-adjusted mean Mediation-SI values decreased from never to former to current smokers and from more distant to more recent smoking exposure - with increase in packyears in current smokers; with fewer years since quitting in former smokers (figure 6).

The assessment of a second DNAm-smoking score (lung-function-genes-SI), based on smoking-related CpGs located in 18 GWAS-identified lung function candidate genes (online supplement table S24), showed less prominent associations with lung function (strongest association observed in ever smokers for FEV₁: β (SE)=-0.196 (0.053), $P = 0.0002$; online supplement table S25).

Discussion

The understanding of how environmental exposure and disease are related to site-specific DNAm status is growing [16, 17]. Our agnostic EWAS on lung function contributes to this body of evidence. Lung function-associated DNAm markers were strongly enriched for smoking-associated loci. More than 50 known smoking CpGs were consistently and in several cases causally associated with lung function and its change in adults. The current agnostic approach converges with recent results of DNAm-lung function studies [4, 6, 7] that were *a priori* focusing on smoking related loci and included pyrosequencing in blood [7] and lung tissue [4] of some of our strongest association signals, including *AHRR* hypomethylation at cg05575921 and cg21161138, cg05951221 and cg21566642 (*ALPPL2*) and cg06126421 (*IER3*). A methylation index integrating ten DNAm that reportedly mediates the effect of smoking on lung function [4] was associated with lung function level and its change in adults.

Smoking is an important risk factor for poor lung function and accelerated decline. Several EWAS identified a large number of differentially methylated CpG markers to be associated with smoking [2-4]. In particular, the hypo-methylation of cg05575921, a CpG located in the third intron of the aryl hydrocarbon receptor repressor (*AHRR*) gene, investigated for lung function and respiratory symptoms [4], stands out as a robust indicator of smoking status and smoking history [18]. Given the consistency of the associations observed for cg05575921 and the smoking index containing it in this study, the latter may have potential as a biomarker of clinical utility in predicting smoking-related morbidity and mortality [18, 19]. The positive direction of effects observed in identified DNAm-lung function association is in accordance with the reported hypo-methylation of smoking-related DNAm sites. The identified lung function-associated CpGs in this study have been previously reported to be associated with smoking-related molecular phenotypes [20], with increased risk of non-communicable disease, including cancer [18, 21], and with epigenetically defined accelerated ageing [22].

Whether most smoking-related DNAm markers are only markers of exposure or indirectly associated with lung function [7] or whether some inform on causal disease pathways cannot be answered conclusively by the current study. First, DNAm may just be a more precise measure of smoking exposure than self-reporting, as *AHRR* DNAm was previously shown to correlate with the genetic smoking dependency [18]. Second, DNAm identified by previous smoking EWAS [2, 4] may not exclusively have picked up methylation effects of smoking, but methylation related to phenotypes also affected by smoking. In this case, the observed DNAm-lung function associations may result from comorbidity between lung function and other smoking-related phenotypes. However some of the results are consistent with a causal disease pathway. First, MR results support causal effects from some DNAm. Unfortunately no genetic instrument was available for the top ranked *AHRR* signal. Second, our report confirms nine CpGs, including cg05575921 (*AHRR*), previously shown to mediate the smoking effect of lung function [4]. The observation that many smoking DNAm-lung function associations withstood smoking adjustment is consistent with the mediating role of DNAm between smoking behaviour (more distant predictor) and lung function. Third, smoking was also observed to influence methylation in lung tissue at several lung function CpGs including at cg05575921 in *AHRR* and these methylation levels correlated with *AHRR* gene expression [23] and gene expression of other genes [4]. Hypotheses for a mediating and causal role of smoking-related DNAm include altered *AHRR* DNAm inducing altered phase-2 enzyme activity and toxicant metabolism and altered inflammatory pathways in the lung [7]. Other inhalants impacting on the same pathways could in part explain the observed enrichment for smoking DNAm among never smokers. Methylation of *AHRR* cg05575921 was previously associated with lung function, and chronic bronchitis in never smokers [7]. Maternal smoking, passive smoking, and environmental exposures other than cigarette smoking (e.g. air pollution) are known to modify DNAm patterns across the genome [24-30]. Maternal smoking during pregnancy has been shown to alter offspring's DNA markers in a number of genes known to contain smoking-related CpGs [25, 26], and some of these epigenetic patterns including in *AHRR* persist to adulthood [27].

From our findings in two well-characterized childhood birth cohorts, there was no evidence for shared common epigenetic mechanisms underlying lung function in adult- and childhood. The comparison was driven by results from the lung function EWAS in adults, given sample size limitations in the available birth cohorts. Lung function in childhood versus adulthood is expected to be influenced in part by different biological processes. The non-replication of the mostly smoking-related lung function DNAm signals might reflect the non-smoking status of the children and adolescents. Our findings in SAPALDIA point to a dose-response effect of smoking history and intensity on the smoking index. Effects of maternal exposure in utero, passive smoking or other inhalants on smoking DNAm are likely smaller than the effects of active smoking [28]. Our EWAS findings generally showed an age-related increase in number and strength of DNAm-lung function associations in adults, despite covariate adjustment for age, as also observed by others [6]. This result is consistent with the observed dose-response effect of smoking and possibly other inhalants on DNAm. But the inherent interdependency of lung function decline, cumulative smoking exposure, and DNAm with aging prohibits attributing associations to single factors.

A systematic review of peripheral DNAm associated with lung function in population-based cohorts pointed to the lack of consistent evidence [5]. Epigenome-wide DNAm profiling studies of lung tissue suggested DNAm in genes like *NOS1AP*, *TNFAIP2*, and *CHRM1* to be associated with COPD [12, 13]. An EWAS meta-analysis, adjusted for smoking status and packyears, identified differential DNAm related to COPD and lung function in Koreans. Five loci (*CTU2*, *USP36*, *ZNF516*, *KLK10* and *CPT1B*) were associated with at least two respiratory traits [11]. Evidence of associations in the current EWAS was only observed for 12 of 376 CpGs associated with lung function phenotypes in these previous studies. This inconsistency may be due to differences in population ancestry, disease status, exposure status, tissue-specific methylation or covariate adjustment. Furthermore limited sample size and false discovery findings could contribute to non-replication as could the absence of post-bronchodilation lung function in the current EWAS. However, our results confirm the associations of two most recently published population-based reports [4, 6] investigating smoking,

DNAme and lung function. Both reports and our results reveal the same smoking CpGs as prominent signals.

The strength of this EWAS investigation is the robust and extensive study design with availability of repeat measures of DNAme and spirometry data in the same cohort participants, as well as its population-based design. The utilization of a multi-level analysis scheme - including cross-sectional and longitudinal EWAS analyses at two time points in the same participants, and EWAS with and without smoking adjustment in all participants and in never smokers - allowed for a better understanding of lung function DNAme being affected by aging and smoking. The lung function associated smoking index derived is building on robust evidence that DNAme in blood is correlated with DNAme and gene expression in lung tissue [4, 21, 31] and that it is a valid biomarker for capturing the effect of smoking on DNA methylation in the lung [7, 18].

There are several limitations to this study. Limitations in sample size may explain the inability to find association signals in never smokers and therefore signals common to lung function in childhood and adulthood. The estimation of decline in lung function from only two spirometry time points is likely to misclassify decline. Additionally, not all replication cohorts had data available for more than one time point. Pre-bronchodilation lung function is less robust than post-bronchodilator values and may increase variability of the findings. The meta-analyzed EWAS results of the cross-sectional analyses showed evidence of inflation ($\lambda > 1.1$) indicating insufficient genomic control. Yet, adjusting for genomic inflation did not alter our main results. The relevance of the smoking index derived from CpGs in or close to lung function GWAS genes can be questioned given evidence on the complex trans-regulation of gene expression [32].

In conclusion, our agnostic investigation shows that DNAme at CpGs related to smoking behaviour are the predominant signals associated cross-sectionally and prospectively with lung function in adults. The findings stimulate further research into the involvement of smoking-related CpGs in lung function relevant mechanism and potentially their role as exposure markers beyond active smoking.

From our EWAS results it has become clear that larger samples are required to confidently identify CpGs involved in lung function and its age-related decline in persons who never smoked.

Acknowledgements

This work has been conducted within the Aging Lungs in European Cohorts (ALEC) project, funded from the European Union's Horizon 2020 research and innovation programme under grant agreement No 633212. For a full list of acknowledgments for each cohort, please see online supplement. Also we gratefully acknowledge the contribution of co-author Professor John M. Starr, who died prior to the publication of this manuscript.

table 1: Characteristics of discovery cohorts.

	SAPALDIA 2 time point 1	SAPALDIA 3 time point 2	ECRHS 2 time point 1	ECRHS 3 time point 2	NFBC1966 age31 time point 1	NFBC1966 age46 time point 2
N	962	962	470	470	611	611
Female, %	53.5	53.5	56	56	55.3	55.3
Age (years), mean (SD)	50.5 (11.3)	58.8 (11.3)	43.6 (6.8)	54.5 (6.8)	31.0 (0.3)	46.3(0.4)
Height (cm), mean (SD)	169.4 (9.2)	168.7 (9.4)	170.0 (9.2)	169.2 (9.3)	171 (8.8)	171 (8.9)
Weight (kg), mean (SD)	74.2 (14.7)	75.5 (15.4)	72.6 (14.6)	76.2 (15.5)	71.3 (13.6)	78.7 (16.3)
Body mass index, (kg/m2) mean (SD)	25.8 (4.4)	26.5 (4.6)	25.0 (4.0)	26.5 (4.4)	24.2 (3.7)	26.7(4.8)
Smoking status, %						
Never smoker*	41.7	41.1	43.2	41.7	54.5	54.5
Former smoker	30.0	37.0	31.1	40.4	21.3	30.2
Current smoker	28.3	21.9	25.7	17.9	24.1	15.3
Packyears, mean (SD)	20.4 (20.2)	22.6 (22.1)	16.6 (16.9)	20.0 (21.3)	7.7 (5.9)	11.0 (9.6)
Education†, %						
Low	5.4	5.4	11.5	11.5	0.65	0.65
Intermediate	65.7	65.7	29.2	29.2	55.9	55.9
High	28.9	28.9	59.3	59.3	43.3	43.3
FVC (L), mean (SD) ‡	4.4 (1.0)	4.1 (1.1)	4.3 (1.0)	3.9 (1.0)	4.8 (1.0)	4.5 (0.9)
FEV₁ (L), mean (SD) ‡	3.3 (0.8)	3.0 (0.8)	3.4 (0.7)	3.0 (0.8)	4.0 (0.8)	3.5 (0.7)
FEV₁/FVC, mean (SD) ‡	0.75 (0.07)	0.73 (0.08)	0.78 (0.06)	0.75 (0.06)	0.83 (0.06)	0.77 (0.06)
Airflow obstruction (FEV₁/FVC<0.7) ‡, %	20.4	29.5	8.9	16.2	1.8	10.8
Airflow obstruction (FEV₁/FVC<LLN) ‡¶, %	12.9	14.1	8.7	10.4	3.27	9.49
Doctor-diagnosed asthma, %	13.8	16.5	14.3	16.8	10.7	15.8
Respiratory medication, % (% missing values)	22.2 (0.8)	23.7 (0.3)	13.4	14.2	n.a.	n.a.

Footnote to table 1A:

* self-reported lifetime non-smoking. † The categorical variable “education” is defined differently in cohorts. In SAPALDIA low corresponds to primary education; intermediate to secondary, middle, or vocational school; and high to technical college or university. In ECRHS and NFBC1966 information of age reached at end of studies is used to define low : ≤16 years; intermediate : 17-19 years and high : ≥20 years.

‡ Values derived from pre-bronchodilation spirometry. Lung function values corrected for spirometer device change in SAPALDIA at time point 2.

¶ LLN: lower limit of normal values estimated using GLI2012 reference equations. n.a. not assessed.

table 1 continued: Characteristics of adult replication cohorts.

	KORA time point 1	KORA time point 2	LCB1936 time point 1	LCB1936 time point 2	Lifelines time point 1	NSPHS time point 1	FTC time point 1
N	628	628	449	449	1622	535	93
Female, %	53.2	53.2	46.8	46.8	42.8	53.1	47.3
Age (years), mean (SD)	53.6 (4.5)	60.1 (4.5)	69.6 (0.9)	76.3 (0.7)	46.7 (10.8)	55.1 (16.0)	30.4 (3.8)
Height (cm), mean (SD)	169.5 (9.3)	168.7 (9.4)	167.2 (8.8)	166.1 (8.81)	176.9 (9.1)	163.8 (9.8)	173.03 (10.5)
Weight (kg), mean (SD)	79.0 (16.7)	79.9 (17.3)	77.2 (14.6)	76.5 (14.8)	82.1 (14.7)	74.0 (15.2)	82.04 (18.8)
Body mass index (kg/m²), mean (SD)	27.4 (4.7)	28.0 (5.1)	27.5 (4.3)	27.7 (4.6)	26.2 (3.9)	27.5 (4.7)	27.30 (5.4)
Smoking status, %							
Never smoker*	38.2	38.2	52.3	52.3	56.6	83.2	53.8
Former smoker	43.8	45.5	40.8	41.9	0 [¶]	n.a. [¶]	26.9
Current smoker	18.0	16.2	6.9	5.8	43.5	16.5	19.4
Packyears, mean (SD)	12.8 (19.3)	13.5 (20.2)	13.9 (24.0)	14.1 (24.6)	21.0 (11.7)	8.1 (21.6)	n.a.
Education[†] (%)							
Low	47.6	47.6	49.7	49.7	23.1	n.a.	1.1
Intermediate	26.43	26.43	32.3	32.3	40.8	n.a.	38.6
High	25.96	25.96	18.0	18.0	35.4	n.a.	60.2
FVC (L), mean (SD) ‡	4.3(1.0)	3.9 (1.0)	3.2 (0.9)	2.8 (0.9)	4.7 (1.1)	3.4 (1.1)	4.8 (1.1)
FEV₁ (L), mean (SD) ‡	3.3 (0.8)	3.0 (0.7)	2.5 (0.7)	2.1 (0.7)	3.5 (0.9)	2.8 (0.9)	3.9 (0.9)
FEV₁/FVC, mean (SD) ‡	0.78 (0.06)	0.75 (0.07)	0.79 (0.09)	0.76 (0.12)	0.73 (0.09)	0.83 (0.09)	0.81 (0.07)
Airflow obstruction (FEV₁/FVC<0.7) ‡, %	8.12	20.06	15.4	26.3	38.4	8.8	5.0
Airflow obstruction (FEV₁/FVC<LLN)‡, %	5.0	9.6	7.6	14.9	27.5	4.3	11.3
Doctor-diagnosed asthma, %	7.2	8.6	4.5	7.1	9.9	14.2	0
Respiratory medication, % (% missing values)	3.3	4.9	6.7	11.8	8.0	7.7	0

Footnote to table 1 continued:

* self-reported lifetime non-smoking.

† The categorical variable education is defined differently in cohorts.

‡ Values derived from pre-bronchodilation spirometry. LLN: lower limit of normal values estimated using GLI2012 reference equations.

¶ Lifelines: non-random selection of samples for DNA methylation typing (current smokers versus never smokers. NSPHS: information obtained on current smoking status (yes/no).

Abbreviations: n.a. not assessed.

table 2: Combined EWAS meta-analyses of cross-sectional associations* of CpG markers with FEV₁/FVC in all participants, base model covariate adjusted EWAS (M_{base}[†]). Meta-analyses of cross-sectional associations obtained using data from the oldest time point available: time point 2 of ECRHS, NFBC1966, SAPALDIA, LBC1936 and time point 1 of KORA, LifeLines and NSPHS.

CpG ID	chr	position (hg19)	Locus	beta* (SE)	P-value meta-analysis	direction of effects [¶]	P-value between study hetero-geneity	replicated P-value <0.0011	previously reported smoking CpG‡	previously reported smoking FDR P-value ‡	previously reported smoking association direction of effect ‡
cg05575921	5	373378	AHRR	0.124 (0.008)	7.22E-50	++++++	0.023	yes	yes**	6.10E-22	(-)
cg03636183	19	17000585	F2RL3	0.201 (0.015)	4.50E-43	++++++	0.008	yes	yes**	5.70E-17	(-)
cg21566642	2	233284661	ALPPL2	0.151 (0.011)	5.02E-43	++++++	0.043	yes	yes**	4.50E-21	(-)
cg01940273	2	233284934	ALPPL2	0.206 (0.015)	4.09E-41	++++++	0.031	yes	yes**	9.80E-30	(-)
cg03329539	2	233283329	ALPPL2	0.257 (0.023)	5.58E-30	++++++	0.628	yes	yes	9.70E-16	(-)
cg21161138	5	399360	AHRR	0.243 (0.021)	9.72E-30	++++++	0.152	yes	yes**	7.90E-13	(-)
cg23771366	11	86510998	PRSS23	0.233 (0.022)	5.38E-27	++++++	0.286	yes	yes	1.90E-14	(-)
cg11660018	11	86510915	PRSS23	0.238 (0.023)	3.40E-26	++++++	0.318	yes	yes	4.40E-21	(-)
cg21611682	11	68138269	LRP5	0.309 (0.03)	1.26E-25	++++++	0.049	yes	yes	4.20E-15	(-)
cg15342087	6	30720209	IER3	0.359 (0.036)	5.44E-24	++++++	0.169	yes	yes	3.90E-14	(-)
cg26703534	5	377358	AHRR	0.266 (0.026)	7.34E-24	++++++	0.101	yes	yes	7.20E-18	(-)
cg25648203	5	395444	AHRR	0.25 (0.026)	9.84E-22	++++++	0.194	yes	yes	2.70E-11	(-)
cg19572487	17	38476024	RARA	0.196 (0.021)	8.87E-21	++++++	0.018	yes	yes	1.60E-16	(-)
cg00310412	15	74724918	SEMA7A	0.261 (0.028)	4.01E-20	++++++	0.275	yes	yes	1.20E-13	(-)
cg24859433	6	30720203	IER3	0.303 (0.034)	2.05E-19	++++++	0.067	yes	yes**	2.20E-09	(-)
cg09935388	1	92947588	GFI1	0.105 (0.012)	7.05E-19	++++++	0.034	yes	yes**	7.00E-14	(-)
cg14753356	6	30720108	IER3	0.189 (0.021)	9.08E-19	++++++	0.405	yes	yes	2.30E-14	(-)
cg04885881	1	11123118	SRM/EXOSC10	0.168 (0.02)	5.66E-18	++++++	0.670	yes	yes	2.70E-11	(-)
cg25949550	7	145814306	CNTNAP2	0.335 (0.039)	6.04E-18	++++++	0.013	yes	yes	9.30E-21	(-)
cg19859270	3	98251294	GPR15	0.467 (0.055)	2.80E-17	++++++	0.029	yes	yes	6.30E-17	(-)
cg03450842	10	80834947	ZMIZ1	0.265 (0.031)	2.92E-17	++++++	0.003	yes	yes	2.40E-11	(-)
cg03707168	19	49379127	PPP1R15A	0.206 (0.025)	1.27E-16	++++++	0.668	yes	yes	3.50E-07	(-)
cg17087741	2	233283010	ALPPL2	0.161 (0.02)	4.48E-16	++++++	<0.001	yes	yes	6.10E-07	(-)
cg21140898	1	51442318	CDKN2C	0.12 (0.017)	4.46E-13	++++++	0.103	yes	yes	3.70E-08	(-)
cg01899089	5	369969	AHRR	0.172 (0.027)	1.47E-10	++++++	0.005	yes	yes	1.80E-12	(-)
cg08763102	4	3079751	HTT	0.225 (0.039)	1.20E-08	++++++	0.001	yes	yes	3.80E-15	(-)
cg21282907	6	74289980	SLC17A5	0.176 (0.031)	1.28E-08	++++++	0.003	no	yes	1.28E-02	(-)
cg20853880	2	10184444	KLF11	0.077 (0.014)	6.05E-08	++++++	0.052	no	yes	3.70E-07	(-)

cg16391678	16	30485597	ITGAL	0.164 (0.031)	1.15E-07	+++++-	0.003	yes	yes	3.00E-11	(-)
------------	----	----------	-------	---------------	-----------------	--------	-------	-----	-----	----------	-----

Footnote to table 2:

For complete results for FEV₁/FVC associations see Supplementary Material table S3. See online supplement table S4 and table S5 analogous results for FEV₁ or FVC, respectively.

* Presentation of CpG markers showing meta-analysis P-value < 5x10⁻⁷ in the combined meta-analysis. Note: DNAME predictors used were technical bias-adjusted, normalized residuals, thus effect size of the association (beta) are not directly comparable to elsewhere reported effect sizes using normalized %-methylation as predictor.

† Base model (M_{base}) EWAS were covariate adjusted for age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition.

‡ Smoking CpGs defined on the reported FDR corrected P-value <0.05 for association reported with smoking status and reported direction of effects for association with smoking. [2]

¶ Order of cohorts: ECRHS, NFBC1966, SAPALDIA, KORA, LBC36, LifeLines, NSPHS. FTC was excluded from this meta-analysis, given the smaller sample size and lower mean age (30.4 years) compared to the other adult cohorts (ECRHS (mean age: 54.5 years), NFBC1966 (46.3 years), SAPALDIA (58.8 years), LBC1936 (76.3 years) and the single available time point for KORA (60.1 years), LifeLines (46.7 years) and NSPHS (55.1 years)).

** Smoking CpG previously reported to mediate the smoking effect on lung function. [4]

Abbreviations: beta – coefficient of association; chr – chromosome; hg19 – human genome build 19; n.a – not assessed; SE – standard error.

table 3: Combined meta-analyses of the prediction associations* of CpG markers on change in FEV₁/FVC (year⁻¹), in all participants, base model adjustment (Mbase†).

				Combined meta-analysis (ECRHS/NFBC/SAPALDIA/KORA/LBC1936)							
CpG ID	chr	position (hg19)	Locus	beta* (SE)	P-value meta- analysis	direction of effect¶	P-value between study hetero-geneity	replicated P-value <0.0011	previously reported smoking CpG‡	previously reported smoking FDR P- value ‡	previously reported smoking association direction of effect ‡
cg05575921	5	373378	AHRR	0.006(0.001)	2.77E-13	+++++	0.005	yes	yes**	6.10E-22	(-)
cg21566642	2	233284661	ALPPL2	0.006(0.001)	3.17E-11	+++++	0.235	yes	yes**	4.50E-21	(-)
cg01940273	2	233284934	ALPPL2	0.009(0.001)	4.93E-11	+++++	0.023	yes	yes**	9.80E-30	(-)
cg21161138	5	399360	AHRR	0.011(0.002)	5.81E-09	+++++	0.103	yes	yes**	7.90E-13	(-)
cg03636183	19	17000585	F2RL3	0.008(0.001)	6.22E-09	+++++	0.001	yes	yes**	5.70E-17	(-)
cg01377124	2	237172609	ASB18	-0.018(0.003)	7.38E-08	--++	0.005	no	no	n.a.	n.a.
cg03329539	2	233283329	ALPPL2	0.011(0.002)	7.66E-08	+++++	0.015	yes	yes	9.70E-16	(-)
cg07222133	5	179499488	RNF130	-0.009(0.002)	2.45E-07	?-++	<0.001	no	no	n.a.	n.a.
cg14366110	9	133779382	FIBCD1	0.014(0.003)	9.62E-07	+++--	0.206	no	no	n.a.	n.a.

Footnote to table 3:

For complete results for FEV₁/FVC and analogous results for FEV₁ or FVC see Supplementary Material table S8.

* Predictive associations of DNA methylation at first time point (DNAm₁) with annual change in lung function during follow-up, defined as lung function at second time point – lung function at first time point divided by the time of follow-up in years. Presentation of CpG markers showing meta-analysis P-value < 5x10⁻⁷ at discovery or combined meta-analyses level. CpGs shown sorted by statistical significance of combined meta-analysis results. Note: DNAm₁ predictors used were technical bias-adjusted, normalized residuals, thus effect size of the association (beta) are not directly comparable to elsewhere reported effect sizes using normalized %-methylation as predictor.

† Base model (M_{base}) EWAS were covariate adjusted for age, age squared, height, FEV₁/FVC at time point 1, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition.

‡ Replication was defined for association if replication P-value<0.0011 (multiple testing correction, 47 tests for FEV₁/FVC).

¶ Smoking CpGs defined on the reported FDR corrected P-value <0.05 for association reported with smoking status and reported direction of effects for association with smoking. [2]

** Smoking CpG previously reported to mediate the smoking effect on lung function. [4]

Abbreviations: beta – coefficient of association; chr – chromosome; hg19 – human genome build 19; n.a – not assessed; SE – standard error.

table 4: Combined meta-analyses* of cross-sectional associations on FEV₁/FVC in never smokers only, obtained using data from time point T2 of ECRHS, NFBC1966, SAPALDIA, LBC1936 and from time point T1 of KORA, LifeLines and NSPHS.

CpG ID	chr	position (hg19)	Locus	Combined meta-analysis (ECRHS/ NFBC1966/ SAPALDIA/KORA/ LBC1936/ Lifelines/ NSPHS)					previously reported smoking CpG‡	previously reported smoking FDR P-value ‡	previously reported smoking association direction of effect ‡
				beta* (SE)	P-value meta-analysis	direction of effects¶	P-value between study hetero-geneity	replicated P-value <0.0011			
cg09884077	15	23086698	NIPA1	-0.308 (0.084)	0.0003	---+---	0.001	no	no	n.a.	n.a.
cg25758394	1	3623859	TP73	0.213 (0.083)	0.0107	??+--+	<0.001	no	no	n.a.	n.a.
cg18664508	3	169487465	ARPM1	-0.308 (0.072)	2.02E-05	+-----	<0.001	no	no	n.a.	n.a.
cg19268386	15	23086595	NIPA1	-0.263 (0.14)	0.0615	??-----	<0.001	no	no	n.a.	n.a.
cg15981995	3	169487311	ARPM1	-0.231 (0.073)	0.0016	??----+	<0.001	no	no	n.a.	n.a.
cg05785298	1	204654622	LRRN2	-0.423 (0.111)	1.41E-04	-++-+-	0.001	no	no	n.a.	n.a.
cg20278790	20	57583474	CTSZ	0.319 (0.07)	5.01E-06	++++--	<0.001	no	no	n.a.	n.a.
cg13562246	8	33368277	C8orf41	0.349 (0.074)	2.67E-06	++++++	0.206	no	no	n.a.	n.a.

Footnote to table 4:

For complete results for FEV₁/FVC and for FEV₁ or FVC in never smokers see online supplement table S8.

* Presentation of CpG markers showing meta-analysis P-value < 5x10⁻⁷ at discovery level for cross-sectional association at time point 2, base model adjustment (M_{base}[†]), using data from time point T2 of ECRHS, NFBC1966, SAPALDIA, LBC1936 and from time point T1 of KORA, LifeLines and NSPHS. Note: DNAm predictors used were technical bias-adjusted, normalized residuals, thus effect size of the association (beta) are not directly comparable to elsewhere reported effect sizes using normalized %-methylation as predictor.

† Base model (M_{base}) EWAS were covariate adjusted for age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition.

‡ Smoking CpGs defined on the reported FDR corrected P-value <0.05 for association reported with smoking status and reported direction of effects for association with smoking.[2]

¶ Order of cohorts: for discovery: ECRHS, NFBC1966, SAPALDIA; for combined analysis: ECRHS, NFBC1966, SAPALDIA, KORA, LBC1936, LifeLines, NSPHS.

Abbreviations: beta – coefficient of association; chr – chromosome; hg19 – human genome build 19; n.a – not assessed; SE – standard error.

table 5: Combined meta-analyses of the prediction associations* of CpG markers on change in FEV₁/FVC (year⁻¹), in never smokers only, base model adjustment (M_{base}[†]).

				Combined meta-analysis (ECRHS/NFBC/SAPALDIA/KORA/LBC1936)							
CpG ID	chr	position	Locus	beta* (SE)	P-value meta- analysis	direction of effects [¶]	P-value between study hetero-geneity	replicated P-value <0.0011	previously reported smoking CpG‡	previously reported smoking FDR P- value ‡	previously reported smoking association direction of effect ‡
cg14366110	9	133779382	FIBCD1	0.017 (0.003)	3.60E-09	++-++	0.315	no	no	n.a.	n.a.
cg11216682	2	131113867	PTPN18	-0.017 (0.003)	1.10E-07	+--+	0.282	no	no	n.a.	n.a.

Footnote to table 5:

For complete results for FEV₁/FVC and for analogous results for FEV₁ or FVC see Supplementary Material table S9.

* Predictive associations of DNA methylation at first time point (DName 1) with change in lung function during follow-up, defined as lung function at second time point – lung function at first time point divided by the time of follow-up in years. Presentation of CpG markers showing meta-analysis P-value < 5x10⁻⁷ at discovery or replication level. Note: DName predictors used were technical bias-adjusted, normalized residuals, thus effect size of the association (beta) are not directly comparable to elsewhere reported effect sizes using normalized %-methylation as predictor.

† Base model (M_{base}) EWAS were covariate adjusted for age, age squared, height, FEV₁/FVC at time point 1, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition.

‡ Smoking CpGs defined on the reported FDR corrected P-value <0.05 for association reported with smoking status and reported direction of effects for association with smoking. [2]

¶ Order of cohorts: for discovery: ECRHS, NFBC1966, SAPALDIA; for combined analysis: ECRHS, NFBC1966, SAPALDIA, KORA, LBC1936.

Abbreviations: beta – coefficient of association; chr – chromosome; n.a – not assessed; SE – standard error.

table 6: Mediation* analysis on the role of previously reported CpGs in the smoking association with FEV₁/FVC, the SAPALDIA cohort.
For analogous results for FEV₁ or FVC see online supplementary table S22.

CpG [†]	Locus	ACME			ADE			Total effect			Proportion		
		Estimate	95%CI	p	Estimate	95%CI	p-value	Estimate	95%CI	p	Estimate	95%CI	p
cg01940273	<i>ALPPL2</i>	-0.0079	[-0.0119, -0.0041]	<0.0001	-0.0026	[-0.0129, 0.0077]	0.604	-0.0106	[-0.0203, -0.0014]	0.026	0.7313	[0.2616, 3.4325]	0.026
cg03636183	<i>F2RL3</i>	-0.0080	[-0.0122, -0.0040]	<0.0001	-0.0029	[-0.0126, 0.0062]	0.556	-0.0108	[-0.0197, -0.0021]	0.018	0.7312	[0.2819, 2.9097]	0.018
cg05575921	<i>AHRR</i>	-0.0102	[-0.0147, -0.0055]	<0.0001	-0.0008	[-0.0109, 0.0086]	0.870	-0.0110	[-0.0202, -0.0020]	0.012	0.9213	[0.3818, 4.0453]	0.012
cg05951221	<i>ALPPL2</i>	-0.0075	[-0.0122, -0.0030]	0.002	-0.0033	[-0.0131, 0.0062]	0.520	-0.0109	[-0.0197, -0.0022]	0.020	0.6836	[0.1942, 2.7656]	0.022
cg06126421	<i>IER3</i>	-0.0054	[-0.0093, -0.0017]	<0.0001	-0.0049	[-0.0148, 0.0049]	0.328	-0.0103	[-0.0194, -0.0012]	0.030	0.5233	[0.1050, 2.5558]	0.030
cg09935388	<i>GFI1</i>	-0.0033	[-0.0058, -0.0010]	0.002	-0.0073	[-0.0168, 0.0022]	0.122	-0.0105	[-0.0198, -0.0013]	0.034	0.3009	[0.0568, 1.4190]	0.036
cg21161138	<i>AHRR</i>	-0.0056	[-0.0089, -0.0025]	<0.0001	-0.0052	[-0.0146, 0.0043]	0.282	-0.0108	[-0.0194, -0.0020]	0.020	0.5127	[0.1647, 2.0961]	0.020
cg21566642	<i>ALPPL2</i>	-0.0098	[-0.0145, -0.0057]	<0.0001	-0.0014	[-0.0116, 0.0089]	0.796	-0.0112	[-0.0209, -0.0011]	0.024	0.8663	[0.3453, 4.6567]	0.024
cg22994830	<i>PRKAR1B</i>	-0.0002	[-0.0009, 0.0003]	0.542	-0.0103	[-0.0201, -0.0010]	0.028	-0.0105	[-0.0202, -0.0013]	0.024	0.0103	[-0.0470, 0.1595]	0.550
cg24859433	<i>IER3</i>	-0.0024	[-0.0053, 0.0002]	0.068	-0.0082	[-0.0179, 0.0013]	0.112	-0.0107	[-0.0201, -0.0014]	0.022	0.2186	[-0.0438, 1.2776]	0.090

Footnote to table 6:

* performed using R package mediation [33].

† previously reported candidate CpG for mediation of smoking effect on lung function [4].

Abbreviations: ACME – average causal mediation effect; ADE – average direct effect.

table 7: Meta-analyses* of discovery cohort specific association of Mediation smoking index (SI) with FEV₁/FVC (%), cross-sectionally at time point 2, and longitudinally predicting the annual change (%/year) during follow-up, base model adjustment (M_{base}[†]), in all study participant, ever and never smokers.

	Cross-sectional meta-analysis at time point 2*				Prediction on change in lung function [†]			
	beta (SE)	P-value [¶]	Direction [¶]	P-value between study heterogeneity	beta (SE)	P-value [¶]	Direction [¶]	P-value between study heterogeneity
All	-0.012 (0.0013)	1.05E-20	---	0.44	-0.0005 (0.0001)	8.66E-09	---	0.006
Ever smokers	-0.014 (0.0016)	3.28E-18	---	0.30	-0.0004 (0.0001)	4.94E-04	---	0.13
Never smokers	-0.0033 (0.0041)	0.423	--+	0.62	-0.0007 (0.0002)	1.73E-04	++	0.003

Footnotes to table 7:

*Cohort-specific association results for Mediation-SI were meta-analysed. The 10 CpGs contributing Mediation-SI are shown in online supplement table S21). For analogous results of associations of Mediation-SI with FEV₁ and FVC see online supplement table S23. Note: DNAm predictors used were technical bias-adjusted, normalized residuals, thus effect size of the association (beta) are not directly comparable to elsewhere reported effect sizes using normalized %-methylation as predictor.

[†] Base model covariate adjustment (M_{base}): age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition. Prediction models were additionally adjusted for FEV₁/FVC at time point 1.

[‡] P-value of meta-analysis: P<0.008 was considered statistically significant, Bonferroni correction for 6 tests per lung function outcome Order of cohorts for direction of effects: ECRHS, NFBC1966, SAPALDIA.

Abbreviations: beta – coefficient of association; chr – chromosome; SE – standard error.

figure 1: Flow of the multi-level discovery design of the epigenome wide association study (EWAS) on lung function parameters FEV_1 , FEV_1/FVC and FVC.

* Base model (M_{base}) EWAS were covariate adjusted for age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center, and cell composition. ** Smoking model EWAS (M_{smok}) were additionally adjusted for smoking covariates: history of smoking intensity as pack years smoked up to the time point of data collection for regressions and for smoking status (current, former and never smoker). EWAS longitudinally predicting the change in lung function ($EWAS_{predict}$) was additionally adjusted for lung function at time point 1. DName1 – DNA methylation at time point 1; DName2 – DNA methylation at time point 2.





figure 2:


A - Effect of aging on the associations between DName and lung function: Increase in numbers of signals with aging. For FEV₁/FVC, we identified 21 CpGs at time point 2 compared to three CpGs at time point 1 to be statistically significant. Quantile-Quantile plots of cross-sectional covariate-adjusted EWAS (M_{base}^*) on FEV₁/FVC at first and second time point, all participants. Meta-analyses were performed without genomic control (inflation factor λ for time point 1 ($\lambda = 1.15$) and for time point 2 ($\lambda = 1.14$)). Analogous figures for cross-sectional association with FEV₁ and with FVC, see online supplement figure S2.

B - Effect of smoking adjustment on the associations between DName and lung function: Quantile-Quantile plots of the repeat cross-sectional covariate-adjusted EWAS (M_{base}^* , $\lambda = 1.13$) and additionally smoking adjusted (M_{smok}^* , $\lambda = 1.05$), all participants. Decrease in numbers of signals after smoking adjustment.

A




B



Footnote to figure 2:

*Base model (M_{base}): EWAS were covariate adjusted for age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center, and cell composition. Smoking adjusted model (M_{smok}): Covariates applied for M_{base} and additionally smoking status and packyears smoked


figure 3: Manhattan and Quantile-Quantile plots of covariate-adjusted prediction* EWAS ($M_{\text{base}}^{\dagger}$) on FEV_1/FVC in all participants. Meta-analysis of the prediction association was performed without genomic control ($\lambda = 0.95$). Analogous figures for association with change in FEV_1 and with change in FVC, see online supplement figure S4.



Footnote to figure 3:

* Predictive associations of DNA methylation at first time point (DNAm1) with change in lung function during follow-up
 \dagger Base model (M_{base}): EWAS were covariate adjusted for age, age squared, height, FEV_1/FVC at time point 1, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center, and cell composition.


figure 4: Forest plots of cohort-specific results and meta-analyses of the association of the Mediation Smoking Index with FEV₁/FVC and change in FEV₁/FVC in ever - and never smokers in the discovery cohorts. Associations run applying base model adjustment (M_{base}*).



Footnote to figure 4:

*Base model (M_{base}): EWAS were covariate adjusted for age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center, and cell composition. Prediction models were additionally adjusted for FEV_1/FVC at time point 1.

figure 5: Distribution and association* of Mediation smoking index (SI)[†] and self-reported smoking history (packyears) with FEV_1/FVC , with 95% confidence interval. Dotted lines mark boxplot interquartile range borders. (A) Boxplot of Mediation-SI (median: 0.3 and range: -1.7 to 5.2) in all participants of SAPALDIA. (B) Boxplot of packyears (median: 2.0 and range: 0 to 145.9) in all participants of SAPALDIA. Analogous figures for association of Mediation-SI with FEV_1 and with FVC, see online supplement figure S6 and figure S7.



Footnote to figure 5:


*Associations were adjusted for the base model (M_{base}): age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center, and cell composition.

[†]The Mediation-SI can be constructed for all participants irrespective of their smoking status.

The M_{base} -adjusted model explained 17.5% of the variance in the outcome. The M_{base} -adjusted model additionally adjusted for the Mediation-SI explained 19.6% of the FEV_1/FVC variance (total adjusted $R^2 = 0.196$) of which 2.8% of the variance was specifically explained by the SI variable. This was comparable to the variance explained by the M_{base} -adjusted model additionally

adjusted for packyears and smoking status corresponding to the M_{smok} model ($R^2 = 0.198$, and with 1.6% of the variance specifically explained by the packyears variable). Model including both smoking adjustments (M_{smok} and additionally Mediation-SI) explained 20.1% of the FEV1/FVC variance.

figure 6: Distribution of adjusted* Mediation smoking index (Mediation-SI) in SAPALDIA at time point 2.



Footnote to figure 6:

* Mediation-SI were adjusted as follows: A) adjusted for age, sex, and education; never smokers (n=395); former smokers (n=356); current smokers (n=211); B) adjusted for age, sex, education, packyears, and cigday; former smokers (n=356); C) adjusted for age, sex, education, and cigday; current smokers n=211); D) adjusted for age, sex, education, and packyears; current smokers n=211).

References

1. Klimentidis YC, Vazquez AI, de Los Campos G, Allison DB, Dransfield MT, Thannickal VJ. Heritability of pulmonary function estimated from pedigree and whole-genome markers. *Front Genet* 2013; 4: 174.
2. Joeanes R, Just AC, Marioni RE, Pilling LC, Reynolds LM, Mandaviya PR, Guan W, Xu T, Elks CE, Aslibekyan S, Moreno-Macias H, Smith JA, Brody JA, Dhingra R, Yousefi P, Pankow JS, Kunze S, Shah SH, McRae AF, Lohman K, Sha J, Absher DM, Ferrucci L, Zhao W, Demerath EW, Bressler J, Grove ML, Huan T, Liu C, Mendelson MM, Yao C, Kiel DP, Peters A, Wang-Sattler R, Visscher PM, Wray NR, Starr JM, Ding J, Rodriguez CJ, Wareham NJ, Irvin MR, Zhi D, Barrdahl M, Vineis P, Ambatipudi S, Uitterlinden AG, Hofman A, Schwartz J, Colicino E, Hou L, Vokonas PS, Hernandez DG, Singleton AB, Bandinelli S, Turner ST, Ware EB, Smith AK, Klengel T, Binder EB, Psaty BM, Taylor KD, Gharib SA, Swenson BR, Liang L, DeMeo DL, O'Connor GT, Herceg Z, Ressler KJ, Conneely KN, Sotoodehnia N, Kardia SL, Melzer D, Baccarelli AA, van Meurs JB, Romieu I, Arnett DK, Ong KK, Liu Y, Waldenberger M, Deary IJ, Fornage M, Levy D, London SJ. Epigenetic Signatures of Cigarette Smoking. *Circ Cardiovasc Genet* 2016; 9(5): 436-447.
3. Gao X, Jia M, Zhang Y, Breitling LP, Brenner H. DNA methylation changes of whole blood cells in response to active smoking exposure in adults: a systematic review of DNA methylation studies. *Clin Epigenetics* 2015; 7: 113.
4. de Vries M, van der Plaats DA, Nedeljkovic I, Verkaik-Schakel RN, Kooistra W, Amin N, van Duijn CM, Brandsma CA, van Diemen CC, Vonk JM, Marike Boezen H. From blood to lung tissue: effect of cigarette smoke on DNA methylation and lung function. *Respiratory research* 2018; 19(1): 212.
5. Machin M, Amaral AF, Wielscher M, Rezwan FI, Imboden M, Jarvelin MR, Adcock IM, Probst-Hensch N, Holloway JW, Jarvis DL, study A. Systematic review of lung function and COPD with peripheral blood DNA methylation in population based studies. *BMC Pulm Med* 2017; 17(1): 54.
6. Carmona JJ, Barfield RT, Panni T, Nwanaji-Enwerem JC, Just AC, Hutchinson JN, Colicino E, Karrasch S, Wahl S, Kunze S, Jafari N, Zheng Y, Hou L, DeMeo DL, Litonjua AA, Vokonas PS, Peters A, Lin X, Schwartz J, Schulz H, Baccarelli AA. Metastable DNA methylation sites associated with longitudinal lung function decline and aging in humans: an epigenome-wide study in the NAS and KORA cohorts. *Epigenetics* 2018; 1-17.
7. Kodal JB, Kobylecki CJ, Vedel-Krogh S, Nordestgaard BG, Bojesen SE. AHRR hypomethylation, lung function, lung function decline and respiratory symptoms. *The European respiratory journal : official journal of the European Society for Clinical Respiratory Physiology* 2018; 51(3).
8. Houseman EA, Accomando WP, Koestler DC, Christensen BC, Marsit CJ, Nelson HH, Wiencke JK, Kelsey KT. DNA methylation arrays as surrogate measures of cell mixture distribution. *BMC Bioinformatics* 2012; 13: 86.
9. Aryee MJ, Jaffe AE, Corrada-Bravo H, Ladd-Acosta C, Feinberg AP, Hansen KD, Irizarry RA. Minfi: a flexible and comprehensive Bioconductor package for the analysis of Infinium DNA methylation microarrays. *Bioinformatics* 2014; 30(10): 1363-1369.
10. Willer CJ, Li Y, Abecasis GR. METAL: fast and efficient meta-analysis of genomewide association scans. *Bioinformatics* 2010; 26(17): 2190-2191.
11. Lee MK, Hong Y, Kim SY, Kim WJ, London SJ. Epigenome-wide association study of chronic obstructive pulmonary disease and lung function in Koreans. *Epigenomics* 2017; 9(7): 971-984.
12. Morrow JD, Cho MH, Hersh CP, Pinto-Plata V, Celli B, Marchetti N, Criner G, Bueno R, Washko G, Glass K, Choi AM, Quackenbush J, Silverman EK, DeMeo DL. DNA methylation profiling in human lung tissue identifies genes associated with COPD. *Epigenetics* 2016; 1-10.
13. Zinellu A, Sotgiu E, Fois AG, Zinellu E, Sotgia S, Ena S, Mangoni AA, Carru C, Pirina P. Blood global DNA methylation is decreased in non-severe chronic obstructive pulmonary disease (COPD) patients. *Pulm Pharmacol Ther* 2017; 46: 11-15.

14. Gaunt TR, Shihab HA, Hemani G, Min JL, Woodward G, Lyttleton O, Zheng J, Duggirala A, McArdle WL, Ho K, Ring SM, Evans DM, Davey Smith G, Relton CL. Systematic identification of genetic influences on methylation across the human life course. *Genome Biol* 2016; 17: 61.
15. Hemani G, Zheng J, Elsworth B, Wade KH, Haberland V, Baird D, Laurin C, Burgess S, Bowden J, Langdon R, Tan VY, Yarmolinsky J, Shihab HA, Timpson NJ, Evans DM, Relton C, Martin RM, Davey Smith G, Gaunt TR, Haycock PC. The MR-Base platform supports systematic causal inference across the human phenome. *Elife* 2018; 7.
16. Stover PJ, James WPT, Krook A, Garza C. Emerging concepts on the role of epigenetics in the relationships between nutrition and health. *J Intern Med* 2018.
17. Franceschi C, Garagnani P, Morsiani C, Conte M, Santoro A, Grignolio A, Monti D, Capri M, Salvioli S. The Continuum of Aging and Age-Related Diseases: Common Mechanisms but Different Rates. *Front Med (Lausanne)* 2018; 5: 61.
18. Bojesen SE, Timpson N, Relton C, Davey Smith G, Nordestgaard BG. AHRR (cg05575921) hypomethylation marks smoking behaviour, morbidity and mortality. *Thorax* 2017; 72(7): 646-653.
19. Andersen AM, Philibert RA, Gibbons FX, Simons RL, Long J. Accuracy and utility of an epigenetic biomarker for smoking in populations with varying rates of false self-report. *American journal of medical genetics Part B, Neuropsychiatric genetics : the official publication of the International Society of Psychiatric Genetics* 2017; 174(6): 641-650.
20. Zaghlool SB, Mook-Kanamori DO, Kader S, Stephan N, Halama A, Engelke R, Sarwath H, Al-Dous EK, Mohamoud YA, Roemisch-Margl W, Adamski J, Kastenmuller G, Friedrich N, Visconti A, Tsai PC, Spector T, Bell J, Falchi M, Wahl A, Waldenberger M, Peters A, Gieger C, Pezer M, Lauc G, Graumann J, Malek JA, Suhre K. Deep molecular phenotypes link complex disorders and physiological insult to CpG methylation. *Human molecular genetics* 2018.
21. Teschendorff AE, Yang Z, Wong A, Pipinikas CP, Jiao Y, Jones A, Anjum S, Hardy R, Salvesen HB, Thirlwell C, Janes SM, Kuh D, Widschwendter M. Correlation of Smoking-Associated DNA Methylation Changes in Buccal Cells With DNA Methylation Changes in Epithelial Cancer. *JAMA Oncol* 2015; 1(4): 476-485.
22. Gao X, Zhang Y, Breitling LP, Brenner H. Relationship of tobacco smoking and smoking-related DNA methylation with epigenetic age acceleration. *Oncotarget* 2016; 7(30): 46878-46889.
23. Monick MM, Beach SR, Plume J, Sears R, Gerrard M, Brody GH, Philibert RA. Coordinated changes in AHRR methylation in lymphoblasts and pulmonary macrophages from smokers. *American journal of medical genetics Part B, Neuropsychiatric genetics : the official publication of the International Society of Psychiatric Genetics* 2012; 159B(2): 141-151.
24. Knopik VS, Marceau K, Bidwell LC, Rolan E. Prenatal substance exposure and offspring development: Does DNA methylation play a role? *Neurotoxicol Teratol* 2018.
25. Nielsen CH, Larsen A, Nielsen AL. DNA methylation alterations in response to prenatal exposure of maternal cigarette smoking: A persistent epigenetic impact on health from maternal lifestyle? *Arch Toxicol* 2016; 90(2): 231-245.
26. Joubert BR, Felix JF, Yousefi P, Bakulski KM, Just AC, Breton C, Reese SE, Markunas CA, Richmond RC, Xu CJ, Kupers LK, Oh SS, Hoyo C, Gruzieva O, Soderhall C, Salas LA, Baiz N, Zhang H, Lepeule J, Ruiz C, Ligthart S, Wang T, Taylor JA, Duijts L, Sharp GC, Jankipersadsing SA, Nilsen RM, Vaez A, Fallin MD, Hu D, Litonjua AA, Fuemmeler BF, Huen K, Kere J, Kull I, Munthe-Kaas MC, Gehring U, Bustamante M, Saurel-Coubizolles MJ, Quraishi BM, Ren J, Tost J, Gonzalez JR, Peters MJ, Haberg SE, Xu Z, van Meurs JB, Gaunt TR, Kerkhof M, Corpeleijn E, Feinberg AP, Eng C, Baccarelli AA, Benjamin Neelon SE, Bradman A, Merid SK, Bergstrom A, Herceg Z, Hernandez-Vargas H, Brunekreef B, Pinart M, Heude B, Ewart S, Yao J, Lemonnier N, Franco OH, Wu MC, Hofman A, McArdle W, Van der Vlies P, Falahi F, Gillman MW, Barcellos LF, Kumar A, Wickman M, Guerra S, Charles MA, Holloway J, Auffray C, Tiemeier HW, Smith GD, Postma D, Hivert MF, Eskenazi B, Vrijheid M, Arshad H, Anto JM, Dehghan A, Karmaus W, Annesi-Maesano I, Sunyer J, Ghantous A, Pershagen G, Holland N, Murphy SK, DeMeo DL, Burchard EG, Ladd-Acosta C, Snieder H, Nystad W, Koppelman GH, Relton

- CL, Jaddoe VW, Wilcox A, Melen E, London SJ. DNA Methylation in Newborns and Maternal Smoking in Pregnancy: Genome-wide Consortium Meta-analysis. *American journal of human genetics* 2016: 98(4): 680-696.
27. Richmond RC, Joubert BR. Contrasting the effects of intra-uterine smoking and one-carbon micronutrient exposures on offspring DNA methylation. *Epigenomics* 2017: 9(3): 351-367.
 28. Reynolds LM, Magid HS, Chi GC, Lohman K, Barr RG, Kaufman JD, Hoeschele I, Blaha MJ, Navas-Acien A, Liu Y. Secondhand Tobacco Smoke Exposure Associations With DNA Methylation of the Aryl Hydrocarbon Receptor Repressor. *Nicotine Tob Res* 2017: 19(4): 442-451.
 29. de Lichtenfels AJ, van der Plaat DA, de Jong K, van Diemen CC, Postma DS, Nedeljkovic I, van Duijn CM, Amin N, la Bastide-van Gemert S, de Vries M, Ward-Caviness CK, Wolf K, Waldenberger M, Peters A, Stolk RP, Brunekreef B, Boezen HM, Vonk JM. Long-term Air Pollution Exposure, Genome-wide DNA Methylation and Lung Function in the LifeLines Cohort Study. *Environmental health perspectives* 2018: 126(2): 027004.
 30. Hesselbach K, Kim GJ, Flemming S, Haupl T, Bonin M, Dornhof R, Gunther S, Merfort I, Humar M. Disease relevant modifications of the methylome and transcriptome by particulate matter (PM2.5) from biomass combustion. *Epigenetics* 2017: 12(9): 779-792.
 31. Stueve TR, Li WQ, Shi J, Marconett CN, Zhang T, Yang C, Mullen D, Yan C, Wheeler W, Hua X, Zhou B, Borok Z, Caporaso NE, Pesatori AC, Duan J, Laird-Offringa IA, Landi MT. Epigenome-wide analysis of DNA methylation in lung tissue shows concordance with blood studies and identifies tobacco smoke-inducible enhancers. *Human molecular genetics* 2017: 26(15): 3014-3027.
 32. Yao C, Joehanes R, Johnson AD, Huan T, Liu C, Freedman JE, Munson PJ, Hill DE, Vidal M, Levy D. Dynamic Role of trans Regulation of Gene Expression in Relation to Complex Traits. *American journal of human genetics* 2017: 100(4): 571-580.
 33. Tingley D. YT, Hirose K., Keele L., Imai K. Mediation: R package for causal mediation analysis. *Journal of Statistical Software* 2014: 59(5): 1-38.

Online Supplement to

Epigenome-wide association study of lung function level and its change.

Medea Imboden^{1,2*}, Matthias Wielscher^{3,4*}, Faisal I. Rezwan^{5*}, André F.S. Amaral^{3,6*}, Emmanuel Schaffner^{1,2}, Ayoung Jeong^{1,2}, Anna Beckmeyer-Borowko^{1,2}, Sarah E. Harris^{7,8}, John M Starr^{7,9}, Ian J. Deary^{7,10}, Claudia Flexeder¹¹, Melanie Waldenberger^{11,12}, Annette Peters^{11,12}, Holger Schulz^{11,13}, Su Chen¹⁴, Shadia Khan Sunny¹⁵, Wilfried J.J. Karmaus¹⁵, Yu Jiang¹⁵, Gertraud Erhart¹⁶, Florian Kronenberg¹⁶, Ryan Arathimos^{17,18}, Gemma C. Sharp^{17,18,19}, Alexander John Henderson¹⁸, Yu Fu²⁰, Päivi Piirilä²¹, Kirsi H. Pietiläinen^{22,23}, Miina Ollikainen²⁰, Asa Johansson²⁴, Ulf Gyllensten²⁴, Maaïke de Vries^{25,26}, Diana A. van der Plaat^{25,26}, Kim de Jong^{25,26}, H. Marika Boezen^{25,26}, Ian P. Hall²⁷, Martin D. Tobin^{28,29}, Marjo-Riitta Jarvelin^{4,30,31,32, 33*}, John W. Holloway^{5*}, Deborah Jarvis^{3,6*}, and Nicole M. Probst-Hensch^{1,2*}.

* These authors have contributed equally.

Contents

1.	Description of cohorts.....	4
1.1.	Discovery cohort: ECRHS - European Community Respiratory Health Survey	4
1.2.	Discovery cohort: NFBC1966 - Northern Finland Birth Cohort 1966.....	4
1.3.	Discovery cohort: SAPALDIA - Swiss Study on Air Pollution Heart and Lung Disease in Adults 5	
1.4.	Replication cohort: ALSPAC - Avon Longitudinal Study of Parents and Children	6
1.5.	Replication cohort: FTC - Finnish Twin Cohort.....	7
1.6.	Replication cohort: IOWBC – Isle Of Wight Birth Cohort.....	8
1.7.	Replication cohort: KORA - Cooperative Health Research in the Augsburg Region Study	9
1.8.	Replication cohort: LBC1936 - Lothian Birth Cohort 1936.....	9
1.9.	Replication cohort: LifeLines Cohort.....	10
1.10.	Replication cohort: NSPHS - Northern Sweden Population Health Study	10
1.11.	Data availability statement	11
1.12.	Childhood replication cohorts: Characteristics of ALSPAC and IOWBC	12
2.	Methods: Study design and participants	13
2.1.	Study population.....	13
2.2.	Figure S1: Selection of study participants in discovery cohorts and data availability in replication cohorts	14
2.3.	Discovery and replication data availability	15
2.4.	Whole blood sample collection and DNA methylation typing in discovery cohorts	15
2.5.	QC- processing of DNA methylation data	15
2.6.	Table: Methylation data quality control processing and sample exclusion in discovery cohorts.	16

2.7.	<i>Spirometry and epidemiological data collection</i>	16
2.8.	Table: Use of spirometers in discovery cohorts.....	17
3.	Methods: Statistical analysis.....	17
3.1.	<i>Statistical models</i>	17
3.2.	<i>Generation of smoking scores</i>	20
3.3.	Annotation of genomic loci of replicated CpGs	20
3.4.	Pathway analyses of replicated CpGs	21
3.5.	Smoking enrichment analysis	21
3.6.	Replication of mediation analysis in SAPALDIA	21
3.7.	Two-sample Mendelian randomization study of the replicated CpGs	22
4.	Results: Sentinel CpG marker selection for replication	23
4.1.	Table S1: List of sentinel CpGs for replication, all participants.....	23
4.2.	Table S2: List of sentinel CpGs for replication, never smokers.....	27
5.	Results: Cross-sectional associations with each lung function measure, without smoking adjustment	28
5.1.	Table S3 (FEV ₁ /FVC), Table S4 (FEV ₁) and Table S5 (FVC)	28
5.2.	Figure S2: Quantile-Quantile plot of cross-sectional EWAS on FEV ₁ and FVC	29
6.	Results: EWAS _{repeat} - Repeat cross-sectional EWAS in the same study participants – combining the data from both time points	30
	Box1 Figure: EWAS _{repeat} Manhattan and QQ plots, in all participants	31
6.1.	Table S6: Repeat cross-sectional associations with lung function in all participants (EWAS _{repeat} , M _{base})	32
7.	Results: Effect of smoking adjustment on the cross-sectional EWAS (M _{smok}):.....	34
7.1.	Figure S3: Quantile-Quantile plots of smoking adjusted EWAS, in all participants.....	35
7.2.	cg16288101: Smoking adjusted meta-analyses of cross-sectional associations (M _{smok}), in all participants.	36
8.	Results: Prediction of DNAm1 association with lung function (EWAS _{predict})	37
8.1.	Table S8: Prediction EWAS (M _{base}) for change in FEV ₁ and for FVC, in all participants.....	37
8.2.	Figure S4: Plots of prediction EWAS on FEV ₁ and FVC	39
9.	Results: EWAS meta-analyses in never smokers	40
9.1.	Figure S5: Quantile-Quantile plots for cross-sectional associations, in never smokers.	40
9.2.	Table S9: Cross-sectional associations, in never smokers.	41
9.3.	Table: EWAS _{repeat} in never smokers:.....	42
9.4.	Table S10: Prediction EWAS, in never smokers.	43
10.	Results: Functional characterization of replicated CpGs	44
10.1.	Table S11: 43 differentially methylated loci associated with lung function	44

10.2.	Table S12: Functional annotation: Transcription binding sites.....	45
10.3.	Table S13: Functional annotation: Chromatin State Models.....	45
10.4.	Table S14: Functional annotation: Canonical Pathways	46
10.5.	Table S15: Functional annotation: Pathway analysis using KEGG	46
10.6.	Table S16: Functional annotation: GO term enrichment analysis	47
11.	Results: Enrichment analysis of smoking-related CpGs in discovery EWAS.	47
11.1.	Table S17: Overrepresentation of smoking-related CpGs among the lung function associated CpG markers.....	47
12.	Results: Associations of sentinel CpGs with lung function in childhood cohorts (ALSPAC, IOWBC) 48	
12.1.	Table S18: Associations of sentinel CpGs with FEV ₁ , FEV ₁ /FVC, and FVC in childhood birth cohorts, ALSPAC and IOWBC.....	48
13.	Results: ALEC discovery meta-analysis look-up results of CpGs previously associated with respiratory traits	50
13.1.	Table S19: Results for cross-sectional adjusted associations (M _{base}) with FEV ₁ , FEV ₁ /FVC and FVC at time point 2	50
14.	Results: Two-sample Mendelian Randomization look-up in publicly available databases	50
14.1.	Table S20: Two-sample MR results for FEV ₁ predicted percentage and for FVC.....	50
15.	Results: Mediation analysis and Mediation smoking index (Mediation-SI).....	52
15.1.	Table S21: List of smoking effect mediating candidate CpGs and CpG list of mediation smoking index (Mediation-SI)	52
15.2.	Table S22: Replication of mediation analyses on FEV1 and on FVC in SAPALDIA	53
15.3.	Figure S6: Association of Mediation-SI with FEV ₁ and comparison with association of packyears SI with FEV ₁	54
15.4.	Figure S7: Association of Mediation-SI with FVC and comparison with association of packyears with FVC	55
15.5.	Table S23: Mediation-SI association with FEV1 and with FVC by smoking strata	56
15.6.	Figure S8: Mediation-SI association with FEV ₁ in ever - and never smokers.....	57
16.	Results: Scatter plots of percent methylation with lung function outcomes of 57 replicated CpGs 58	
16.1.	Figure S9: Scatter plots visualizing the relationship between percent methylation (β- value, X-axis) with FEV1/FVC (ratio, y-axis) in SAPALDIA at time point 2	58
16.2.	Figure S10: Scatter plots visualizing the relationship between percent methylation (β- value, X-axis) with FEV1 (L, y-axis) in SAPALDIA at time point 2.....	59
16.3.	Figure S11: Scatter plots visualizing the relationship between percent absolute methylation (β-value, X-axis) with FVC (L, y-axis) in SAPALDIA at time point 2	60
17.	Results: Candidate Gene based DNAm smoking index (lung-function-gene-SI).....	61
17.1.	Table S24: List of CpGs contributing to lung-function-gene-SI	61

17.2.	Table S25: Associations of lung-function-gene-SI with FEV ₁ , FEV ₁ /FVC and FVC	62
18.	Acknowledgments & Funding of cohorts:.....	63
18.1.	Discovery cohort: ECRHS - European Community Respiratory Health Survey	63
18.2.	Discovery cohort: NFBC1966 - Northern Finland Birth Cohort 1966	64
18.3.	Discovery cohort: SAPALDIA - Swiss Study on Air Pollution Heart and Lung Disease in Adults	64
18.4.	Replication cohort: ALSPAC - Avon Longitudinal Study of Parents and Children	65
18.5.	Replication cohort: FTC - Finnish Twin Cohort.....	65
18.6.	Replication cohort: IOWBC – Isle Of Wight Birth Cohort.....	66
18.7.	Replication cohort: KORA - Cooperative Health Research in the Augsburg Region Study.....	66
18.8.	Replication cohort: LBC1936 - Lothian Birth Cohort 1936.....	66
18.9.	Replication cohort: Lifelines Cohort.....	67
18.10.	Replication cohort: NSPHS - Northern Sweden Population Health Study	67
19.	References	68

1. Description of cohorts

1.1. Discovery cohort: ECRHS - European Community Respiratory Health Survey

Study description

The European Community Respiratory Health Survey (ECRHS) is an international multicentre cohort study designed to assess the prevalence of asthma and allergic disease and identify their risk factors.[1] Young adults of European descent were randomly recruited from community-based sampling frames in the ECRHS I (1991-1993) and followed up twice in the 20 years after the first assessment (ECRHS II: 1998-2002; ECRHS III: 2008-2013), for full protocols, see <http://www.ecrhs.org>). The study was approved by the local ethics committees in each region: Reykjavík, Iceland (The National Bioethics Committee, Reykjavík, Iceland); Umea, Uppsala, Gothenburg, Sweden (Regional Ethical Committee in Uppsala, Sweden); Erfurt, Hamburg, Germany (Ethic Committee of the Bavarian State Chamber of Physicians, Germany); Norwich, UK (Norwich District Ethics Committee); Ipswich, UK (Ipswich–East Suffolk Local Research Ethics Committee); Grenoble, France (Ethics committee Paris Bichat-Claude Bernard); Barcelona, Spain (Comité Ético de Investigación Clínica del Instituto Municipal de Asistencia Sanitaria, Barcelona, Spain); Albacete, Spain (Comité de Ética e Investigación de Complejo Hospitalario de Albacete, Spain); Oviedo, Spain (Comité Ético de Investigación Clínica Regional, Hospital Universitario Central de Asturias, Oviedo, Spain); Galdakao, Spain (Comité Ético de Investigación del Hospital de Galdakao, Spain); and Basel, Switzerland (Swiss Academy of Medical Sciences and the ethics committee of Basel).

1.2. Discovery cohort: NFBC1966 - Northern Finland Birth Cohort 1966

Study description

The Northern Finland Birth Cohort 1966 (NFBC 1966) is an unselected, population-based sample of all live births in 1966 ($n = 12,058$) in the provinces of Oulu and Lapland in Finland. Women with expected delivery dates in 1966 were recruited through maternity health centers.[2] In 1997, at offspring age of 31 years, all cohort participants with known addresses were sent a postal questionnaire on health and lifestyle and those living in Northern Finland or Helsinki area were invited to a clinical examination which included blood sampling. In total, both questionnaire, clinical and biological data were collected for 6,007 participants. DNA was successfully extracted for 5,753 participants from fasted blood samples[3]. In 2012, all individuals with known address in Finland were sent postal questionnaires and an invitation for clinical examination. Both questionnaire, clinical and biological data were collected for 5,539 participants. DNA methylation at 31 years was extracted for 807 randomly selected subjects of whom questionnaire, clinical and genetic data were available at both 31 and 46 years. Of them analyses here included 611 subjects with lung function (spirometry both at 31 and 46 years of age), other relevant covariate and methylation data.

This longitudinal, epidemiological research program is maintained within the Department of Health Sciences, Faculty of Medicine, University of Oulu, Finland (<http://www.oulu.fi/nfbc/>). Informed consent for the use of the data including DNA was obtained from all subjects. The study was approved by the ethics committees in Oulu (Finland) and Oxford (UK) universities in accordance with the Declaration of Helsinki.

Methylation of genomic DNA was quantified using the Infinium HumanMethylation450 BeadChip (Illumina, Inc.) array at age 31 years and The Infinium Methylation EPIC array (Illumina, Inc.) at age 46 years according to manufacturer's instructions. Bisulfite conversion of genomic DNA was performed using the EZ DNA methylation kit according to manufacturer's instructions (Zymo Research, Orange, CA). In NFBC1966 quality control and quantile normalization for DNA methylation data was adapted from the CPACOR pipeline.[4] Illumina Background Correction was applied to the intensity values, a detection p-value threshold was set at $p < 10^{-16}$, and samples with call rate $< 98\%$ were excluded. Probes with call rate $< 95\%$ were excluded from the analyses.

1.3. Discovery cohort: SAPALDIA - Swiss Study on Air Pollution Heart and Lung Disease in Adults

Study description

SAPALDIA was initiated in 1991 to specifically study the air pollution impact on respiratory health.[5, 6] It is a population-based cohort in Switzerland recruiting subjects aged 18 to 60 from population registries in eight communities, representing the three largest language groups (German, French, Italian) as well as different levels of air pollution and degrees of urbanization. Subjects underwent spirometry and answered a detailed questionnaire on respiratory health, allergies, smoking history, and lifestyle factors in the baseline (year 1991) and follow-up (year 2002) examination. The study is in agreement with the Declaration of Helsinki. Participants provided prior written informed consent and ethical approval for the study was given by the Overall Regional Ethics Commission for Clinical Medicine (Swiss Academy of Medical Sciences) and by the respective cantonal ethical committee for each survey.

1.4. Replication cohort: ALSPAC - Avon Longitudinal Study of Parents and Children

Study description

The Avon Longitudinal Study of Parents and Children (ALSPAC) recruited 14,541 pregnant women with expected delivery dates between April 1991 and December 1992.[7, 8] Of these initial pregnancies, there were 14,062 live births and 13,988 children who were alive at 1 year of age. When the oldest children were approximately 7 years of age, an attempt was made to bolster the initial sample with eligible cases who had failed to join the study originally. As a result, when considering variables collected from the age of seven onwards (and potentially abstracted from obstetric notes) there are data available for more than the 14,541 pregnancies mentioned above. The study website contains details of all the data that are available through a fully searchable data dictionary (<http://www.bris.ac.uk/alspac/researchers/data-access/data-dictionary>).

DNA methylation data and QC and preprocessing

As part of the ARIES project (<http://www.ariesepigenomics.org.uk>), a sub-sample of 1,018 ALSPAC mother-child pairs had DNA methylation measured using the Infinium HumanMethylation450 BeadChip (Illumina, Inc.). DNA methylation data was measured in three samples per child, from cord blood and venous blood samples at age 7 and again at age 15 or 17 years. All DNA methylation wet-lab and preprocessing analyses were performed at the University of Bristol as part of the ARIES project and has been described in detail previously.[9]

In detail, peripheral blood was collected according to standard procedures, spun and frozen at -80°C. DNA methylation analysis and data pre-processing were performed at the University of Bristol as part of the ARIES project ([ariesepigenomics.org.uk](http://www.ariesepigenomics.org.uk)). Following extraction, DNA was bisulfite converted using the Zymo EZ DNA Methylation™ kit (Zymo, Irvine, CA). Following conversion, the genome-wide methylation status of over 485,000 CpG sites was measured using the Illumina Infinium® HumanMethylation450k BeadChip assay according to the standard protocol. The arrays were scanned using an Illumina iScan and initial quality review was assessed using GenomeStudio (version 2011.1). The level of methylation is expressed as a “Beta” value (β -value), ranging from 0 (no cytosine methylation) to 1 (complete cytosine methylation). Samples from all time-points in ARIES were distributed across slides using a semi-random approach (sampling criteria were in place to ensure that all time-points were represented on each array) to minimize the possibility of confounding by batch effects. Samples failing quality control (average probe detection p-value ≥ 0.01) were repeated. As an additional quality control step genotype probes on the HumanMethylation450k were compared between samples from the same individual and against SNP-chip data to identify and remove any sample mismatches. Data were pre-processed in R (version 3.0.1) with the Watermelon package according to the subset quantile normalization approach described by Touleimat & Tost in an attempt to reduce the non-biological differences between probes. We removed probes that had a detection P-value >0.05 for $>5\%$ of samples, probes on the X or Y chromosomes and SNPs (rs probes).

Proportions of cell types were estimated from DNA methylation data using the `estimateCellCounts` function in the `minfi` R package which is based on the method developed by Houseman et al. [10, 11] This estimated the proportion of B cells, CD8 T cells, CD4 T cells, granulocytes, eosinophils, neutrophils, NK cells and monocytes at the 7.5 year methylation time-point and at the 16.5 year methylation time-point independently. Ten surrogate variables were generated and included in

models to adjust for technical batch in cross-sectional and prediction models, using the *sva* R package. In longitudinal models, twenty surrogate variables were used, ten from each of the two methylation time points. Asthma status at 7.5 years of age was defined from questionnaires completed by the mothers of the study children at approx. 7.5 years of age when they were asked if their study child have ever been diagnosed by a doctor with asthma. Mothers were also asked in the same questionnaire if their study child had taken any asthma medicine in the past 12 months. The mothers of the study children were asked the same questions about asthma doctor diagnosis and asthma medications in the past 12 months when study children were 14 years old.

Lung function and covariates

Spirometry was done in a research clinic at ages 8.5 and 15 years approximately by using methods described previously.[12] Lung function at 15 years was defined as the highest of 3 measures before administration of salbutamol (pre-salbutamol measures) and 15 minutes after receiving 400 mg of salbutamol (post-salbutamol measures) administered by using metered aerosol and a spacer.

Maternal education (proxy for social class) was classified for this study as 1"University education", 2"A-level" or 3"O-level or lower" based on questionnaires completed by the study mothers. We derived smoking status from questionnaires completed by the study children at approximately 16 years of age. Study participants were asked if they had ever smoked a cigarette. Those responding Yes to the smoking question were then asked about their smoking frequency, indicating either 1"I have only ever tried smoking cigarettes once or twice" , 2"I used to smoke sometimes but I never smoke cigarettes now", 3"I sometimes smoke cigarettes but I smoke less than one a week", 4"I usually smoke between one and six cigarettes a week", 5"I usually smoke between one and six cigarettes a week but not every day" and 6"I usually smoke one or more cigarettes every day".

Height and weight were measured at research clinic attendance at the same ages as lung function assessment was carried out. During clinic attendance, height was measured to the last complete mm using a Harpenden Stadiometer and weight was measured using a Tanita Body Fat Analyser (Model TBF 305; Tanita Europe Ltd, Amsterdam, The Netherlands).

1.5. Replication cohort: FTC - Finnish Twin Cohort

Study description

The Finnish Twin Cohort (FTC) study was initiated in 1974 to study genetic and environmental factors contributing to complex diseases and behavioral risks.[13] The study participants were recruited from the FinnTwin16 cohort,[13] a population-based, longitudinal study of five consecutive birth cohorts (1975–1979) of twins, their siblings, and their parents. The FinnTwin16 cohort was established in 1991, and the first assessments took place when the twins were 16 years of age, with four waves of follow-up when the twins were 17, 18.5, 24,[14] and 34 years,[13] on average. We studied young adult twin individuals who were selected by their responses to questions on weight and height at the age of 23–36 years to represent a wide range of intra-pair differences in body mass index (BMI).

The spirometric examinations were performed during 2004-2013 by a mass flow sensor (Vmax encore, Sensormedics, Palm Springs, CA, USA). The flow device was cleaned before calibration by the

device's automatic cleaning program, after which 0 calibration was performed. Flow calibration was then performed with a 3 liter pump between flow values 0.5 l/s and 6 l/s, after which a volume calibration was performed. During spirometry, patient was sitting with the nose closed with a clip, and at least 3 maximal flow volume curves were measured, the difference of best two FEV1 values or FVC values had to be less than 150 ml, and the expiration should last at least 6 seconds. If this was not fulfilled, additional measurements were performed. The spirometric results were given according to ERS/ATS recommendation from 2005.[15] Forced vital capacity (FVC), forced expiratory volume in one second (FEV1) and FEV1/FVC ratio were measured. The 2012 multiethnic reference values were used to compare the spirometric results.[16] The study subjects provided written, informed consent. The protocol was designed and performed according to the principles of the Helsinki Declaration and was approved by the Ethics Committee of the Hospital District of Helsinki and Uusimaa.

DNA methylation data

DNA extracted from white blood cells of 308 FinnTwin16 twins (112 MZ and 42 DZ pairs) aged 23-36, was used to generate DNA methylation data by Infinium HumanMethylation450 BeadChip (Illumina, Inc.). All DNA methylation wet-lab analyses were performed at the Norwegian Genomics Consortium, Oslo, Norway, and data preprocessing analyses were performed at the University of Helsinki, Finland, as part of the ongoing FTC projects, and has been described in detail previously.[17] For the current study, 110 MZ twins (55 MZ pairs) with both DNA methylation and spirometry data available from the same time point were selected.

1.6. Replication cohort: IOWBC – Isle Of Wight Birth Cohort

Study description

The IOWBC is a single-centre study designed to represent the community population. All children born on the Isle of Wight in a defined period (January 1989 to February 1990) were eligible for inclusion. The cohort was recruited through the 1509 women who gave birth to 1536 children on the IOW during the recruitment period. The children in the IOWBC have been seen on six occasions over the course of 26 years, at 1, 2, 4, 10, 18 and 26 years.[18] The focus of the IOWBC is to investigate the etiology and natural history of asthma and allergic disease manifestations in an unselected population during childhood and early adult life. Spirometry data was performed at follow-ups at age 10, 18 and 26. The spirometer used at each follow-up was Koko spirometer and software with a portable desktop device (both PDS Instrumentation, Louisville, KY, USA).[19]

DNA methylation data

Biologic sample collection of peripheral blood was obtained at follow-ups at the age 10 and 18 and the samples of a subgroup were used for DNA methylation typing. 817 samples were typed using the Illumina Infinium® HumanMethylation450k BeadChip assay according to the standard protocol.[19] Methylation data was processed using standard QC-pipelines (CPACOR, quantile normalization and ComBat) using Minfi and SVA R packages (R version 3.51).

1.7. Replication cohort: KORA - Cooperative Health Research in the Augsburg Region Study

Study description

The Cooperative Health Research in the Augsburg Region Study, KORA, aims to gain new insights into the causes, development and consequences of cardiovascular disease, diabetes as well as lung diseases and allergies.[20-22] The KORA S4 survey is an independent population-based sample from the general population living in the region of Augsburg, Southern Germany. KORA S4 was conducted in 1999/2001 and standardized examinations were applied in the survey (4261 participants). A total of 3080 subjects participated in a follow-up examination of S4 in 2006–08 (KORA F4), comprising individuals who, at that time, were aged 32–81 years. A subset of 1321 subjects, aged 44-64 years, underwent spirometry and were followed up in the KORA FF4 survey 7 years later (2013/2014). Of those, a total of 628 subjects had DNA methylation data from blood samples collected at KORA F4 and data available on spirometry from KORA F4 and KORA FF4.

DNA methylation data

DNA methylation was measured in DNA extracted from whole blood of the participants using the Infinium HumanMethylation450K BeadChip at the Helmholtz Zentrum München, Research Unit Molecular Epidemiology and Genome Analysis Centre. The bisulfite conversion and genome-wide methylation assessment were performed as previously described.[23, 24]

QC and preprocessing

Normalization of the methylation data was conducted following the CPACOR pipeline,[4] beginning with exclusion of 65 single nucleotide polymorphism markers and background correction using the R package minfi.[10] Probes were set to NA if the detection p-value ≥ 0.01 or number of beads ≤ 3 . Samples were excluded if the detection rate was ≤ 0.95 . Quantile normalization was then performed on the signal intensities. The methylation of a given cytosine was first calculated as a β -value, the ratio of the methylated signal intensity to the sum of the methylated and unmethylated signal intensities. Following normalization, CpG sites with a detection rate below 95% were excluded. To reduce possible impact of non-biological effects, we adjusted the methylation values for technical effects prior to analysis. In detail, principal component analysis was performed on the intensities of all (non-negative, autosomal) control probes after background correction. We then modeled the methylation values of each CpG site across all samples as a function of the first 20 principal components. Residuals of these models were used as “technically adjusted” methylation values for all analyses.[4]

1.8. Replication cohort: LBC1936 - Lothian Birth Cohort 1936

Study description

The Lothian Birth Cohort 1936 (LBC1936) comprises 1,091 community-dwelling individuals who agreed to participate in a longitudinal study of cognitive ageing starting at mean age about 70 years.[25-28] At age 11 years, almost all of them took part in the Scottish Mental Survey of 1947, which employed the Moray House Test No. 12, a test of general cognitive ability. At recruitment in older age (at age 70 years), between 2004 and 2007, subjects agreed to cognitive testing and other medical, physical and psychosocial assessments. Further waves of testing occurred at ages 73

(wave2), 76 (wave 3) and 79 years (wave 4). Lung function was measured at each wave using a Micro Medical Spirometer. For the purposes of this study spirometry measures at ages 70, 73 and 76 years were used.

DNA methylation data

Blood samples for methylation were taken from participants at each wave of testing. DNA methylation was measured at 485,512 sites using the Infinium HumanMethylation450 BeadChip array, at the Edinburgh Clinical Research Facility Genetics Core, Western General Hospital, Edinburgh. DNA methylation data, spirometry measures and covariates were available for 449 individuals at waves 1, 2 and 3.

1.9. Replication cohort: LifeLines Cohort

Study description and DNA methylation data

The LifeLines cohort study is a large Dutch population-based cohort study designed to investigate chronic diseases and healthy aging.[29, 30] Detailed information about LifeLines can be obtained at the official website (<http://www.lifelines.net>). A subgroup of 1,656 participants of the LifeLines cohort was non-random selected based on lung function, smoking status and exposure to environmental exposures. Whole blood samples collected for DNA extraction and DNA methylation level for each CpG site was measured using the IlluminaInfinium® Human Methylation 450K array (Illumina,Inc.) at the UMCG, Groningen, The Netherlands.

1.10. Replication cohort: NSPHS - Northern Sweden Population Health Study

Study description

The Northern Sweden Population Health Study (NSPHS) was initiated to provide a health survey of the population in a geographically remotes area and to study the medical consequences of lifestyle and genetics.[31, 32] According to the Sweden Census, on 31 December 2006, of 826 eligible inhabitants (aged 15 years or older) 740 subjects agreed to participate (90%) and 656 subjects contributed complete data, resulting in a final sample of 347 (53%) women and 95 (14.5%) individuals with a traditional lifestyle. The comprehensive collection of data included genealogy, socio-demography, body size, blood samples for clinical chemistry, medical history of participants and family members, and lifestyle. Spirometry was performed in a sitting position without nose clips using a Spida 5 spirometer (MicroMedical; <http://www.medisave.co.uk>). Three consecutive lung function measurements per participant were performed and the maximum value per measured lung function parameter was used for further analysis. Within the scope of this article, Peak Expiratory Flow (PEF), Forced Expiratory Volume (FEV), and Forced Vital Capacity (FVC) were analyzed. Years of spirometry: 2006 and 2009 (same time as blood samples were taken)

DNA methylation data

- Number of samples typed: 732
- Type of biologic sample used to extract DNA: Whole blood

- Type of Infinium HumanMethylation BeadChip (Illumina, Inc.) used /Array used: Illumina 450K
- Institution in which wet-lab and preprocessing analyses were performed : DNA methylation analyses were performed by the SNP & SEQ Technology Platform at Science for Life Laboratory (SciLifeLab), Sweden

1.11. Data availability statement

Statistical codes, and full discovery and replication EWAS effect estimates (meta-analysed and cohort-specific) are made publically available with no end date on the public repository DRYAD (<http://datadryad.org/>) at the time of publication. Access restrictions apply to the individual methylome data underlying the analysis. The consent given by cohort participants does not cover data sharing in public data repositories. Data requests for methodologically sound research proposal can be addressed through the cohorts' websites to the data access committee or directly to the principal investigators of the epidemiologic studies.

ECRHS	d.jarvis@imperial.ac.uk
NFBC1966	m.jarvelin@imperial.ac.uk
SAPALDIA	nicole.probst@swisstph.ch
ALSPAC	A.J.Henderson@bristol.ac.uk
FTC	miina.ollikainen@helsinki.fi
IOWBC	Details on data access are available at: http://www.allergyresearch.org.uk/studies/birth-cohort/#cohort-data-use . Contact Mr Stephen Potter: stephen.potter@iow.nhs.uk
KORA	Application for KORA data can be made via the KORA Project Application Self-Service Tool, KORA.PASST, at https://epi.helmholtz-muenchen.de/ .
LBC1936	Sarah.Harris@igmm.ed.ac.uk ; I.Deary@ed.ac.uk
LifeLines	h.m.boezen@umcg.nl
NSPHS	ulf.gyllensten@igp.uu.se

1.12. Childhood replication cohorts: Characteristics of ALSPAC and IOWBC

Table: Characteristics of childhood replication cohorts.

	ALSPAC Child	ALSPAC Teens	IOWBC Time point 1	IOWBC Time point 2
N	258	258	162	218
Female, %	43.41	43.41	43.8	52.3
Age (years), mean (SD)	8.54 (0.14)	15.35 (0.18)	10 (0)	18 (0)
Height (cm), mean (SD)	132.4 (5.8)	170.5 (8.8)	139.2 (6.4)	171.5 (9.6)
Weight (kg), mean (SD)	30.0 (5.6)	61.7 (11.3)	35.1 (7.2)	68.5 (13.8)
Body mass index, (kg/m²) mean (SD)	17.0 (2.3)	21.2 (3.1)	18.0 (2.8)	23.2 (4.1)
Smoking status, %				
Never smoker*	100	100	100	100
Tobacco smoker exposure during childhood or in utero[†], %	60.0	60.0	56.2	72.9
Education[‡]	42.3	42.3	12;43;20;24;1	12;41;21;25;1
FVC (L), mean (SD)	1.9 (0.3)	3.8 (0.9)	2.3 (0.4)	4.7 (0.8)
FEV1 (L), mean (SD)	1.7 (0.3)	3.4 (0.8)	2.0 (0.3)	4.1 (0.8)
FEV1/FVC, mean (SD)	0.89 (0.06)	0.91 (0.07)	0.88 (0.06)	0.87 (0.07)
Airflow obstruction (FEV1/FVC<0.7), %	1.16	1.55	0	1.8
Doctor-diagnosed asthma, %	20.0	22.7	14.8	16.5
Respiratory medication, % (% missing values)[¶]	13.1 (2.3)	12.2 (17.4)	31.5 (0)	12.8 (3.2)

Footnote to childhood cohort characteristics table:

* Analysis restricted to non-smokers.

[†] ALSPAC: In utero tobacco smoke exposure is defined as mothers that reported any smoking at either 18wks OR 32 wks of pregnancy. Passive smoke exposure is defined as the child living in the same house as a smoker, as reported by the mothers at approximately 65 months of age. IOWBC: Tobacco smoke exposure reported for time point 1: 0 to 10 years of age and for time point 2: 0-18 years of age.

[‡]Education: Maternal Education used in ALSPAC [O-level or lower]; education at age of 18 used in IoW [very low;low;medium;high;other]

[¶] Asthma medication use in the last 12 months.


2. Methods: Study design and participants

2.1. Study population

The discovery cohorts were three well-characterized longitudinal cohort studies which were part of the Aging Lungs in European Cohorts (ALEC) project. Briefly, two discovery cohorts were population-based studies specifically designed to investigate respiratory health, the European Community Respiratory Health Study (ECRHS) (Burney et al. 1994; Janson et al. 2001) and the Swiss Study on Air Pollution Heart and Lung Disease in Adults (SAPALDIA) (Ackermann-Lieblich et al. 1997; Martin et al. 1997) and the third discovery cohort was a birth cohort, the Northern Finland Birth Cohort 1966 (NFBC1966). As discovery dataset, we used the biological samples and the epidemiological data of two consecutive follow-up surveys roughly 10 years apart for ECRHS and SAPALDIA and 15 years apart for NFBC1966. The replication cohorts comprised five adult inception cohorts and two childhood birth cohorts. The adult replication cohorts included three with population-based design: the Cooperative Health Research in the Augsburg Region Study (KORA), the North Sweden Population Health Study (NSPHS)) and the LifeLines cohort study with enriched ascertainment of smokers (LifeLines); one study of adults with a birth cohort design: the Lothian Birth Cohort 1936 (LBC1936)), and one with twin cohort design: the Finnish Twin Cohort study (FTC). The childhood replication cohorts included two birth cohorts: the Avon longitudinal Study of Parents and Children (ALSPAC) and the Isle of Wight Birth Cohort (IOWBC) cohort. All cohorts comply with the Declaration of Helsinki and ethical approval had been obtained from the respective national and regional ethical review committees.

2.2. Figure S1: Selection of study participants in discovery cohorts and data availability in replication cohorts

Figure S1: Discovery cohorts: Flow chart of the selection of study participants. Replication cohorts: Contribution of each replication cohort to the meta-analyses based on data availability.



Footnote:

* Study participants with complete data on outcome, covariates, in particular smoking status and packyears information, genome wide genetic information and with peripheral blood samples available for DNA methylation typing. In the discovery cohorts a random sample of study participants aged 30 years or older at the first time point, with complete data on outcome and covariates, as well as blood samples available for DNA extraction at two consecutive follow-up surveys was selected. [1] Selection of study participants to be typed with Infinium® HumanMethylation 450K or 850K Bead Chip (Illumina) based on a random selection procedure. 2) Selection of study participants: DNA methylation data processing related sample quality control criteria (exclusion of samples if call rate <95% or sex mismatch based on XY probes; for SAPALDIA and NFBC1966 detection P-value > 10⁻¹⁶ and for ECRHS detection P-value > 0.05).]

†FTC did not contribute to the combined meta-analyses of cross-sectional associations (using data from the oldest time point available: time point 2 of ECRHS, NFBC1966, SAPALDIA, LBC1936 and time point 1 of KORA, LifeLines and NSPHS). The exclusion of FTC was due to the lower mean age (30.4 years) compared to the other adult cohorts' mean age (ECRHS (54.5 years), NFBC1966 (46.3 years), SAPALDIA (58.8 years), LBC1936 (76.3 years) and the single available time point for KORA (60.1 years), LifeLines (46.7 years) and NSPHS (55.1 years)).

2.3. Discovery and replication data availability

For the current analysis purposes the data availability across eight adult inception cohorts (three discovery and five replication cohorts) was maximal for a one time-point cross-sectional association analysis. Among the replication cohorts, only one adult birth cohort (LBC1936, n=449) and both childhood birth cohorts (ALSPAC, n=258 and IOWBC, n=162) had methylation information and epidemiological data available from two time points. The sample size for the replication of repeat cross-sectional associations in adults was limited to the LBC1936 data. The replication sample size for the prediction EWAS on change in lung function over follow-up time was limited to two cohorts (KORA, n= 628, and LBC1936, n=449). The data available on spirometry was obtained from two follow-ups was 7 years apart for KORA and 6 years apart for LBC1936 and DNA methylation data was obtained from blood samples collected at the time of first spirometry. The remaining replication cohorts had DNA methylation, spirometry and epidemiological data available from only one time point (LifeLines (n=1622), NSPHS (n=535) and FTC (n=93)).

2.4. Whole blood sample collection and DNA methylation typing in discovery cohorts

For discovery cohorts, biological samples of peripheral blood were collected using standard operating procedures at two time points on two consecutive follow-up surveys from which DNA was extracted. Genome-wide DNA methylation typing including DNA bisulphite conversion was performed at the Wellcome Trust Center for Human Genetics (Oxford, UK) for the samples of both time points of SAPALDIA and ECRHS, and for the second time point of NFBC1966. Quantification of DNA methylation across the genome using the Illumina® Infinium Human Methylation technology was obtained successfully using the 850K BeadChip for ECRHS on samples of 509 participants from both time points (1,018 samples) and for NFBC1966 samples collected at the second time point from 766 participant, as well as using the 450K BeadChip for SAPALDIA on samples of 984 participants from both time points (1,968 samples). For ECRHS and SAPALDIA, paired samples of the same participant from both time points were randomized across the methylation arrays to be typed in parallel in order to minimize batch effects. For NFBC, the samples collected at the first time point from 816 participants had been previously typed using the 450K BeadChip. The quality control (QC) and normalization procedures applied in the discovery cohorts are described in table at 2.6 of this Appendix. In total 4,568 samples of 2,259 participants were typed in the discovery cohorts. The methylation data was QC-processed, normalized and correction for technical batch effects were performed separately in each cohort. Cohort specific QC-steps were performed. A call rate of 95% was applied as selection criteria on marker and sample level; we had 2,043 samples for both time points (ECRHS: n=470, NFBC1966: n=611 and SAPALDIA: n= 962). For cohort-specific EWAS analyses, we used all autosomal markers available for each time point. Given the use of two different DNAm typing arrays (850K BeadChip and 450K BeadChip), all cohort-specific EWAS marker results were meta-analysed without restricting to a set of common markers.

2.5. QC- processing of DNA methylation data

We performed the methylation data processing within each cohort separately using R packages minfi,[10] RnBeads,[33] and CPACOR.[4] After standard QC cleaning steps regarding duplicates, sex inconsistency, low sample

quality (sample call rate >95%) for all three cohorts, ECRHS additionally excluded outlier samples beyond 1.5 interquartile range (IQR) and NFBC1966 excluded samples with their 1st PC score of the DNA methylation values outside the interval given by the mean \pm 4SD (see table at 2.6 of this Appendix). Call rate detection P-value was set to $P > 10^{-16}$ for NFBC1966 and SAPALDIA, and $P > 0.05$ for ECRHS. Dye-bias correction and absolute methylation level (β -values) were computed using the minfi R-package. Low marker quality exclusion for probes with call rate below 95% was applied, leading to the probe exclusion of 9.5% (n=80'264) and 10.0% (n=85'152) for ECRHS using the 850K BeadChip at first and second time point, respectively; 3.1% (n=14'486, using 450K BeadChip) and 1.72% (n=14'586, using 850K BeadChip) for NFBC1966 at first and second time point, respectively; 0.4% (n=1'894) and 0.37% (n=1'785) for SAPALDIA using the 450K BeadChip at first and second time point, respectively. Beta mixture quantile normalization (BMIQ)[34] of β -values was applied for SAPALDIA methylation data and quantile normalization[35] for ECRHS and NFBC1966. For technical bias correction the first 30 principal components derived from the control probes were used for ECRHS and SAPALDIA methylation data. We excluded methylation markers on sex chromosome and used all remaining markers for cohort-specific EWAS analyses (number of markers for time point 1: n=766'891 (ECRHS2), n=459'378 (NFBC1966 (1997)), n=471'970 (SAPALDIA2); number of markers for time point 2: n=762'003 (ECRHS2), n=832'569 (NFBC1966 (2012)), n=472'079 (SAPALDIA3)). For cohort-specific EWAS analyses, we used all autosomal markers available for each time point and cohort-specific EWAS marker results were meta-analysed without restriction to common markers.

2.6. Table: Methylation data quality control processing and sample exclusion in discovery cohorts.

	ECRHS2	ECRHS3	NFBC1966 (1997)	NFBC1966 (2012)	SAPALDIA2	SAPALDIA3
samples successfully typed	509	509	816	766	984	987
duplicates excluded	0	0	9	8	0	0
95% sample call rate	14	2	67	40	0	0
sex mismatch	7	11	7	1	1	4
outliers*	1	3	1	1	na	na
remaining QC-ed samples	487	493	732	716	983	983

* outlier definition was cohort specific, either >1.5 IQR for ECRHS and SAPALDIA and 1st PC score of the DNA methylation values outside mean \pm 4SD for NFBC1966.

2.7. Spirometry and epidemiological data collection

Detailed description of data collection and study design has been previously published for the discovery cohorts: ECRHS,[36, 37] SAPALDIA,[38-40] and NFBC1966,[41] and for the replication cohorts: KORA,[42] LBC1936,[25, 27, 28] LifeLines,[29, 30] NSPHS,[31] ALSPAC,[8, 9] IOWBC,[18] and FTC.[43]

2.8. Table: Use of spirometers in discovery cohorts.

The cohorts used spirometers of different brands and models and change in spirometers between surveys did occur. Spirometric comparability across time points was addressed within cohorts.[38]

Spirometer brand and model	SAPALDIA 2 time point 1	SAPALDIA 3 time point 2	ECRHS 2 time point 1	ECRHS 3 time point 2	NFBC1966 age31 time point 1	NFBC1966 age46 time point 2
SensorMedics 2200	100%	--	--	--	--	--
EasyOne nnd	--	100%	--	--	--	--
SensorMedics 2400	--	--	37.7%	--	--	--
Jaeger Pneumotach	--	--	13.4%	--	--	--
Biomedin Spirometer	--	--	48.9%	--	--	--
NDD EasyOne	--	--	--	100%	--	--
Vitalograph P Model	--	--	--	--	100%	--
MasterScreen Pneumo	--	--	--	--	--	100%

3. Methods: Statistical analysis

In the discovery cohorts, two types of smoking score were generated to test their combined effect. Briefly, an ALEC custom SI specific for each lung function outcome (FEV₁, FEV₁/FVC or FVC) was generated from a subset of CpGs selecting known smoking-related markers from the ALEC discovery repeat cross-sectional EWAS 100 top association signals; second a lung-function-gene-SI including smoking associated CpGs located in 18 GWAS-identified lung function candidate genes.

3.1. Statistical models

Residuals model

$$residu_{DNAm_i} = DNAm_i - (\beta_0 + \sum_{j=1}^{30} \beta_j PC_{cp_{ij}})$$

Linear model formulas of 12 statistical models for cross-sectional associations (three outcomes (FEV1/FVC, FEV1, FVC), two time points (T1 and T2) and two covariate adjustments (M_{base}, M_{smok})):

Linear regression model, mathematical formula

$$y_i = \beta_0 + \sum_{j=1}^p \beta_j x_{ij} + e_i$$

i=1,2,...,n (n=subjects)

Model for cross-sectional associations, M_{base} adjustment:

$$LF = \beta_0 + \beta_1 residu_{DNAm} + \beta_2 age + \beta_3 age^2 + \beta_4 height + \beta_5 (height - mean(height))^2 + \beta_6 sex + \beta_7 area_1 + \dots + \beta_7 area_k + \beta_8 bmi + \beta_9 educ_1 + \beta_9 educ_2 + \beta_{10} Bcell + \beta_{11} CD4T + \beta_{12} CD8T + \beta_{13} Eos + \beta_{14} Mono + \beta_{15} Neu + \beta_{16} NK + \beta_{17} sex * age + \beta_{18} sex * age^2 + \beta_{19} sex * height + \beta_{20} sex * (height - mean(height))^2 + e_i$$

All variables are participant's characteristics of the same time point. At T1 all covariates and LF parameter are from T1. At T2, all covariates and LF parameters are from T2.

Model for cross-sectional associations, M_{smok} adjusted:

$$LF = \beta_0 + \beta_1 residu_{DNAm} + \beta_2 age + \beta_3 age^2 + \beta_4 height + \beta_5 (height - mean(height))^2 + \beta_6 sex + \beta_7 area_1 + \dots + \beta_7 area_k + \beta_8 bmi + \beta_9 educ_1 + \beta_9 educ_2 + \beta_{10} Bcell + \beta_{11} CD4T + \beta_{12} CD8T + \beta_{13} Eos + \beta_{14} Mono + \beta_{15} Neu + \beta_{16} NK + \beta_{17} sex * age + \beta_{18} sex * age^2 + \beta_{19} sex * height + \beta_{20} sex * (height - mean(height))^2 + \beta_{21} Smok_status_1 + \beta_{21} Smok_status_2 + \beta_{22} packyrs + e_i$$

Linear model formulas of 6 statistical models for prediction associations (three outcomes (FEV1/FVC, FEV1, FVC) and two covariate adjustments (M_{base} , M_{smok})):

Linear model for prediction association:

The model is additionally adjusted for the respective lung function parameter at baseline. All covariates are baseline characteristics.

$$\frac{y_{2i} - y_{1i}}{T2 - T1} = \beta_0 + \beta_1 y_{1i} + \sum_{j=2}^p \beta_j x_{1ij} + e_i$$

"annual change in LF" =

$\frac{(LF_2 - LF_1)}{(T2 - T1)_{in\ year}}$ where LF_1 and LF_2 are the Lung Function parameters at baseline and follow – up measured at time T1 and T2, respectively.

Linear model for prediction associations, M_{base} adjusted:

$$\begin{aligned} & \frac{(LF_2 - LF_1)}{(T2 - T1)_{in\ year}} \\ &= \beta_0 + \beta_1 residu_{DNAm} + \beta_2 LF_1 + \beta_3 age + \beta_4 age^2 + \beta_5 height + \beta_6 (height - mean(height))^2 + \beta_7 sex + \beta_8 area_1 + \dots + \beta_8 area_k + \beta_9 bmi + \beta_{10} educ_1 + \beta_{10} educ_2 + \beta_{11} Bcell + \beta_{12} CD4T + \beta_{13} CD8T + \beta_{14} Eos + \beta_{15} Mono + \beta_{16} Neu + \beta_{17} NK + \beta_{18} sex * age + \beta_{19} sex * age^2 + \beta_{20} sex * height + \beta_{21} sex * (height - mean(height))^2 + e_i \end{aligned}$$

Model for cross-sectional associations, M_{smok} adjusted:

$$\frac{(LF_2 - LF_1)}{(T2 - T1)_{in\ year}} = \beta_0 + \beta_1 residu_{DNAm} + \beta_2 LF_1 + \beta_3 age + \beta_4 age^2 + \beta_5 height + \beta_6 (height - mean(height))^2 + \beta_7 sex + \beta_8 area_1 + \dots + \beta_{8_k} area_k + \beta_9 bmi + \beta_{10_1} educ_1 + \beta_{10_2} educ_2 + \beta_{11} Bcell + \beta_{12} CD4T + \beta_{13} CD8T + \beta_{14} Eos + \beta_{15} Mono + \beta_{16} Neu + \beta_{17} NK + \beta_{18} sex * age + \beta_{19} sex * age^2 + \beta_{20} sex * height + \beta_{21} sex * (height - mean(height))^2 + \beta_{21_1} Smok_status_1 + \beta_{21_2} Smok_status_2 + \beta_{22} packyrs + e_i$$

Linear mixed regression model, mathematical formula

Repeated cross-sectional analysis corresponds to linear mixed model with random intercept γ_{0i} :

$$\left\{ \begin{array}{l} y_{ij} = \beta_0 + \sum_{k=1}^p \beta_k x_{kij} + \gamma_{0i} + e_{ij} \\ i = 1, \dots, n \quad j = 1, 2 \\ \gamma_{0i} \sim N(0, \sigma_{\gamma_0}^2) \\ e_{ij} \sim N(0, \sigma_e^2) \\ (\gamma_{0i}, \dots, \gamma_{0n}) \text{in} dd(\gamma_{0i}, \dots, \gamma_{0n}) \end{array} \right.$$

Model for repeat cross-sectional associations, M_{base} adjusted:

$$LF_j = \beta_0 + \gamma_{0j} + \beta_1 residu_{jDNAm} + \beta_2 age_j + \beta_3 age_j^2 + \beta_4 height_j + \beta_5 (height_j - mean(height)_j)^2 + \beta_6 sex + \beta_{7_0} area_{1j} + \dots + \beta_{7_k} area_{kj} + \beta_8 bmi_j + \beta_{9_1} educ_{1j} + \beta_{9_2} educ_{2j} + \beta_{10} Bcell_j + \beta_{11} CD4T_j + \beta_{12} CD8T_j + \beta_{13} Eos_j + \beta_{14} Mono_j + \beta_{15} Neu_j + \beta_{16} NK_j + \beta_{17} sex * age_j + \beta_{18} sex * age_j^2 + \beta_{19} sex * height_j + \beta_{20} sex * (height_j - mean(height)_j)^2 + e_{ij} \quad j = 1, 2$$

Model for repeat cross-sectional associations, M_{smok} adjusted:

$$LF_j = \beta_0 + \gamma_{0j} + \beta_1 residu_{jDNAm} + \beta_2 age_j + \beta_3 age_j^2 + \beta_4 height_j + \beta_5 (height_j - mean(height)_j)^2 + \beta_6 sex + \beta_{7_0} area_{1j} + \dots + \beta_{7_k} area_{kj} + \beta_8 bmi_j + \beta_{9_1} educ_{1j} + \beta_{9_2} educ_{2j} + \beta_{10} Bcell_j + \beta_{11} CD4T_j + \beta_{12} CD8T_j + \beta_{13} Eos_j + \beta_{14} Mono_j + \beta_{15} Neu_j + \beta_{16} NK_j + \beta_{17} sex * age_j + \beta_{18} sex * age_j^2 + \beta_{19} sex * height_j + \beta_{20} sex * (height_j - mean(height)_j)^2 + \beta_{21_1} Smok_status_{1j} + \beta_{21_2} Smok_status_{2j} + \beta_{22} packyrs_{ij} + e_{ij} \quad j = 1, 2$$

3.2. Generation of smoking scores

For the discovery cohorts, two types of smoking indices (SI) were constructed according to an algorithm based on the deviation from the reference group mean of the measured DNAm across a subset of CpGs in a given participant.[44] To build smoking indices specific to each lung function outcome in the discovery cohorts, we used the technical bias-adjusted residuals of the measured DNAm. Never smokers were defined as the reference group to derive the mean and standard deviation (μ_c and σ_c) used in the index equation. For each CpG of the selected subset, the mean DNAm, μ_c , and its standard deviation, σ_c , across the group of never smokers (reference group) was computed. In detail, the smoking index was defined across a subset of a number of CpGs (N) in a given participant (SI(s)) using the DNAm measured in the biological sample (s) by summing the difference in DNAm level at a given CpG (β_{cs}) from the mean reference DNA methylation (μ_c) divided by the standard deviation in the reference group (σ_c) and by taking the direction hyper- or hypomethylation the smoking-associated CpG into account (w_c , hypermethylation =+1 and hypomethylation=-1). The direction of the effect of smoking on DNAm was derived from Joehanes et al[45].

$$SI(s) = \frac{1}{n} \sum_c^n w_c \frac{\beta_{cs} - \mu_c}{\sigma_c},$$

Using this algorithm, an SI can be constructed for all participants irrespective of their smoking status. Two different subsets of CpGs were selected to test their combined effect in a SI score, the Mediation-SI (i) and the lung-function-gene-SI (ii)

- i) Mediation- SI: In a recent report 10 CpGs had been identified to be associated with smoking applying an independent EWAS in the LifeLines cohort study and confirmed by mediation analysis to be mediators of smoking on lung function [46]. We used these 10 CpGs for constructing a mediation SI. The mediator CpGs were marked in the single CpG association result tables
- ii) Lung-function-gene-SI: A smoking index based on the previously identified Bonferroni-corrected smoking associated ($p < 0.05$) CpGs located in 18 GWAS-identified lung function candidate genes, namely *ADAM19*, *ARMC2*, *C10orf11*, *CDC123*, *CFDP1*, *FLJ20184*, *HDAC4*, *HTR4*, *LRP1*, *MECOM*, *MFAP2*, *PPT2*, *RARB*, *RHOBTB3*, *TGFB2*, *TLE3*, *TNS1*, *ZNF323/ZKSCAN3* [45]. One CpG per locus was selected, choosing the CpG most consistently associated with smoking as reported previously [45] to contribute to the candidate smoking index score (see table S24).

3.3. Annotation of genomic loci of replicated CpGs

Annotation to genomic location was achieved by permutations testing. To determine whether enrichment occurred more often than expected by chance we drew 10000 random sets with matched SD structure as the lung function associated loci from the Illumina 450K arrays probes. For each set, we recorded the overlap to the genomic feature under test, creating a distribution that reflected the overlap of a random permuted set of 450K probes with the same standard squared deviation (SD) structure to the genomic feature. We obtained enrichment p-values

empirically from distribution of overlaps generated by the permuted sets and the observed overlap in the lung function associated loci, and performed a Fisher exact test by cross tabulation of the mean overlaps from the permuted sets versus the observed overlap in lung function associated loci. The SD structure of the 450k probes was recorded in NFBC1966. Subsequently, the 450K probes were divided into 10 SD bins. The 10000 permuted sets were created containing the same number of probes per SD bin as the credible set of loci.

We assessed the overlap of our lung function specific marker to histone modification H3K4, H3K27me3 and the chromatin state model reported by Roadmap.[47] DNase hypersensitivity sites as well as transcription factor binding sites data were retrieved from ENCODE project.[48] Chromosomal contact points and domains (HiC) were downloaded from GEO and concordant experiments were undertaken as previously described.[49] To assess the overlap to SNP signatures we used the NHGRI-EBI GWAS catalogue (downloaded June 2016). SNPs per trait were pruned across studies using a 1MB window. We restricted this analysis to traits with 50 or more independent variants. To define enrichment in regions relative to the transcription start site of a gene and CpG island we used Illumina's 450K manifest file.

3.4. Pathway analyses of replicated CpGs

Genes from the 57 confirmed sentinel CpGs, replicated in independent cohorts, were selected for further analysis. The annotation has been used provided by Illumina and any missing genes were populated using Snipper v1.2 (<https://csg.sph.umich.edu/boehnke/snipper/>). The gene list was then used for enrichment in KEGG (Kyoto Encyclopedia of Genes and Genomes)[50] and GO (Gene Ontology) databases[51] using topGO and topKEGG function in the missMethyl package.[52] Additionally, the Ingenuity Pathway Analysis system - IPA® (QIAGEN Inc., <https://www.qiagenbioinformatics.com/products/ingenuity-pathway-analysis>) was used to identify global canonical pathways.[53]

3.5. Smoking enrichment analysis

We performed an enrichment analysis to test if CpGs previously identified as being associated with smoking were statistically overrepresented among the top lung function associated CpG markers of the discovery meta-analyses EWAS. We defined a CpG marker to be a smoking CpG if it was part of a previously reported set of CpG markers (n = 18,760) associated with smoking behavior at a FDR-corrected P-value < 0.05.[45] The test statistics (t-values) were retrieved from each EWAS result and tested for the enrichment of the smoking-related CpG sites. The Weighted Kolmogorov Smirnov (WKS) test was used to assess if the test statistics on a certain set of loci differed from those in random loci of the same size.[54] The WKS is a better alternative to the commonly used gene set enrichment analysis[55] for examining an enrichment of custom curated CpG marker sets, as this method may be less biased towards identifying enrichment of large genes with increased number of probes represented on the arrays.

3.6. Replication of mediation analysis in SAPALDIA

We conducted mediation analysis for each of the 10 CpGs used to compute the Mediation-SI, using R package "mediation". SAPALDIA samples at time point 2 were analyzed (n = 962). Mediation model was fitted by linear regression of technical variable adjusted residuals of the methylation level on smoking status (ever vs never-smoker)

after adjustment for age, sex, body mass index, education, study center, and cell composition. Outcome model was fitted by linear regression of lung function on the technical variable adjusted residuals of the methylation level after adjustment for the same covariates of base model. The total effect of smoking, the effect of changing smoking status from never to ever-smoker, would be then decomposed into two causal mediation effect and direct effect. The causal mediation effect denotes the effect of changing technical variable adjusted residuals by one unit, conditional on the smoking status. The population average of the causal mediation effect and the direct effect, adjusted for the base model covariates, was estimated by quasi-Bayesian Monte Carlo simulations.

3.7. Two-sample Mendelian randomization study of the replicated CpGs

Using the publicly available database, Accessible Resource for integrative Epigenomic Studies (ARIES), we identified methylation quantitative trait loci (mQTL) in peripheral blood of participants of the ALSPAC study, at four different life stages (birth, childhood, adolescence, middle age) for 13 of the 57 replicated CpGs.[56] To look-up in a two-sample Mendelian randomization (MR) approach whether the identified mQTL-associated single nucleotide polymorphisms (SNPs) were associated with FEV₁ or FVC, we used the publicly available curated genome-wide association study database (MR-Base).[57] The alleles were harmonized to ensure that SNP-exposure effect correspond to the same allele for SNP-outcome effect at the adult time point (termed middle age in the ARIES data). MR effect estimates were calculated using Wald ratio and the resulting effect estimate represents the change in outcome per unit increase in the exposure. The SNP-outcome effect sizes were selected based on outcome FEV₁ and FVC. All analyses were done in R/3.4.4 environment using “Two Sample MR” package.

4. Results: Sentinel CpG marker selection for replication

4.1. Table S1: List of sentinel CpGs for replication, all participants

Table S1: Selection of sentinel CpGs for replication for FEV₁, FEV₁/FVC or FVC in all participants of the discovery cohorts, EWAS meta-analyses, basic covariate-adjusted (M_{base}) and additionally smoking adjusted (M_{smok}) associations are presented in brackets. CpG markers with P-value <5x10⁻⁷ were selected.

CpG ID	chr	position	Locus	sign	best rank (rank Msmok)	base covariates Model, Msmok (Model, smoking adjusted)	FEV1				FEV1/FVC				FVC			
							EWAS Cross-sectional Time point 1	EWAS Cross-sectional Time point 2	EWAS Repeat cross-sectional analyses (Both time points)	Prediction EWAS on change in lung function	EWAS Cross-sectional Time point 1	EWAS Cross-sectional Time point 2	EWAS Repeat cross-sectional analyses (Both time points)	Prediction EWAS on change in lung function	EWAS Cross-sectional Time point 1	EWAS Cross-sectional Time point 2	EWAS Repeat cross-sectional analyses (Both time points)	Prediction EWAS on change in lung function
cg04885881	1	11123118		+++	14	x					3.51E-07	6.42E-09	8.51E-09					
cg21393163	1	12217629	<i>TNFRSF1B</i>	+++	16	x				3.01E-07								
cg27537125	1	25349681	<i>RUNX3</i>	+++	7	x				2.04E-08								
cg21140898	1	51442318		+++	17	x						3.04E-08						
cg09935388	1	92947588	<i>GFI1</i>	+++	19	x							3.60E-07					
cg19266329	1	145456128		+++	1 (1)	x x		5.44E-11 (1.83E-07)								1.03E-08 (2.29E-07)		
cg11231349	1	162050656	<i>NOS1AP</i>	??+	47	x		1.92E-07				2.99E-07						
cg03547355	1	227003060		+++	40	x		1.22E-07										
cg20853880	2	10184444	<i>KLF11</i>	+++	20	x						1.23E-07						
cg22475025	2	43864340	<i>PLEKHH2</i>	++	2	x				3.47E-07								
cg22040631	2	129153820		??+	30	x		4.85E-08										
cg18826637	2	145116633		+++	11	x		8.92E-10										
cg05135521	2	161188335	<i>RBMS1</i>	+++	37	x		8.53E-08										
cg02514318	2	197201183	<i>HECW2</i>	+++	63	x		4.78E-07										
cg27241845	2	233250370	<i>ALPPL2</i>	+++	20	x		7.77E-09		2.85E-08								
cg17087741	2	233283010	<i>ALPPL2</i>	+++	6	x						5.13E-12						
cg03329539	2	233283329	<i>ALPPL2</i>	+++	9	x		2.36E-07				1.77E-10	7.41E-08					
cg05951221	2	233284402	<i>ALPPL2</i>	??+	11	x				5.81E-08								
cg21566642	2	233284661	<i>ALPPL2</i>	+++	3	x		1.77E-11		3.67E-13	2.77E-07	3.47E-17	1.39E-11	2.93E-08				
cg01940273	2	233284934	<i>ALPPL2</i>	+++	2	x		5.77E-11		1.27E-12		8.11E-18	3.10E-11	1.05E-07				

cg01377124	2	237172609	ASB18	--+	1 (1)	x	x								1.01E-09 (2.70E-09)				
cg11610350	3	64253705		+++	1		x							1.63E-07					
cg16990174	3	72496875	RYBP	+++	16	x								3.09E-07					
cg19859270	3	98251294	GPR15	+++	29	x			3.68E-08				8.07E-08						
cg22870429	3	114027859	TIGIT	+++	23	x			1.52E-08										
cg13457961	3	186501085	SNORD2	---	3		x				4.71E-07								
cg01598596	3	187464648	BCL6	+++	58	x			3.48E-07										
cg14855367	3	191048308	UTS2D	+++	28	x							3.12E-07						
cg00741986	4	2748332	TNIP2	+++	60	x			4.06E-07										
cg08763102	4	3079751	HTT	+++	11	x								1.19E-07					
cg24086068	4	77356008	SHROO M3	+-+	3	x			7.80E-09								1.59E-07		
cg01899089	5	369969	AHRR	-++	15	x								3.08E-07					
cg05575921	5	373378	AHRR	+++	1	x			9.33E-14	1.25E-07	2.01E-15	5.12E-10	3.96E-21	3.59E-16	1.59E-08				3.97E-07
cg26703534	5	377358	AHRR	+++	15	x					5.87E-08		1.33E-08						
cg25648203	5	395444	AHRR	+++	8	x			3.64E-08		7.15E-09		5.02E-11						
cg21161138	5	399360	AHRR	+++	5	x				2.01E-08	1.43E-08	2.73E-07	6.36E-14	1.62E-10					
cg05673882	5	74862702	POLK	+++	10	x			3.31E-10										
cg23205886	5	138611766	SNHG4	+++	4	x			2.07E-09								2.55E-07		
cg05487895	5	139080952		---	2		x										2.79E-07		
cg07222133	5	179499488	RNF130	?-+	6 (3)	x	x								2.00E-07 (3.95E-07)				
cg01882991	6	6677756		+++	22	x			1.22E-08										
cg15930777	6	12343201		+++	13	x		4.88E-07											
cg14753356	6	30720108		+++	4	x						8.01E-08	2.04E-07						
cg24859433	6	30720203		+++	12	x						3.80E-07							
cg15342087	6	30720209	FLOT1	+++	8	x			6.23E-11		2.04E-07		4.18E-09	1.62E-07					7.53E-08
cg05593667	6	35490744		+?+	51	x			2.26E-07										
cg03149958	6	36326677	ETV7	+++	1 (3)	x	x		5.44E-12 (9.31E-09)		1.39E-07						5.19E-08 (3.78E-07)		2.77E-10 (1.92E-08)
cg03957124	6	37016869		+++	33	x			6.01E-08										
cg21282907	6	74289980		+++	10	x			4.60E-09				1.65E-09						
cg12761472	6	119031922		+++	32	x			5.28E-08										
cg00073460	6	149806502	ZC3H12 D	+++	27	x			3.60E-08										

cg06762457	6	149806635	ZC3H12 D	+++	25	x			2.59E-08		3.58E-07								
cg03856024	6	158039220	ZDHHHC1 4	??+	22 (1)	x	x						1.52E-07 (3.89E-07)						
cg08549335	7	30387954	ZNRF2	+++	16	x							3.16E-09				4.74E-07		
cg26521259	7	43435880	HECW1	?++	7(1)	x	x					2.10E-07 (1.17E-07)							
cg10691866	7	65817282	TPST1	+++	59	x			3.89E-07										
cg25949550	7	145814306	CNTNAP2	+++	24	x							1.95E-07						
cg01651915	8	55795551	XKR4	+++	4	x			1.56E-07										3.86E-07
cg13353574	8	61326925		+++	18	x							3.51E-07						
cg20090859	8	80590435		?--	2 (2)	x	x									2.08E-07 (2.07E-07)			
ch.8.917481 19F	8	91678943		+++	10 (1)		x			3.47E-08 (4.29E-08)									
cg07292140	8	94210841		??+	27	x							3.06E-07						
cg19589396	8	103937374		+++	62	x			4.51E-07										
cg13064897	8	135747178		+++	6 (2)	x	x					2.00E-07 (3.57E-07)							
cg12075928	8	141801307	PTK2	+++	46	x			1.82E-07										
cg05329578	9	2241688		+++	17	x							3.39E-07						
cg02716826	9	33447032	SUGT1P 1	+++	55	x			2.53E-07										
cg13891189	9	116164001	ALAD	+++	8	x										2.45E-07			
cg13657200	9	117266029	DFNB31	+++	49	x			2.07E-07										
cg14366110	9	133779382	FIBCD1	+++	5(2)	x	x							1.24E-07 (1.66E-07)					
cg04813697	10	22920025	PIP4K2A	+++	43	x			1.70E-07										
cg25953130	10	63753550	ARID5B	+++	5	x			2.74E-09								2.79E-07		
cg00210249	10	71135679	HK1	---	18	x				3.68E-07									
cg03450842	10	80834947	ZMIZ1	+++	23	x							1.80E-07						
cg18879828	11	46942432		+++	64	x			4.99E-07										
cg21611682	11	68138269	LRP5	+++	16	x							1.63E-08	1.78E-07					
cg11660018	11	86510915	PRSS23	+++	6	x			3.21E-08			1.29E-08	5.14E-09	7.12E-11					
cg23771366	11	86510998	PRSS23	+++	3	x				2.07E-07			2.69E-09	1.37E-11					
cg21990700	12	7260776	C1RL	+++	12	x			1.18E-09										
cg07986378	12	11898284	ETV6	+++	8	x				2.11E-08									
cg06826457	12	12867669		+++	53	x			2.46E-07										

cg26165146	12	27484656	ARNTL2	+++	5	x					1.93E-07							
cg20059012	12	53613154	RARG	+++	45	x			1.77E-07									
cg02583484	12	54677008	HNRNPA1	+++	34	x			6.76E-08									
cg00666749	13	21637118	LATS2	+++	41	x			1.50E-07									
cg16708465	13	95933097	ABCC4	+++	38	x			9.83E-08									
cg12033216	14	59130157		+++	57	x			3.24E-07									
cg13976502	14	74227875	C14orf43	+++	35	x			7.06E-08									
cg16288101	14	88621538		+++	19	x			5.80E-09									
cg25292882	15	39431467		+++	31	x			5.07E-08									
cg22952142	15	68549178		+++	20	x						4.03E-07						
cg00310412	15	74724918	SEMA7A	+++	14	x			2.08E-09			3.10E-08	1.27E-07					
cg06505619	16	698072	WDR90	+++	54	x			2.49E-07									
cg05557932	16	3929351	CREBBP	+++	36	x			7.10E-08									
cg16391678	16	30485597	ITGAL	+++	21	x					3.31E-07							
cg01243823	16	50732212	NOD2	+++	48	x			2.05E-07									
cg27367615	16	86229910		+++	2	x						3.31E-07						
cg01747591	16	89703612	DPEP1	+++	6	x									4.20E-07			
cg09395195	17	29645782	EVI2A	+++	50	x			2.24E-07									
cg19572487	17	38476024	RARA	+++	7	x			6.04E-11				2.49E-09			4.89E-11		
cg20458044	17	57904327	TMEM49	+++	61	x			4.38E-07									
cg18181703	17	76354621	SOCS3	+++	39	x			1.04E-07									
cg03636183	19	17000585	F2RL3	+++	4	x			5.38E-13	1.75E-07	5.64E-11	7.09E-08	1.47E-15	5.25E-13				
cg07709627	19	30156658	PLEKHF1	---	1 (1)	x	x										2.23E-08 (2.38E-08)	
cg26768816	19	30302793	CCNE1	--+	1 (1)	x	x								3.46E-08 (3.84E-08)			
cg07626482	19	47289503	SLC1A5	+++	18	x			5.39E-09									
cg03707168	19	49379127	PPP1R15A	+++	29	x						4.38E-07						
cg16201146	20	19191526		+++	21	x							4.97E-07					
cg12303084	20	45985741	ZMYND8	+++	14	x			2.72E-07		1.66E-07							
cg23110422	21	40182073	ETS2	+++	44	x			1.74E-07									
cg01127300	22	38614796		+++	9	x			1.85E-10									

4.2. Table S2: List of sentinel CpGs for replication, never smokers

Table S2: Selection of sentinel CpGs for replication for FEV₁, FEV₁/FVC or FVC in never smokers of the discovery cohorts.
CpG markers with P-value <5x10⁻⁷ were selected.

CpG ID	chr	position	Locus	sign	rank	FEV1				FEV1/FVC				FVC			
						EWAS Cross-sectional Time point 1	EWAS Cross-sectional Time point 2	EWAS Repeat cross-sectional analyses (Both time points)	Prediction EWAS on change in lung function	EWAS Cross-sectional Time point 1	EWAS Cross-sectional Time point 2	EWAS Repeat cross-sectional analyses (Both time points)	Prediction EWAS on change in lung function	EWAS Cross-sectional Time point 1	EWAS Cross-sectional Time point 2	EWAS Repeat cross-sectional analyses (Both time points)	Prediction EWAS on change in lung function
cg25758394	1	3623859	TP73	??+	1		1.727E-09				2.687E-08				1.435E-07		
cg22508172	1	24069723	TCEB3	---	2											1.166E-07	
cg12752420	1	43751363	C1orf210	+++	4										1.961E-07		
cg10212705	1	154297848	ATP8B2	---	3											1.961E-07	
cg18938392	1	157248950		+++	2							2.874E-08					
cg05785298	1	204654622	LRRN2	+-	6						9.099E-08						
cg11216682	2	131113867	PTPN18	+-	2								9.054E-08				
cg15981995	3	169487311	ARPM1	??-	5						5.042E-08	4.286E-07					
cg18664508	3	169487465	ARPM1	---	2		1.917E-08				2.929E-08						
cg04030659	6	22570704	HDGFL1	---	4											3.66E-07	
cg27235034	6	29976917	HLA-J	++	3					3.535E-07							
cg12647932	6	70576740	COL19A1	---	1					3.669E-08							
cg17838734	6	83073924	TPBG	---	1			7.973E-09									
cg20098854	8	898407		---	1												1.316E-07
cg25633955	8	1616622	DLGAP2	---	3										3.865E-07		
cg19931644	8	12623485		+++	3				2.757E-07								
cg13562246	8	33368277	C8orf41	+++	8						1.928E-07						
cg04460372	9	130661175	ST6GALNA C6	+++	2	3.544E-07											
cg14366110	9	133779382	FIBCD1	---	1							1.718E-10	4.237E-09				
cg05831672	10	103543172	NPM3	---	1											3.929E-08	
cg04774364	10	106100810		+++	2												1.618E-07
cg00911551	12	8234647	NECAP1	---	1	2.431E-07											
cg25668058	12	115183175		---	2									2.097E-07			
cg07922154	14	68087339	ARG2	+++	2			9.626E-08									
cg04975143	14	106438118	ADAM6	---	1									1.784E-07			
cg05622686	16	58501611	NDRG4	+++	2										2.977E-07		
cg08447479	16	75589467	TMEM231	+++	1				3.28E-07								
cg20278790	20	57583474	CTSZ	+-	3		2.507E-07			2.81E-07	1.618E-07						2.722E-07

5. Results: Cross-sectional associations with each lung function measure, without smoking adjustment

Cross-sectional association with each lung function measure at time point 1 and at time point 2, separately: discovery, replication and combined EWAS meta-analyses in all participants are presented in table S3 for FEV₁/FVC; table S4 for FEV₁ and table S5 for FVC.

The top association signals observed in the repeat cross-sectional associations with each lung function measure is presented in table S6.

5.1. Table S3 (FEV₁/FVC), Table S4 (FEV₁) and Table S5 (FVC)

Table S3: Discovery and replication meta-analyses of cross-sectional association with **FEV₁/FVC** in all participants*, base model covariate adjusted EWAS (M_{base}^{\dagger}) separately at two time points. Combined meta-analyses of cross-sectional associations obtained using data from time point T2 of ECRHS, NFBC1966, SAPALDIA, LBC1936 and from time point T1 of KORA, LifeLines and NSPHS (excluding FTC replication cohort due to the younger mean age). See table in EXCEL file: *Additional_Tables_Imbodenetal.xlsx*

Table S4: Discovery and replication meta-analyses of cross-sectional association with **FEV₁** in all participants*, base model covariate adjusted EWAS (M_{base}^{\dagger}) separately at two time points. Combined meta-analyses of cross-sectional associations obtained using data from time point T2 of ECRHS, NFBC1966, SAPALDIA, LBC1936 and from time point T1 of KORA, LifeLines and NSPHS (excluding FTC replication cohort due to the younger mean age). See table in EXCEL file: *See table in EXCEL file: Additional_Tables_Imbodenetal.xlsx*

Table S5: Discovery and replication meta-analyses of cross-sectional association with **FVC** in all participants*, base model covariate adjusted EWAS (M_{base}^{\dagger}) separately at two time points. Combined meta-analyses of cross-sectional associations obtained using data from time point T2 of ECRHS, NFBC1966, SAPALDIA, LBC1936 and from time point T1 of KORA, LifeLines and NSPHS (excluding FTC replication cohort due to the younger mean age). See table in EXCEL file: *Additional_Tables_Imbodenetal.xlsx*

Footnote to table S3, table S4 and table S5:

* Presentation of CpG markers showing meta-analysis P-value $< 5 \times 10^{-7}$ at combined meta-analysis. CpGs consistent in direction of the cross-sectional associations at both time points were for **FEV₁/FVC**: cg05575921, cg21161138, cg26703534 and cg25648203 (*AHRR*), cg03636183 (*F2RL3*), cg21566642, cg01940273 and cg03329539 (in vicinity of *ALPPL2*), cg23771366 and cg11660018 (*PRSS23*), cg15342087 (*IER3*), cg19572487 (*RARA*), cg24859433, and cg14753356, cg15342087 (*FLOT1*) and cg04885881 (*SRM*); for **FEV₁**: cg03636183 (*F2RL3*), cg11660018 (*PRSS23*), cg19572487 (*RARA*), cg23771366 (*PRSS23*), cg03149958 (*ETV7*), cg18181703 (*SOCS3*), cg05673882 (*POLK*), cg01127300, cg04813697 (*PIP4K2A*), cg21990700 (*C1RL*), cg06826457, cg25953130 (*ARID5B*), cg01882991 (intergenic), cg16288101 (intergenic), cg12761472 (intergenic), cg11231349 (*NOS1AP*); and none for **FVC**.


[†] Base model (M_{base}) EWAS were covariate adjusted for age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition.

[‡] Smoking CpGs defined on the reported FDR corrected P-value < 0.05 for association reported with smoking status and direction of effects.[45]

¶ For combined meta-analysis: FTC was excluded from this meta-analysis, given the smaller sample size and lower mean age (30.4 yrs) compared to the other adult cohorts (ECRHS (mean age: 54.5 yrs), NFBC1966 (46.3 yrs), SAPALDIA (58.8 yrs), LBC1936 (76.3 yrs) and the single available time point for KORA (60.1 yrs), LifeLines (46.7 yrs) and NSPHS (55.1 yrs)).

5.2. Figure S2: Quantile-Quantile plot of cross-sectional EWAS on FEV₁ and FVC

Figure S2: Quantile-Quantile plots of cross-sectional covariate-adjusted EWAS (M_{base}^*) on FEV₁ and on FVC at first and second time point, all participants. Increase in numbers of signals with aging. Meta-analyses were performed without genomic control. For FEV₁, we identified 34 CpGs at time point 2 compared to none at time point 1 to be statistically significant (inflation factor λ for time point 1 ($\lambda = 1.14$) and for time point 2 ($\lambda = 1.14$)). For FVC, we identified three CpGs at time point 2 compared to none at time point 1 to be statistically significant (inflation factor λ for time point 1 ($\lambda = 1.09$) and for time point 2 ($\lambda = 1.02$)).



Footnote to Figure S2:

*Base model (M_{base}): EWAS were covariate adjusted for age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition.


6. Results: EWAS_{repeat} - Repeat cross-sectional EWAS in the same study participants – combining the data from both time points

The discovery EWAS_{repeat} was undertaken using mixed linear regression with a random intercept on the study participant to assess the data from both time points in the same model. The EWAS_{repeat} results are presented only in the online supplement (Figure Box1 and Table S6, this Appendix). For FEV₁, we found seven CpGs associated either in discovery EWAS meta-analysis or in the combined meta-analysis of four cohort studies to be associated with a $P < 5 \times 10^{-7}$. Three CpGs did formally replicate in the LCB36 replication cohort ($P < 0.0071$, Bonferroni correction for 7 tests). All three replicated differentially methylated markers had previously been identified as smoking-related CpGs: cg05575921, in the *AHRR* gene replicating at $P_{\text{replication}} = 0.0033$ ($P_{\text{combined}} = 1.86 \times 10^{-9}$), cg21566642 in the *ALPPL2* gene (2q37.1) at $P_{\text{replication}} = 0.0033$ ($P_{\text{combined}} = 1.86 \times 10^{-9}$) and cg04813697 in the *PIP4K2A* gene at $P_{\text{replication}} = 0.0006$ ($P_{\text{combined}} = 4.61 \times 10^{-7}$). Results (not shown) see Box3 Figure “Manhattan and Q-Q plots of EWAS_{repeat}”. For FEV₁/FVC, there were 23 CpG markers found to be associated at $P\text{-value} < 5 \times 10^{-7}$ and six replicated formally at a $P < 0.0021$ (Bonferroni correction for 23 tests). Again all replicated CpGs were known smoking-related CpGs. In addition to the five prominent differentially methylated markers (cg21566642 and cg01940273 in the *ALPPL2* gene (2q37.1), cg05951221 in the *AHRR* gene, and cg03636183 in the gene *F2RL3*), we identified cg09935388 in gene *GFI1* replicating at $P_{\text{replication}} = 0.0001$ ($P_{\text{combined}} = 2.54 \times 10^{-9}$).

For FVC, only one CpG marker (cg07709627 in gene *PLEKHF1*) reached the genome-wide selection threshold for replication in the repeated cross-sectional analyses, but it did not replicate. This method performed poorer as fewer statistically significant CpGs were identified compared to the cross-sectional EWAS using data from the second time point. Comparing the results of the repeated cross-sectional EWAS with the results of two cross-sectional EWAS, we noted for some CpGs consistent associations for both approaches. For other CpGs it seemed that fixed effect linear approach at two time points revealed more easily consistent and statistically significant associations compared to the mixed linear models likely due to increased sample size of the replication cohort for the cross-sectional analyses.

Box1 Figure: EWAS_{repeat} Manhattan and QQ plots, in all participants

Figure: Manhattan and Quantile-Quantile plots of repeat cross-sectional EWAS (Mbase*) combining data from both time points, all participants A) on FEV₁ ($\lambda=1.23$); B) FEV₁/FVC ($\lambda=1.13$); and C) FVC ($\lambda=1.13$).



Footnote:

*Base model (M_{base}): EWAS were covariate adjusted for age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition.

6.1. Table S6: Repeat cross-sectional associations with lung function in all participants (EWAS_{repeat}, M_{base})

Table S6: Discovery, replication and combined EWAS meta-analyses of repeat cross-sectional association with lung function in all participants*, base model covariate adjusted EWAS (M_{base}[†]). Covariate-adjusted mixed linear regressions with a random intercept on the subject were undertaken using data from both time points (repeat cross-sectional analysis (EWAS_{repeat})).

					Discovery (ECRHS/NFBC/SAPALDIA)				Replication (LCB1936)				Combined meta-analysis (ECRHS/NFBC/SAPALDIA/LCB1936)			
CpG ID	chr	position	Locus	smoking CpGs¶	beta (SE)	P-value meta-analysis	direction of effect	P-value study heterogeneity	beta (SE)	P-value of replication ‡	direction of effect	Repli-cated ‡	beta (SE)	P-value meta-analysis	direction of effect (four studies)	P-value study heterogeneity
FEV1																
cg21566642	2	233284661	ALPPL2	yes	0.391(0.081)	1.41E-06	+++	0.220	0.497(0.165)	0.0027	+	no	0.411(0.073)	1.59E-08	++++	0.339
cg05575921	5	373378	AHRR	yes	0.362(0.068)	1.25E-07	+++	0.408	0.478(0.163)	0.0033	+	no	0.379(0.063)	1.86E-09	++++	0.527
cg04813697	10	22920025	PIP4K2A	yes	0.459(0.124)	0.0002	+++	0.460	0.502(0.146)	0.0006	+	yes	0.477(0.095)	4.61E-07	++++	0.659
cg23771366	11	86510998	PRSS23	yes	0.743(0.143)	2.07E-07	+++	0.362	0.33(0.223)	0.1402	+	no	0.623(0.121)	2.36E-07	++++	0.216
cg16288101	14	88621538		yes	0.53(0.108)	1.01E-06	+++	0.101	0.329(0.173)	0.0575	+	no	0.473(0.092)	2.56E-07	++++	0.136
cg19572487	17	38476024	RARA	yes	0.525(0.116)	5.50E-06	+++	0.281	0.457(0.174)	0.0084	+	no	0.504(0.096)	1.58E-07	++++	0.450
cg03636183	19	17000585	F2RL3	yes	0.543(0.104)	1.75E-07	+++	0.987	0.484(0.192)	0.0117	+	no	0.53(0.091)	6.88E-09	++++	0.992
					beta (SE)	P-value meta-analysis	direction of effect	P-value study heterogeneity	beta (SE)	P-value of replication ‡	direction of effect	Repli-cated ‡	beta (SE)	P-value meta-analysis	direction of effect	P-value study heterogeneity
FEV1/FVC																
cg04885881	1	11123118		yes	0.116(0.02)	8.51E-09	+++	0.408	0.072(0.054)	0.1792	+	no	0.111(0.019)	4.55E-09	++++	0.497
cg09935388	1	92947588	GFI1	yes	0.063(0.012)	3.60E-07	+++	0.463	0.165(0.043)	0.0001	+	yes	0.07(0.012)	2.54E-09	++++	0.077
cg11231349	1	162050656	NOS1AP	yes	0.128(0.027)	2.56E-06	??+	1.000	0.085(0.042)	0.0447	+	no	0.116(0.023)	4.58E-07	??++	0.396
cg03329539	2	233283329	ALPPL2	yes	0.095(0.018)	7.41E-08	+++	0.182	0.116(0.067)	0.0816	+	no	0.096(0.017)	1.63E-08	++++	0.320
cg21566642	2	233284661	ALPPL2	yes	0.082(0.012)	1.39E-11	+++	0.275	0.162(0.04)	5.58E-05	+	yes	0.088(0.012)	2.29E-14	++++	0.101
cg01940273	2	233284934	ALPPL2	yes	0.105(0.016)	3.10E-11	+++	0.791	0.215(0.055)	7.95E-05	+	yes	0.113(0.015)	7.72E-14	++++	0.233
cg11610350	3	64253705			0.135(0.027)	5.06E-07	+++	0.481	0.101(0.074)	0.1718	+	no	0.131(0.025)	2.12E-07	++++	0.648
cg16990174	3	72496875	RYBP		0.106(0.021)	3.09E-07	+++	0.978	-0.003(0.052)	0.9491	-	no	0.091(0.019)	2.26E-06	+++-	0.275
cg08763102	4	3079751	HTT	yes	0.151(0.028)	1.19E-07	+++	0.284	-0.048(0.069)	0.4879	-	no	0.122(0.026)	3.73E-06	+++-	0.022
cg01899089	5	369969	AHRR	yes	0.125(0.024)	3.08E-07	++	0.006	0.033(0.051)	0.5185	+	no	0.108(0.022)	9.63E-07	-+++	0.005
cg05575921	5	373378	AHRR	yes	0.083(0.01)	3.59E-16	+++	0.520	0.201(0.038)	1.48E-07	+	yes	0.091(0.01)	2.65E-20	++++	0.017
cg21161138	5	399360	AHRR	yes	0.13(0.02)	1.62E-10	+++	0.891	0.117(0.053)	0.0286	+	no	0.128(0.019)	1.44E-11	++++	0.963
cg24859433	6	30720203		yes	0.142(0.031)	3.58E-06	+++	0.514	0.173(0.079)	0.0283	+	no	0.146(0.029)	3.15E-07	++++	0.691
cg15342087	6	30720209	FLOT1	yes	0.181(0.035)	1.62E-07	+++	0.719	0.221(0.075)	0.0034	+	no	0.188(0.031)	2.22E-09	++++	0.827

cg13353574	8	61326925		yes	0.134(0.026)	3.51E-07	+++	0.210	-0.026(0.06)	0.6673	-	no	0.109(0.024)	6.94E-06	+++	0.029
cg05329578	9	2241688		yes	0.074(0.015)	3.39E-07	+++	0.937	0.026(0.043)	0.5457	+	no	0.069(0.014)	4.95E-07	++++	0.747
cg21611682	11	68138269	<i>LRP5</i>	yes	0.136(0.026)	1.78E-07	+++	0.943	0.055(0.074)	0.4517	+	no	0.127(0.025)	2.29E-07	++++	0.761
cg11660018	11	86510915	<i>PRSS23</i>	yes	0.143(0.022)	7.12E-11	+++	0.927	0.207(0.061)	0.0008	+	yes	0.151(0.021)	3.55E-13	++++	0.778
cg23771366	11	86510998	<i>PRSS23</i>	yes	0.15(0.022)	1.37E-11	+++	0.391	0.159(0.058)	0.0058	+	no	0.151(0.021)	2.89E-13	++++	0.594
cg22952142	15	68549178			0.071(0.014)	4.03E-07	+++	0.813	0.002(0.035)	0.9627	+	no	0.062(0.013)	2.32E-06	++++	0.286
cg00310412	15	74724918	<i>SEMA7A</i>	yes	0.145(0.028)	1.27E-07	+++	0.348	0.123(0.074)	0.0970	+	no	0.142(0.026)	3.19E-08	++++	0.534
cg19572487	17	38476024	<i>RARA</i>	yes	0.11(0.018)	2.49E-09	+++	0.980	0.11(0.051)	0.0324	+	no	0.11(0.017)	2.38E-10	++++	0.998
cg03636183	19	17000585	<i>F2RL3</i>	yes	0.113(0.016)	5.25E-13	+++	0.752	0.254(0.049)	2.75E-07	+	yes	0.126(0.015)	3.40E-17	++++	0.046
cg16201146	20	19191526		yes	0.133(0.027)	4.97E-07	+++	0.786	-0.057(0.06)	0.3436	-	no	0.102(0.024)	2.44E-05	+++	0.032

Footnote table S6:

* Presentation of CpG markers showing meta-analysis P-value < 5x10⁻⁷ in the combined meta-analysis.

† Base model (M_{base}) EWAS were covariate adjusted for age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition.

‡ Replication was defined for association with FEV₁ if replication P-value<0.00067 (multiple testing correction for 74 tests), with FEV₁/FVC if replication P-value<0.0011 (multiple testing correction for 47 tests) and with FVC if replication P-value<0.0031 (multiple testing correction for 16 tests).


¶ Smoking CpGs defined on the reported FDR corrected P-value <0.05 for association reported with smoking status and direction of effects.[45]

7. Results: Effect of smoking adjustment on the cross-sectional EWAS (M_{smok}):

After applying smoking adjustment, we identified generally fewer genome-wide significant associations. Interestingly, the top five CpGs were still smoking related methylation markers, but the strength of their association with lung function was greatly diminished e.g. cg23771366 (*PRSS23*) had $P=4.61 \times 10^{-8}$ (M_{smok}) versus $P=5.38 \times 10^{-27}$ (M_{base}), cg05575921 (*AHRR*) had $P=2.69 \times 10^{-11}$ (M_{smok}) versus $P=7.22 \times 10^{-50}$ (M_{base}), cg03636183 (*F2RL3*) had $P=1.02 \times 10^{-8}$ (M_{smok}) versus $P=4.5 \times 10^{-43}$ (M_{base}). In contrast, the CpG not modified by smoking behavior, cg13064897 on chr8 at 135Mb, did not show an important alteration of the association with FEV_1/FVC after smoking adjustment. The increase in signal strength of the associations observed at time point 2 remained notable even after smoking adjustment (See Figure S4, next page).

7.1. Figure S3: Quantile-Quantile plots of smoking adjusted EWAS, in all participants.

Figure S3: Quantile-Quantile plots of cross-sectional covariate-adjusted EWAS (M_{smok}^*) at first and second time point, in all participants on A) FEV_1 (inflation factor λ for time point 1 ($\lambda = 1.02$) and for time point 2 ($\lambda = 1.04$)); B) FEV_1/FVC (inflation factor λ for time point 1 ($\lambda = 1.07$) and for time point 2 ($\lambda = 0.98$)); and C) FVC (inflation factor λ for both time points ($\lambda = 1.00$)).



Footnote to Figure S3:

*Smoking adjusted model (M_{smok}): EWAS were adjusted for smoking covariates (history of smoking intensity as pack years smoked up to the time point of data collection for regressions and for smoking status (current, former and never smoker)) in addition to the base model covariate adjustments (age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition).

7.2. cg16288101: Smoking adjusted meta-analyses of cross-sectional associations (M_{smok}), in all participants.

Table S7: Meta-analyses of cross-sectional association with FEV₁, FEV₁/FVC, and FVC in all participants*, smoking adjusted EWAS ($M_{\text{smok}}^{\dagger}$). Meta-analyses of cross-sectional associations obtained using data from time point T2 of ECRHS, NFBC1966, SAPALDIA, LBC1936 and from time point T1 of KORA, LifeLines and NSPHS.

					Discovery meta-analysis at time point 2 (ECRHS,NFBC1966, SAPALDIA)				Replication meta-analysis (KORA,LBC1936, LifeLines, NSPHS, FTC)				Combined meta-analysis (ECRHS,NFBC1966, SAPALDIA, KORA,LBC1936, LifeLines, NSPHS)					
CpG ID	chr	positions	Locus	known smoking CpGs	beta (SE)	P-value meta-analysis	direction of effects	P-value between study heterogeneity	beta (SE)	P-value meta-analysis	direction of effects	P-value between study heterogeneity	beta (SE)	P-value analysis	meta-direction	of effects	P-value of study heterogeneity	between heterogeneity
FEV1																		
cg07626482	19	47289503	SLC1A5	yes	1.826 (0.41)	8.23E-06	+++	0.690	1.086 (0.331)	0.0010	+++-	0.259	1.612 (0.258)	4.32E-10	++++++		0.919	
cg03149958	6	36326677	ETV7	yes	1.319 (0.23)	9.31E-09	+++	0.339	0.337 (0.237)	0.1554	+++-	0.303	0.896 (0.164)	4.32E-08	++++++		0.069	
cg05575921	5	373378	AHRR	yes	0.496 (0.146)	0.0007	+++	0.791	0.468 (0.123)	0.0001	++++	0.356	0.496 (0.094)	1.27E-07	++++++		0.758	
cg18181703	17	76354621	SOC53	yes	1.038 (0.248)	2.93E-05	+++	0.939	0.558 (0.2)	0.0052	++++	0.512	0.819 (0.158)	2.14E-07	++++++		0.894	
FEV1/FVC																		
cg05575921	5	373378	AHRR	yes	0.094 (0.021)	9.32E-06	+++	0.167	0.091 (0.018)	6.63E-07	++++	0.993	0.094 (0.014)	2.21E-11	++++++		0.726	
cg03636183	19	17000585	F2RL3	yes	0.092 (0.03)	0.0022	+++	0.223	0.127 (0.026)	1.27E-06	++++	0.570	0.117 (0.02)	1.02E-08	++++++		0.343	
cg21566642	2	233284661	ALPPL2	yes	0.084 (0.023)	0.0002	+++	0.862	0.091 (0.021)	1.57E-05	++++	0.487	0.09 (0.016)	1.42E-08	++++++		0.863	
cg01940273	2	233284934	ALPPL2	yes	0.126 (0.031)	3.88E-05	+++	0.353	0.104 (0.029)	0.0003	++++	0.630	0.12 (0.022)	2.75E-08	++++++		0.620	
cg23771366	11	86510998	PRSS23	yes	0.104 (0.035)	0.0034	+++	0.189	0.156 (0.03)	2.78E-07	++++	0.993	0.13 (0.024)	4.61E-08	++++++		0.598	
cg03329539	2	233283329	ALPPL2	yes	0.107 (0.041)	0.0092	+++	0.737	0.143 (0.033)	1.30E-05	++++	0.660	0.134 (0.026)	3.92E-07	++++++		0.903	
FVC																		
cg03149958	6	36326677	ETV7	yes	1.315 (0.259)	3.78E-07	+++	0.484	0.654 (0.276)	0.0179	+++-	0.161	1.08 (0.189)	1.07E-08	++++++		0.401	
cg08549335	7	30387954	ZNRF2	yes	0.953 (0.205)	3.24E-06	+++	0.441	0.359 (0.132)	0.0067	++++	0.932	0.64 (0.121)	1.12E-07	++++++		0.434	

Footnote to table S7:

* Presentation of CpG markers showing meta-analysis P-value $< 5 \times 10^{-7}$ in the combined meta-analysis.

† Smoking model (M_{smok}) EWAS were covariate adjusted for age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition and additionally for adjusted for smoking covariates: history of smoking intensity as pack years smoked up to the time point of data collection for regressions and for smoking status (current, former and never smoker).

8. Results: Prediction of DNAm1 association with lung function (EWAS_{predict})

8.1. Table S8: Prediction EWAS (M_{base}) for change in FEV₁ and for FVC, in all participants.

Table S8: Prediction EWAS meta-analyses* on annual change in lung function on FEV₁ and FVC, in all participants, base model adjustment (M_{base}[†]). Replicated‡ associations indicated show replication P-value in bold.

						Discovery (ECRHS/NFBC/SAPALDIA)			Replication (KORA, LBC1936)				Combined meta-analysis (ECRHS/NFBC/SAPALDIA/KORA,LBC1936)				
CpG ID	chr	position	Locus	smoking CpGs¶	smoking ¶ direction of effects	P-value meta- analysis	direction of effect	P- value (het)			P-value (het)	P-value analysis	meta- studies	direction of effect (five studies)	P-value (het)		
change in FEV1						P-value replication <0.00067‡											
cg05575921	5	373378	AHRR	yes	6.1e-22 (-----+---)	2.01E-15	+++	0.535	4.89E-07	++	yes	0.334	1.96E-20	+++++	0.318		
cg01940273	2	233284934	ALPPL2	yes	9.8e-30 (-----)	1.27E-12	+++	0.139	6.32E-05	++	yes	0.488	5.63E-16	+++++	0.263		
cg21566642	2	233284661	ALPPL2	yes	4.5e-21 (-----)	3.67E-13	+++	0.107	0.0004	++	yes	0.596	7.16E-16	+++++	0.307		
cg03636183	19	17000585	F2RL3	yes	5.7e-17 (-----)	5.64E-11	+++	0.511	1.70E-05	++	yes	0.139	1.08E-14	+++++	0.265		
cg05951221	2	233284402	ALPPL2	yes	6.8e-23 (-----)	5.81E-08	?++	0.377	0.0002	++	yes	0.447	8.54E-11	?++++	0.520		
cg25648203	5	395444	AHRR	yes	2.7e-11 (-----)	7.15E-09	+++	0.716	0.0040	++		0.018	1.16E-10	+++++	0.165		
cg27241845	2	233250370	ALPPL2	yes	2.7e-10 (-----+---)	2.85E-08	+++	0.077	0.0044	++		0.011	4.44E-10	+++++	0.021		
cg26703534	5	377358	AHRR	yes	7.2e-18 (-----+---)	5.87E-08	+++	0.477	0.0106	++		0.158	2.15E-09	+++++	0.466		
cg21161138	5	399360	AHRR	yes	7.9e-13 (-----)	1.43E-08	+++	0.742	0.0520	+–		0.010	2.72E-09	++++–	0.101		
cg27537125	1	25349681	RUNX3	yes	5.5e-16 (-----+---)	2.04E-08	+++	0.001	0.0554	++		0.187	5.25E-09	+++++	0.002		
cg03329539	2	233283329	ALPPL2	yes	9.7e-16 (-----+---)	3.59E-06	+++	0.169	0.0015	++		0.172	2.49E-08	+++++	0.206		
cg12303084	20	45985741	ZMYND8	yes	4.2e-15 (---+-----)	1.66E-07	+++	0.454	0.0595	++		0.281	4.05E-08	+++++	0.469		
cg21393163	1	12217629	TNFRSF1B	yes	3.8e-12 (-----)	3.01E-07	+++	0.949	0.0484	++		0.767	5.06E-08	+++++	0.959		
cg15342087	6	30720209	FLOT1	yes	3.9e-14 (-----+---)	2.04E-07	+++	0.851	0.0816	++		0.045	5.66E-08	+++++	0.299		
ch.8.91748119F	8	91678943				4.29E-08	+++	0.089	0.2817	++		0.060	9.18E-08	+++++	0.026		
cg07986378	12	11898284	ETV6	yes	3.3e-07 (-----+---)	2.11E-08	+++	0.364	0.4656	++		0.808	2.03E-07	+++++	0.136		
cg00210249	10	71135679	HK1	yes	5.4e-06 (+++++-----)	3.68E-07	---	0.738	0.5329	--		0.757	1.08E-06	----	0.532		
cg03149958	6	36326677	ETV7	yes	1.6e-08 (-----)	1.39E-07	+++	0.228	0.9343	+–		0.657	1.54E-06	++++–	0.099		
cg06762457	6	149806635	ZC3H12D	yes	1.1e-06 (-----+---)	3.58E-07	+++	0.259	0.8538	+–		0.002	2.26E-05	++++–	4.44E-04		
change in FVC						P-value replication <0.0031‡											
cg03149958	6	36326677	ETV7	yes	1.6e-08 (-----)	2.77E-10	+++	0.325	0.7705	++		0.937	3.37E-09	+++++	0.125		
cg05575921	5	373378	AHRR	yes	6.1e-22 (-----+---)	3.97E-07	+++	0.025	0.3186	++		0.315	3.68E-07	+++++	0.055		
cg03636183	19	17000585	F2RL3	yes	5.7e-17 (-----)	2.90E-07	+++	0.080	0.4964	–+		0.146	5.72E-07	+++++	0.062		
cg15342087	6	30720209	FLOT1	yes	3.9e-14 (-----+---)	7.53E-08	+++	0.026	0.9616	–+		0.698	8.98E-07	+++++	0.016		
cg01651915	8	55795551	XKR4	yes	2.1e-07 (----?-----+---)	3.86E-07	+++	0.757	0.6393	+–		0.053	2.40E-06	++++–	0.091		

Footnote to table S8:

* Prediction association of DNA methylation at first time point (DNAm₁) with annual change in lung function during follow-up, defined as lung function at second time point – lung function at first time point divided by the time of follow-up in years. Presentation of CpG markers showing meta-analysis P-value < 5×10^{-7} at discovery or replication level. CpGs shown sorted by statistical significance of combined meta-analysis results.


† Base model (M_{base}) EWAS were covariate adjusted for age, age squared, height, lung function at time point 1 (FEV₁ or FVC respectively), squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition.

‡ Replication was defined for association with FEV₁ if replication P-value < 0.00067 (multiple testing correction for 74 tests), and with FVC if replication P-value < 0.0031 (multiple testing correction for 16 tests).

¶ Smoking CpGs defined on the reported FDR corrected P-value < 0.05 for association reported with smoking status and reported direction of effects for association with smoking.[45]

8.2. Figure S4: Plots of prediction EWAS on FEV₁ and FVC

Figure S4: Manhattan and Quantile-Quantile plots of covariate-adjusted prediction* EWAS (M_{base}^\dagger) in all participants A) on FEV₁ ($\lambda = 1.26$); and B) on FVC ($\lambda = 1.23$).



Footnote to Figure S4:


* Prediction association of DNA methylation at first time point (DNAm₁) with annual change in lung function during follow-up

†Base model (M_{base}): EWAS were covariate adjusted for age, age squared, height, lung function at time point 1 (FEV₁ or FVC respectively), squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition.

9. Results: EWAS meta-analyses in never smokers

9.1. Figure S5: Quantile-Quantile plots for cross-sectional associations, in never smokers.

Figure S5: Quantile-Quantile plots of cross-sectional covariate-adjusted EWAS (M_{base}^*) at first and second time point, in never smokers A) on FEV_1 (inflation factor λ for time point 1 ($\lambda = 1.09$) and for time point 2 ($\lambda = 1.05$)); B) FEV_1/FVC (inflation factor λ for time point 1 ($\lambda = 1.11$) and for time point 2 ($\lambda = 0.96$)); and C) FVC (inflation factor λ for time point 1 ($\lambda = 1.08$) and for time point 2 ($\lambda = 1.03$)).



Footnote to Figure S5:

*Base model (M_{base}): EWAS were covariate adjusted for age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition.

9.2. Table S9: Cross-sectional associations, in never smokers.

Table S9: Detailed results in never smokers: cross-sectional associations with lung function at time point 1 and at time point 2, separately: discovery, replication and combined EWAS meta-analyses, base model covariate adjusted EWAS ($M_{\text{base}}^{\dagger}$). Meta-analyses of cross-sectional associations obtained using data from time point T2 of ECRHS, NFBC1966, SAPALDIA, LBC1936 and from time point T1 of KORA, LifeLines and NSPHS.

See table in EXCEL file: Additional_Tables_Imbodenetal.xlsx

Footnote to table S9:

* Presentation of CpG markers showing meta-analysis P-value $< 5 \times 10^{-7}$ in the combined meta-analysis.

† Base model (M_{base}) EWAS were covariate adjusted for age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition.

‡ Smoking CpGs defined on the reported FDR corrected P-value < 0.05 for association reported with smoking status and direction of effects.[45]

9.3. Table: EWAS_{repeat} in never smokers:

In the repeat cross-sectional EWAS cg14366110 was the top hit ($P_{\text{discovery}}=1.72 \times 10^{-10}$) for association with FEV₁/FVC, yet this association did not replicate in the LBC1936 sample ($P_{\text{replication}}=0.454$) though the direction of the effect was consistent and the $P_{\text{combined}}=4.63 \times 10^{-10}$ remained statistically epigenome-wide significant.

Table: EWAS_{repeat} in never smokers: Discovery, replication and combined EWAS meta-analyses of repeat cross-sectional association with lung function in never smokers*, base model covariate adjusted EWAS ($M_{\text{base}}^{\dagger}$).

					Discovery (ECRHS/NFBC/SAPALDIA)				Replication (LCB1936)				Combined meta-analysis (ECRHS/NFBC/SAPALDIA/LBC1936)			
CpG ID	chr	position	Locus	known smoking CpG‡	beta (SE)	P-value meta- analysis	direction of effect	P-value study hetero- geneity	beta (SE)	P-value replication <0.00067	direction of effect	P-value study hetero- geneity	beta (SE)	P-value meta- analysis	direction of effect	P-value study hetero- geneity
FEV1																
cg17838734	6	83073924	TPBG	no	-2.507 (0.435)	7.97E-09	---	0.685	0.408 (0.502)	0.4169	+	na	-1.259 (0.329)	0.0001	---+	1.68E-04
cg19931644	8	12623485		no	0.917 (0.178)	2.76E-07	+++	0.695	0.121 (0.218)	0.5803	+	na	0.598 (0.138)	1.50E-05	++++	0.033
cg07922154	14	68087339	ARG2	no	1.098 (0.206)	9.63E-08	+++	0.299	0.193 (0.292)	0.5077	+	na	0.798 (0.168)	2.13E-06	++++	0.032
FEV1/FVC																
cg18938392	1	157248950		no	0.08 (0.014)	2.87E-08	+++	0.825	-0.009 (0.035)	0.7893	-	na	0.067 (0.013)	4.59E-07	+++-	0.121
cg15981995	3	169487311	ARPM1	no	-0.952 (0.188)	4.29E-07	??-	1.000	0.39 (0.309)	0.2063	+	na	-0.588 (0.161)	0.0003	??-+	2.06E-04
cg14366110	9	133779382	FIBCD1	no	-0.255 (0.04)	1.72E-10	---	0.904	-0.078 (0.104)	0.4539	-	na	-0.232 (0.037)	4.63E-10	----	0.440
FVC																
cg05831672	10	103543172	NPM3	no	-4.404 (0.802)	3.93E-08	---	0.871	-0.759 (1.345)	0.5727	-	na	-3.449 (0.689)	5.491E-07	----	0.127
cg22508172	1	24069723	TCEB3	no	-4.431 (0.836)	1.17E-07	---	0.582	-0.634 (1.22)	0.6033	-	na	-3.218 (0.69)	3.09E-06	----	0.053
cg10212705	1	154297848	ATP8B2	no	-5.875 (1.129)	1.96E-07	---	0.277	0.784 (3.445)	0.8200	+	na	-5.229 (1.073)	1.10E-06	---+	0.114
cg04030659	6	22570704	HDGFL1	no	-2.095 (0.412)	3.66E-07	---	0.442	0.419 (0.531)	0.4299	+	na	-1.15 (0.326)	0.0004	---+	0.001

Footnote table EWAS_{repeat} in never smokers:

* Presentation of CpG markers showing meta-analysis P-value $< 5 \times 10^{-7}$ in the combined meta-analysis.

† Base model (M_{base}) EWAS were covariate adjusted for age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition.

‡ Smoking CpGs defined on the reported FDR corrected P-value < 0.05 for association reported with smoking status and direction of effects.[45]

9.4. Table S10: Prediction EWAS, in never smokers.

Table S10: Prediction EWAS meta-analysis* on change in lung function in never smokers only, base model adjustment (M_{base}^{\dagger}).

					Discovery (ECRHS/NFBC/SAPALDIA)				Replication (KORA/LCB1936)				Combined meta-analysis (ECRHS/NFBC/SAPALDIA/ KORA/LCB1936)			
CpG ID	chr	position	Locus	smoking CpGs	beta (SE)	P-value meta- analysis	direction of effect	P-value study hetero- geneity	beta (SE)	P-value replication	direction of effect	P-value study hetero- geneity	beta (SE)	P-value meta- analysis	direction of effect	P-value study hetero- geneity
FEV1																
cg21393163	1	12217629	TNFRSF1B	yes	0.08 (0.025)	0.0013	+++	0.347	0.122 (0.054)	0.0242	++	0.443	0.087 (0.022)	0.0001	+++++	0.523
cg08447479	16	75589467	TMEM231	no	0.40 (0.078)	3.28E-07	+++	0.727	-0.135 (0.114)	0.2357	--	0.950	0.229 (0.065)	0.0004	++++-	0.004
FEV1/FVC																
cg14366110	9	133779382	FIBCD1	no	0.018 (0.003)	4.24E-09	++-	0.152	0.01 (0.013)	0.4390	++	0.414	0.017 (0.003)	3.639E-09	++++	0.315
cg11216682	2	131113867	PTPN18	no	-0.018 (0.003)	9.05E-08	+--	0.114	-0.006 (0.016)	0.6795	--	0.666	-0.017 (0.003)	1.086E-07	+--+	0.282
FVC																
cg20098854	8	898407		no	-0.085 (0.016)	1.32E-07	---	0.108	0.059 (0.061)	0.3394	-+	0.291	-0.076 (0.016)	1.16E-06	----+	0.030
cg04774364	10	106100810		no	0.188 (0.036)	1.62E-07	+++	0.566	0.003 (0.071)	0.9635	+-	0.557	0.151 (0.032)	2.59E-06	++++-	0.145
cg20278790	20	57583474	CTSZ	no	0.24 (0.047)	2.72E-07	+++	0.004	-0.011 (0.094)	0.9071	+-	0.775	0.19 (0.042)	5.36E-06	++++-	0.002

Footnote to table S10:

* Prediction association of DNA methylation at first time point (DNAm₁) with annual change in lung function during follow-up, defined as lung function at second time point – lung function at first time point divided by the time of follow-up in years. Presentation of CpG markers showing meta-analysis P-value < 5×10^{-7} at discovery or replication level.

† Base model (M_{base}) EWAS were covariate adjusted for age, age squared, height, lung function at time point 1 (FEV₁, FVC or FEV₁/FVC respectively), squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition.

10. Results: Functional characterization of replicated CpGs

10.1. Table S11: 43 differentially methylated loci associated with lung function

Table S11: 43 Loci associated with lung function differentially methylated loci associated with lung function based on 57 replicated CpGs.

CpG ID	CHR	POSITION	NEAREST GENE	DISTANCE TO GENE	Strand	annotation analysis
cg04885881	1	11123118	<i>SRM</i>	-3027	F	used
cg21393163	1	12217629	<i>TNFRSF1B</i>	9429	R	used
cg27537125	1	25349681	<i>RUNX3</i>	-92911	F	used
cg21140898	1	51442318	<i>CDKN2C</i>	-2009	F	used
cg09935388	1	92947588	<i>GFI1</i>	0	F	used
cg18826637	2	145116633	<i>ZEB2</i>	25307	F	used
cg27241845	2	233250370	<i>ALPPL2</i>		R	pruned
cg17087741	2	233283010	<i>ALPPL2</i>		F	pruned
cg03329539	2	233283329	<i>ALPPL2</i>		F	pruned
cg05951221	2	233284402	<i>ALPPL2</i>		F	pruned
cg21566642	2	233284661	<i>ALPPL2</i>	-9237	R	used
cg01940273	2	233284934	<i>ALPPL2</i>		R	pruned
cg19859270	3	98251294	<i>GPR15</i>	0	R	used
cg00741986	4	2748332	<i>TNIP2</i>	0	R	used
cg08763102	4	3079751	<i>HTT</i>		F	pruned
cg24086068	4	77356008	<i>SHROOM3</i>	243	R	used
cg01899089	5	369969	<i>AHRR</i>		F	pruned
cg05575921	5	373378	<i>AHRR</i>	0	F	used
cg26703534	5	377358	<i>AHRR</i>		F	pruned
cg25648203	5	395444	<i>AHRR</i>		R	pruned
cg21161138	5	399360	<i>AHRR</i>		R	pruned
cg05673882	5	74862702	<i>POLK</i>	0	F	used
cg14753356	6	30720108	<i>intergenic</i>		R	pruned
cg24859433	6	30720203	<i>intergenic</i>		R	pruned
cg15342087	6	30720209	<i>FLOT1</i>	-7882	R	used
cg05593667	6	35490744	<i>TULP1</i>	-10097	F	used
cg03149958	6	36326677	<i>ETV7</i>	7292	R	used
cg00073460	6	149806502	<i>ZC3H12D</i>		F	pruned
cg06762457	6	149806635	<i>ZC3H12D</i>	-487	F	used
cg08549335	7	30387954	<i>ZNRF2</i>	0	R	used
cg25949550	7	145814306	<i>CNTNAP2</i>	0	F	used
cg19589396	8	103937374	<i>AZIN1</i>	-60977	F	used
cg12075928	8	141801307	<i>PTK2</i>	0	F	used
cg02716826	9	33447032	<i>AQP3</i>	0	R	used
cg04813697	10	22920025	<i>PIP4K2A</i>	0	R	used
cg25953130	10	63753550	<i>ARID5B</i>	0	F	used
cg00210249	10	71135679	<i>HK1</i>	0	R	used
cg03450842	10	80834947	<i>ZMIZ1</i>	0	F	used
cg21611682	11	68138269	<i>LRP5</i>	0	F	used
cg11660018	11	86510915	<i>PRSS23</i>		F	pruned
cg23771366	11	86510998	<i>PRSS23</i>	491	R	used
cg21990700	12	7260776	<i>C1RL</i>	0	R	used
cg07986378	12	11898284	<i>ETV6</i>	0	R	used

cg06826457	12	12867669	<i>P27_CRE</i>	2528	R	used
cg02583484	12	54677008	<i>HNRNPA1</i>	0	F	used
cg13976502	14	74227875	<i>ELMSAN1</i>	0	F	used
cg00310412	15	74724918	<i>SEMA7A</i>	0	R	used
cg16391678	16	30485597	<i>ITGAL</i>	0	F	used
cg01243823	16	50732212	<i>NOD2</i>	0	R	used
cg19572487	17	38476024	<i>RARA</i>	0	R	used
cg18181703	17	76354621	<i>SOCS3</i>	0	R	used
cg03636183	19	17000585	<i>F2RL3</i>	0	R	used
cg07626482	19	47289503	<i>SLC1A5</i>	0	F	used
cg03707168	19	49379127	<i>PPP1R15A</i>	0	F	used
cg12303084	20	45985741	<i>ZMYND8</i>	-267	F	used
cg23110422	21	40182073	<i>ETS2</i>	0	F	used
cg01127300	22	38614796	<i>TMEM184B</i>	500	F	used

10.2. **Table S12: Functional annotation: Transcription binding sites**

Table S12: Enrichment for transcription binding site of transcription factors

Transcription Factor	N expected	N observed	p-value	FDR p-value
RELA	2.5863	15	<1.00E-04	0.002
EP300	4.3584	18	<1.00E-04	0.004
POLR2A	12.787	29	<1.00E-04	0.012
EBF1	1.5989	10	<1.00E-04	0.012
IKZF1	0.3509	7	<1.00E-04	0.015
FOXM1	1.4265	9	<1.00E-04	0.021
POU2F2	1.6033	9	<1.00E-04	0.021
STAT3	1.8665	9	<1.00E-04	0.021
TBL1XR1	1.5904	9	<1.00E-04	0.021
RUNX3	2.4005	10	1.00E-04	0.039
PAX5	1.76	8	<1.00E-04	0.039

10.3. **Table S13: Functional annotation: Chromatin State Models**

Table S13: Enrichment for chromatin state model reported by Roadmap.

Roadmap ID	Chromatin State model	N expected	N observed	p-value	FDR p-value
E128 [NHLF Lung Fibroblast Primary Cells]	3 [Transcr. at gene 5' and 3']	0.4589	5	1.00E-04	0.06249932
E096 [Lung]	7 [Enhancers]	5.5423	14	7.00E-04	0.06356541
E017 [IMR90 fetal lung fibroblasts Cell Line]	7 [Enhancers]	2.989	9	0.0026	0.06542811
E034 [Primary T cells from peripheral blood]	2 [Flanking active TSS]	4.2305	12	2.00E-04	0.07681021
E128 [NHLF Lung Fibroblast Primary Cells]	7 [Enhancers]	2.9174	8	0.0083	0.10937309
E001 [ES-I3 Cells]	7 [Enhancers]	4.7668	11	0.0052	0.11846625
E088 [Fetal Lung]	6 [Genic enhancers]	0.3166	4	2.00E-04	0.12499918
E017 [IMR90 fetal lung fibroblasts Cell Line]	3 [Transcr. at gene 5' and 3']	0.505	4	0.0022	0.12499918

10.4. Table S14: Functional annotation: Canonical Pathways

Table S14: Canonical pathways (p-value < 0.05) from Ingenuity Pathway Analysis system.

Ingenuity Canonical Pathways	P-vaule	FDR	Ratio	Focused Genes
Aryl Hydrocarbon Receptor Signaling	0.004	0.16	0.022	AHRR,RARA,CDKN1B
Spermidine Biosynthesis I	0.005	0.16	0.500	SRM
Th2 Pathway	0.005	0.16	0.021	RUNX3,SOCS3,GFI1
Role of Oct4 in Mammalian Embryonic Stem Cell Pluripotency	0.005	0.16	0.044	ETS2,RARA
Semaphorin Signaling in Neurons	0.006	0.16	0.039	PTK2,SEMA7A
Regulation of Cellular Mechanics by Calpain Protease	0.007	0.16	0.036	PTK2,CDKN1B
Th1 and Th2 Activation Pathway	0.008	0.16	0.017	RUNX3,SOCS3,GFI1
Cell Cycle: G1/S Checkpoint Regulation	0.010	0.16	0.030	CDKN2C,CDKN1B
Agrin Interactions at Neuromuscular Junction	0.010	0.16	0.030	PTK2,ITGAL
Trehalose Degradation II (Trehalase)	0.011	0.16	0.200	HK1
Molecular Mechanisms of Cancer	0.012	0.16	0.010	PTK2,LRP5,CDKN2C,CDKN1B
VDR/RXR Activation	0.013	0.17	0.026	LRP5,CDKN1B
Cyclins and Cell Cycle Regulation	0.014	0.17	0.025	CDKN2C,CDKN1B
Small Cell Lung Cancer Signaling	0.016	0.17	0.024	PTK2,CDKN1B
IL-7 Signaling Pathway	0.017	0.17	0.023	PTK2,CDKN1B
Crosstalk between Dendritic Cells and Natural Killer Cells	0.018	0.17	0.023	TNFRSF1B,ITGAL
GDP-glucose Biosynthesis	0.020	0.18	0.111	HK1
Glucose and Glucose-1-phosphate Degradation	0.023	0.18	0.100	HK1
IGF-1 Signaling	0.025	0.18	0.019	PTK2,SOCS3
UDP-N-acetyl-D-galactosamine Biosynthesis II	0.025	0.18	0.091	HK1
Type I Diabetes Mellitus Signaling	0.025	0.18	0.019	SOCS3,TNFRSF1B
Paxillin Signaling	0.026	0.18	0.018	PTK2,ITGAL
HGF Signaling	0.028	0.18	0.018	PTK2,ETS2
Rac Signaling	0.029	0.18	0.017	PTK2,PIP4K2A
PTEN Signaling	0.030	0.18	0.017	PTK2,CDKN1B
RhoA Signaling	0.032	0.18	0.016	PTK2,PIP4K2A
Role of Macrophages, Fibroblasts and Endothelial Cells in Rheumatoid Arthritis	0.032	0.18	0.010	SOCS3,LRP5,TNFRSF1B
Telomere Extension by Telomerase	0.034	0.18	0.067	HNRNPA1
IL-6 Signaling	0.035	0.18	0.016	SOCS3,TNFRSF1B
Th1 Pathway	0.035	0.18	0.015	RUNX3,SOCS3
G_12/13 Signaling	0.038	0.19	0.015	PTK2,F2RL3
Inflammasome pathway	0.045	0.20	0.050	NOD2
Type II Diabetes Mellitus Signaling	0.048	0.20	0.013	SOCS3,TNFRSF1B
Polyamine Regulation in Colon Cancer	0.049	0.20	0.046	AZIN1
D-myo-inositol-5-phosphate Metabolism	0.049	0.20	0.013	SOCS3,PIP4K2A

10.5. Table S15: Functional annotation: Pathway analysis using KEGG

Table S15: Pathway analysis by topKEGG showing top 10 pathways.

Here, Pathway corresponds to the KEGG pathway being tested; N corresponds to number of genes in KEGG term; DE corresponds to the number of genes differentially methylated; P.DE corresponds to the p-values for overrepresentation of the KEGG terms; FDR corresponds to the false discovery rate corrected p-value.

Pathway	N	DE	P.DE	FDR
Transcriptional misregulation in cancer	180	4	1.02E-05	0.003
Pathways in cancer	515	5	2.91E-05	0.005
Regulation of actin cytoskeleton	207	3	0.0005	0.05
Type II diabetes mellitus	46	2	0.0009	0.07
Central carbon metabolism in cancer	65	2	0.002	0.09
TNF signaling pathway	108	2	0.002	0.09
Leukocyte transendothelial migration	110	2	0.002	0.09
Small cell lung cancer	93	2	0.002	0.09
Insulin signaling pathway	137	2	0.004	0.15
Cell adhesion molecules (CAMs)	139	2	0.005	0.16

10.6. Table S16: Functional annotation: GO term enrichment analysis

Table S16: GO enrichment analysis by topGO. Here, Term = the gene ontology term being tested; Ont = Ontology (here, BP = biological process) N = number of genes in GO term; DE = number of genes differentially methylated; P.DE = p-values for overrepresentation of the KEGG terms; FDR = False discovery rate

Term	Ontology	N	DE	P.DE	P _{FDR}
regulation of immune response	BP	800	9	6.28E-06	0.133
immune system process	BP	2268	14	1.82E-05	0.192
regulation of immune system process	BP	1238	10	5.23E-05	0.264
vitellogenesis	BP	4	2	6.86E-05	0.264
regulation of transcription from RNA polymerase II promoter	BP	1770	13	7.28E-05	0.264
positive regulation of immune response	BP	593	7	7.49E-05	0.264
positive regulation of immune system process	BP	853	8	0.0001	0.373
transcription from RNA polymerase II promoter	BP	1957	13	0.0002	0.435
cytoplasm organization	BP	10	2	0.0002	0.522
negative regulation of cellular macromolecule biosynthetic process	BP	1262	10	0.0003	0.540

11. Results: Enrichment analysis of smoking-related CpGs in discovery EWAS.

11.1. Table S17: Overrepresentation of smoking-related CpGs among the lung function associated CpG markers.

Table S17: Enrichment analysis results testing for overrepresentation of smoking-related CpGs among the lung function or prediction of change in lung function* associated CpG markers. P-values from Weighted Kolmogorov Smirnov Test (WKS).[54] P-values < 0.05 are considered statistically significant and shown in bold. Prior to WKS testing we excluded cross-reactive probes.[58]

		FEV1	FVC	FEV1/FVC
Cross-sectional time point 1	All, M _{base} [†]	0.00036	0.99	0.00036
	All, M _{smok} [‡]	0.00053	0.81	0.00036
	Never smokers, M _{base} [†]	0.00036	0.088	0.00036
Cross-sectional Time point 2	All, M _{base} [†]	0.00036	0.00036	0.00036
	All, M _{smok} [‡]	0.00036	0.00082	0.0011
	Never smokers, M _{base} [†]	0.00036	0.0048	0.23
Prediction Association*	All, M _{base} [†]	0.00036	0.00036	0.00036
	All, M _{smok} [‡]	0.71	0.078	0.25
	Never smokers, M _{base} [†]	0.65	0.0026	0.049

Footnote to table S17:

*Prediction association of DNA methylation at first time point (DNAm₁) with annual change in lung function during follow-up, defined as lung function at second time point – lung function at first time point divided by the time of follow-up in years. Prediction models were additionally adjusted for lung function at time point 1 (FEV₁, FVC or FEV₁/FVC respectively).

[†] Base model (M_{base}) EWAS were covariate adjusted for age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition.

[‡] Smoking model EWAS (M_{smok}) were additionally adjusted for smoking covariates: history of smoking intensity as pack years smoked up to the time point of data collection for regressions and for smoking status (current, former and never smoker).

12. Results: Associations of sentinel CpGs with lung function in childhood cohorts (ALSPAC, IOWBC)

12.1. Table S18: Associations of sentinel CpGs with FEV₁, FEV₁/FVC, and FVC in childhood birth cohorts, ALSPAC and IOWBC

Table S18: Adjusted* associations of sentinel replication CpG markers† with FEV₁, FEV₁/FVC, and FVC in childhood birth cohorts, IOWBC and ALSPAC. The list of CpGs represent markers with suggestive evidence‡ for association in children (P≤0.05) with cross-sectional¶ lung function, FEV₁ (L), FEV₁/FVC and FVC (L), and prediction of annual change, FEV₁ (L/year), FEV₁/FVC(year⁻¹) and FVC (L/year). Boxed coefficients beta(SE) indicate consistency with meta-analyses results observed in adults for direction of effect (outcome and model specific comparison of childhood results with adult meta-analyses combining discovery and replication cohort results). Underlined CpGs showed successfully replication in adults. Dark grey-boxed CpGs showed associations observed in adult never smokers.

					cross-sectional time point 1					cross-sectional time point 2					repeat cross-sectional					prediction in annual change				
CpG ID	chr	position	Locus	known smoking CpG	Best P-value in adults**	beta (SE)	P-value meta-analysis	sign	P-value between study heterogeneity	beta (SE)	P-value meta-analysis	sign	P-value between study heterogeneity	beta (SE)	P-value meta-analysis	sign	P-value between study heterogeneity	beta (SE)	P-value meta-analysis	sign	P-value between study heterogeneity			
FEV1																								
cg27537125	1	25349681	RUNX3	yes	5.28E-13	1.399 (0.695)	0.044	→	0.16	1.532 (1.564)	0.327	→	0.54	1.384 (0.873)	0.113	→	0.83	-0.073 (0.177)	0.680	→	0.45			
cg03547355	1	227003060		yes	1.54E-10	-0.353 (0.217)	0.104	→	0.34	-0.709 (0.456)	0.120	→	0.44	-0.551 (0.235)	0.019	→	0.79	0.044 (0.079)	0.578	→	0.72			
cg27241845	2	233250370	ALPL2	yes	1.63E-21	-0.115 (0.098)	0.241	→	0.41	-0.291 (0.269)	0.278	→	0.91	-0.309 (0.15)	0.040	→	0.45	0.059 (0.041)	0.147	→	0.71			
cg01940273	2	233284934	ALPL2	yes	3.30E-34	-0.131 (0.243)	0.591	→	0.91	-1.161 (0.513)	0.024	→	0.23	-0.656 (0.292)	0.025	→	0.47	-0.003 (0.083)	0.967	→	0.01			
cg00741986	4	2748332	TNIP2	yes	6.52E-10	0.054 (0.198)	0.785	→	0.46	-1.187 (0.54)	0.028	→	0.67	-0.454 (0.228)	0.046	→	0.81	-0.112 (0.066)	0.091	→	0.09			
cg25648203	5	395444	AHRR	yes	2.87E-17	-0.609 (0.257)	0.018	→	0.47	0.139 (0.683)	0.839	→	0.78	-0.212 (0.327)	0.517	→	0.67	0.045 (0.096)	0.637	→	0.27			
cg23205886	5	138611766	SNHG4	yes	5.63E-11	0.483 (0.229)	0.035	→	0.50	0.108 (0.661)	0.870	→	0.85	-0.117 (0.303)	0.700	→	0.48	0.077 (0.084)	0.355	→	0.59			
cg19931644	8	12623485			2.75E-07	-0.299 (0.144)	0.037	→	0.10	0.017 (0.334)	0.960	→	0.61	-0.054 (0.22)	0.807	→	0.11	-0.011 (0.049)	0.826	→	0.51			
cg21990700	12	7260776	C1RL	yes	1.06E-11	0.222 (0.29)	0.445	→	0.25	1.463 (0.619)	0.018	→	0.16	0.547 (0.405)	0.178	→	0.05	0.083 (0.092)	0.368	→	0.76			
cg16708465	13	95933097	ABCC4	yes	1.15E-08	0.036 (0.269)	0.893	→	0.53	1.066 (0.629)	0.090	→	0.30	0.700 (0.344)	0.042	→	0.44	-0.06 (0.102)	0.553	→	0.80			
cg07922154	14	68087339	ARG2		9.63E-08	0.193 (0.203)	0.341	→	0.87	1.187 (0.586)	0.043	→	0.69	0.17 (0.294)	0.563	→	0.63	0.078 (0.078)	0.314	→	0.44			
cg13976502	14	74227875	C14orf43	yes	7.86E-12	-0.518 (0.234)	0.027	→	0.47	-0.254 (0.574)	0.658	→	0.88	-0.183 (0.314)	0.561	→	0.10	0.003 (0.081)	0.968	→	0.83			
cg00310412	15	74724918	SEMA7A	yes	4.15E-15	-0.177 (0.266)	0.506	→	0.59	-0.905 (0.688)	0.188	→	0.45	-0.872 (0.327)	7.69E-03	→	0.42	0.063 (0.098)	0.524	→	0.32			
cg05557932	16	3929351	CREBBP	yes	2.99E-08	-0.733 (0.371)	0.048	→	0.95	0.547 (0.657)	0.406	→	0.84	0.359 (0.427)	0.400	→	0.37	-0.032 (0.103)	0.754	→	0.02			
cg20278790	20	57583474	CTSZ		1.62E-07	0.361 (0.262)	0.167	→	0.02	-1.442 (0.708)	0.042	→	0.43	-0.566 (0.384)	0.141	→	0.04	0.202 (0.101)	0.045	→	0.02			
cg01127300	22	38614796		yes	1.19E-12	-0.354 (0.181)	0.050	→	1.00	-0.244 (0.387)	0.527	→	0.54	-0.164 (0.218)	0.452	→	0.69	-0.021 (0.066)	0.751	→	0.24			
FEV1/FVC																								
cg18664508	3	169487465	ARPM1		1.92E-08	-0.213 (0.249)	0.394	→	0.98	-0.38 (0.317)	0.230	→	0.25	-0.449 (0.195)	0.022	→	0.89	0 (0.035)	1.000	→	0.94			
cg15930777	6	12343201			4.88E-07	0.078 (0.061)	0.201	→	0.87	0.14 (0.058)	0.015	→	0.52	0.114 (0.04)	4.05E-03	→	0.51	-0.017 (0.01)	0.093	→	0.49			
cg15342087	6	30720209	FLOT1	yes	5.44E-24	-0.036 (0.119)	0.765	→	0.22	0.292 (0.135)	0.030	→	0.53	0.099 (0.068)	0.144	→	0.22	-0.01 (0.02)	0.624	→	0.34			
cg14366110	9	133779382	FIBCD1		1.72E-10	0.295 (0.121)	0.014	→	0.95	-0.113 (0.117)	0.335	→	0.77	0.053 (0.068)	0.443	→	0.57	-0.036 (0.019)	0.061	→	0.93			
cg09884077	15	23086698	NIPA1		1.38E-08	-0.504 (0.296)	0.088	→	0.24	-0.748 (0.287)	9.03E-03	→	0.90	-0.471 (0.203)	0.021	→	0.17	-0.019 (0.042)	0.658	→	0.18			
cg22952142	15	68549178			4.03E-07	0.125 (0.056)	0.025	→	0.05	0.109 (0.061)	0.074	→	0.34	0.141 (0.043)	1.08E-03	→	0.33	-0.009 (0.009)	0.302	→	0.06			
cg27367615	16	86229910			3.31E-07	-0.05 (0.052)	0.336	→	0.65	-0.084 (0.058)	0.144	→	0.86	-0.079 (0.035)	0.023	→	0.89	0.003 (0.008)	0.746	→	0.47			
FVC																								
cg23205886	5	138611766	SNHG4	yes	5.63E-11	0.547 (0.276)	0.048	→	0.28	-0.439 (0.729)	0.547	→	0.14	-0.2 (0.332)	0.547	→	0.57	0.072 (0.095)	0.445	→	0.56			
cg25633955	8	1616622	DLGAP2		3.87E-07	0.143 (0.192)	0.457	→	0.30	-1.416 (0.686)	0.039	→	0.66	-0.134 (0.289)	0.642	→	0.44	0.082 (0.073)	0.261	→	0.16			
cg25953130	10	63753550	ARID5B	yes	1.55E-07	0.032 (0.163)	0.845	→	0.76	0.071 (0.373)	0.849	→	0.94	-0.084 (0.225)	0.710	→	0.17	0.126 (0.056)	0.025	→	0.72			
cg05831672	10	103543172	NPM3		3.93E-08	1.23 (1.294)	0.342	→	0.57	3.154 (2.414)	0.191	→	0.62	3.009 (1.485)	0.043	→	0.93	-0.028 (0.34)	0.936	→	0.10			
cg01747591	16	89703612	DPEP1		4.20E-07	-0.408 (0.408)	0.317	→	0.84	-1.985 (0.842)	0.019	→	0.40	-1.422 (0.474)	2.71E-03	→	0.17	-0.101 (0.149)	0.497	→	0.02			
cg20278790	20	57583474	CTSZ		1.62E-07	0.649 (0.317)	0.041	→	0.04	-1.5 (0.768)	0.051	→	0.24	-0.425 (0.424)	0.316	→	0.09	0.227 (0.114)	0.047	→	0.17			

Footnote to table S18:

* Associations were adjusted for base model covariate adjustment (M_{base}): age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition. Prediction models were additionally adjusted for lung function at time point 1 (FEV_1 , FEV_1/FVC or FVC respectively).

† Sentinel CpGs: Lung function-specific replication markers were selected for their association with $P < 5 \times 10^{-7}$ in discovery meta-analysis from the entire samples of all participants or from the subsample of never smokers.

‡ Associations in children replication sample showing nominal $P \leq 0.05$ (shaded light grey) are presented in the table.

¶ Cross-sectional associations tested: linear regression of cross-sectional association of DNA methylation marker with lung function parameter separately at each time point, (time point 1, time point 2) and mixed linear regression with random intercept on the participant of repeated cross-sectional association combining data from both time points in one model.

** The best P-value for association of the lung function-specific replication CpG with the corresponding lung function parameter observed in adults, either with FEV_1 , FEV_1/FVC or FVC (as presented in Appendix all participants and never smokers (table S2; table S3, table S4, table S5).

13. Results: ALEC discovery meta-analysis look-up results of CpGs previously associated with respiratory traits

13.1. Table S19: Results for cross-sectional adjusted associations (M_{base}) with FEV₁, FEV₁/FVC and FVC at time point 2

Table S19: ALEC discovery meta-analysis look-up results for cross-sectional adjusted* associations at time point 2, base covariate adjustment (M_{base}).

See table in EXCEL file: *Additional_Tables_Imbodenetal.xlsx*

Footnote to table S19:

* Base model (M_{base}) EWAS were covariate adjusted for age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition.

14. Results: Two-sample Mendelian Randomization look-up in publicly available databases

We found genetic instruments for 13 of the 57 replicated CpGs and finally only for eight CpGs a two sample MR on cross-sectional lung function could be completed. Results for FEV₁ are presented in table S20. There was evidence for causal effect of cg23771366, cg11660018 (*PRSS23*) and cg21990700 (*C1RL*) and cg00073460 (*ZC3H12D*) on FEV₁ percent predicted and of cg00073460 (*ZC3H12D*) and cg24086068 (*SHROOM3*) on FVC. Of the four top loci associated with FEV₁/FVC (*AHRR*, *F2RL3*, *ALPPL2* and *PRSS23*, see table 2) we could only identify MR-genetic instruments for *ALPPL2* and *PRSS23* and only the association of *PRSS23* with lung function could be obtained from the MRbase resource.

The top CpG of the MR look-up showing causal association with cross-sectional lung function is also one of the three dominant smoking-related CpGs which remained significantly associated with lung function (FEV₁/FVC) after smoking adjustment though the strength of the association was greatly diminished: cg23771366 (*PRSS23*) had $P=4.61 \times 10^{-8}$ (β (SE)= 0.130(0.024); M_{smok} see table S7) versus $P=5.38 \times 10^{-27}$ (β (SE)= 0.233(0.022); M_{base} see table 2). Both other dominant smoking-related CpGs which also remained significant after smoking adjustment (cg05575921 (*AHRR*) having $P=2.69 \times 10^{-11}$ (M_{smok}) versus $P=7.22 \times 10^{-50}$ (M_{base}) and cg03636183 (*F2RL3*) having $P=1.02 \times 10^{-8}$ (M_{smok}) versus $P=4.5 \times 10^{-43}$ (M_{base})) were not available in the mQTL database and thus their causal association with lung function remains to be investigated.

14.1. Table S20: Two-sample MR results for FEV₁ predicted percentage and for FVC

Table S20A: Two-sample Mendelian Randomization for association with FEV₁ predicted percentage*

CpG ID/Exposure	instrument	chr	position	Locus	Beta [†]	SE	P-value	P-value _{FDR} [‡]	CpG part of Mediation-SI	CpG associated with (EWAS results)
cg23771366	rs67939314	11	86510998	<i>PRSS23</i>	0.06001	0.01358	9.92E-06	4.76E-04	no	Cross-sectional FEV1/FVC Cross-sectional FEV1
cg11660018	rs36061072	11	86510915	<i>PRSS23</i>	0.0484	0.01464	9.48E-04	0.015	no	Cross-sectional FEV1/FVC Cross-sectional FEV1
cg21990700	rs3782925	12	7260776	<i>C1RL</i>	-0.04477	0.01431	1.76E-03	0.018	no	Cross-sectional FEV1
cg00073460	rs12660849	6	149806502	<i>ZC3H12D</i>	-0.04814	0.01681	4.18E-03	0.029	no	Cross-sectional FEV1
cg24086068	rs17001890	4	77356008	<i>SHROOM3</i>	0.03555	0.0153	0.020	0.054	no	Cross-sectional FEV1 Cross-sectional FVC
cg09935388	rs115427247	1	92947588	<i>GFI1</i>	0.03309	0.01665	0.047	0.094	yes	Cross-sectional FEV1/FVC
cg05593667	rs7755718	6	35490744	<i>TULP1</i>	0.01534	0.008361	0.067	0.114	no	Cross-sectional FEV1

Footnote to table S20A:

* **FEV₁**: Using UKB-a:235 dataset on genome-wide association results on forced expiratory volume in 1-second (FEV₁) predicted percentage in European Population (n= 11,0423), Data from <http://www.nealelab.is/blog/2017/9/11/details-and-considerations-of-the-uk-biobank-gwas>.

† beta: effect estimate represents the change in outcome per unit increase in the methylation of the CpG. SE: standard error

‡FDR: False discovery rate adjusted P-value for multiple testing correction.

Table S20B: Two-sample Mendelian Randomization for association with FVC*

CpG ID/Exposure	instrument	chr	position	Locus	Beta †	SE	P-value	P-value _{FDR} ‡	CpG part of Mediation-SI	CpG associated with (EWAS results)
cg00073460	rs12660849	6	149806502	ZC3H12D	-0.02163	0.007787	5.47E-03	0.030	no	Cross-sectional FEV1
cg24086068	rs17001890	4	77356008	SHROOM3	0.01939	0.007095	6.28E-03	0.030	no	Cross-sectional FEV1 Cross-sectional FVC
cg21990700	rs3782925	12	7260776	C1RL	-0.01461	0.006627	0.027	0.064	no	Cross-sectional FEV1
cg05593667	rs7755718	6	35490744	TULP1	0.008383	0.003879	0.031	0.064	no	Cross-sectional FEV1
cg11660018	rs36061072	11	86510915	PRSS23	0.007944	0.006823	0.244	0.366	no	Cross-sectional FEV1/FVC Cross-sectional FEV1
cg09935388	rs115427247	1	92947588	GFI1	-0.003923	0.007859	0.618	0.760	yes	Cross-sectional FEV1/FVC
cg23771366	rs67939314	11	86510998	PRSS23	0.000751	0.006306	0.905	0.910	no	Cross-sectional FEV1/FVC Cross-sectional FEV1

Footnote to table S20B:

* **FVC**: Using UKB-a:336 dataset on genome-wide association results on forced vital capacity (FVC) in European Population (n= 30,7638), Data from <http://www.nealelab.is/blog/2017/9/11/details-and-considerations-of-the-uk-biobank-gwas>.

† beta: effect estimate represents the change in outcome per unit increase in the methylation of the CpG. SE: standard error

‡FDR: False discovery rate adjusted P-value for multiple testing correction.

15. Results: Mediation analysis and Mediation smoking index (Mediation-SI)

15.1. Table S21: List of smoking effect mediating candidate CpGs and CpG list of mediation smoking index (Mediation-SI)

Table S21: List of CpGs* contributing to the Mediation-SI, sorted by P-value for association with smoking (Smoking P_{FDR}). The previously reported candidate CpG for mediation were looked-up in the meta-analyzed repeat cross-sectional covariate M_{base} -adjusted EWAS meta-analysis in discovery cohorts (ECRHS, NFBC1966 and SAPALDIA) combining data on methylation and spirometry of both time points.

CpG ID*	chr	position	Locus	Smoking P_{FDR}^{\dagger}	Smoking direction of effects [†]	Rank in $EWAS_{repeat}^{\ddagger}$	FEV1/FVC $EWAS_{repeat}^{\ddagger}$ P-value	FEV1/FVC $EWAS_{repeat}^{\ddagger}$ direction of effects
cg01940273	2	233'284'934	<i>ALPPL2</i>	9.80E-30	-----	5	3.10E-11	+++
cg05951221	2	233'284'402	<i>ALPPL2</i>	6.80E-23	-----	34	1.59E-06	??+
cg05575921	5	373'378	<i>AHRR</i>	6.10E-22	-----+----	1	3.59E-16	+++
cg21566642	2	233'284'661	<i>ALPPL2</i>	4.50E-21	-----	4	1.39E-11	+++
cg06126421	6	30'720'080	<i>IER3</i>	1.70E-20	-----	31	1.25E-06	??+
cg03636183	19	17'000'585	<i>F2RL3</i>	5.70E-17	-----	2	5.25E-13	+++
cg09935388	1	92'947'588	<i>GFI1</i>	7.00E-14	-----+----	19	3.60E-07	+++
cg21161138	5	399'360	<i>AHRR</i>	7.90E-13	-----	7	1.62E-10	+++
cg24859433	6	30'720'203	<i>NA</i>	2.20E-09	-----	61	3.58E-06	+++
cg22994830	7	623'846	<i>PRKAR1B</i>	0.0001	+++++++-----	414635	0.488	-+-

Footnote to table S21:

* set of ten CpG markers previously identified to be associated with smoking and to mediate the effect of smoking on lung function [46]. Two CpGs (cg05951221 and cg06126421) were present only on 450K array and thus missing in NFBC1966 data from time point 2 and in ECRHS data from both time points. Values for Mediation-SI score for missing data for cg05951221 and cg06126421 were imputed to mean of never-smokers in each cohort.

[†] Smoking CpGs defined on the reported FDR corrected P-value <0.05 for association reported with smoking status and reported direction of effects for association with smoking. [45]

[‡] $EWAS_{repeat}$: Discovery meta-analysis of repeat cross-sectional association combining data from time point1 and time point 2 using mixed linear regression with a random intercept on the study participant.

15.2. Table S22: Replication of mediation analyses on FEV1 and on FVC in SAPALDIA

table S22: Mediation* analysis results for the effect of smoking status on FEV1 and on FVC .

CpG	ACME			ADE			Total effect			Proportion		
	Estimate	95%CI	p	Estimate	95%CI	p-value	Estimate	95%CI	p	Estimate	95%CI	p
FEV1												
cg01940273	-0.0563	[-0.0826, -0.0306]	<0.001	0.0051	[-0.0600, 0.0729]	0.89	-0.0511	[-0.1127, 0.0133]	0.104	1.0043	[-4.6356, 7.6423]	0.104
cg03636183	-0.0627	[-0.0905, -0.0368]	<0.001	0.0118	[-0.0515, 0.0754]	0.712	-0.0508	[-0.1113, 0.0057]	0.074	1.1768	[-4.5880, 13.3634]	0.074
cg05575921	-0.0768	[-0.1086, -0.0463]	<0.001	0.0264	[-0.0426, 0.0934]	0.432	-0.0504	[-0.1121, 0.0082]	0.098	1.3890	[-9.4984, 15.421]	0.098
cg05951221	-0.0587	[-0.0907, -0.0284]	<0.001	0.0087	[-0.0571, 0.0756]	0.794	-0.0499	[-0.1115, 0.0106]	0.108	1.0660	[-6.8504, 9.6637]	0.108
cg06126421	-0.0512	[-0.0793, -0.0273]	<0.001	0.0014	[-0.0603, 0.0642]	0.980	-0.0497	[-0.1090, 0.0098]	0.110	0.9142	[-6.2106, 6.7037]	0.110
cg09935388	-0.0257	[-0.0428, -0.0097]	<0.001	-0.0243	[-0.0835, 0.0378]	0.430	-0.0500	[-0.1069, 0.0135]	0.100	0.4855	[-1.8394, 4.0124]	0.100
cg21161138	-0.0398	[-0.0625, -0.0202]	<0.001	-0.0105	[-0.0748, 0.0505]	0.722	-0.0503	[-0.1110, 0.0079]	0.082	0.7532	[-3.1370, 6.8135]	0.082
cg21566642	-0.0681	[-0.0989, -0.0400]	<0.001	0.0193	[-0.0451, 0.0833]	0.600	-0.0489	[-0.1079, 0.0138]	0.106	1.2615	[-5.6624, 13.9565]	0.106
cg22994830	-0.0011	[-0.0054, 0.0013]	0.516	-0.0481	[-0.1100, 0.0085]	0.116	-0.0493	[-0.1110, 0.0078]	0.112	0.0131	[-0.1594, 0.2437]	0.568
cg24859433	-0.0264	[-0.0449, -0.0094]	<0.0010	-0.0223	[-0.0838, 0.0405]	0.484	-0.0487	[-0.1053, 0.0176]	0.128	0.4841	[-2.5739, 6.4572]	0.128
FVC												
cg01940273	-0.0424	[-0.0701, -0.0162]	<0.001	0.0228	[-0.0483, 0.0954]	0.508	-0.0197	[-0.0889, 0.0481]	0.562	0.8896	[-15.335, 16.3599]	0.562
cg03636183	-0.0451	[-0.0723, -0.0178]	<0.001	0.0260	[-0.0429, 0.0948]	0.444	-0.0191	[-0.0847, 0.0474]	0.536	1.0267	[-14.3319, 26.8314]	0.536
cg05575921	-0.0555	[-0.0872, -0.0242]	<0.001	0.0374	[-0.0324, 0.1110]	0.308	-0.0181	[-0.0854, 0.0470]	0.556	1.2442	[-15.3577, 28.1417]	0.556
cg05951221	-0.0467	[-0.0808, -0.0164]	0.002	0.0266	[-0.0441, 0.0993]	0.450	-0.0201	[-0.0825, 0.0441]	0.528	1.0274	[-14.6674, 17.8390]	0.530
cg06126421	-0.0437	[-0.0706, -0.0194]	0.002	0.0255	[-0.0422, 0.0953]	0.468	-0.0182	[-0.0822, 0.0439]	0.574	0.9103	[-17.7712, 19.6406]	0.572
cg09935388	-0.0178	[-0.0346, -0.0011]	0.036	0.0000	[-0.0666, 0.0691]	0.996	-0.0178	[-0.0813, 0.0484]	0.582	0.3412	[-7.2647, 7.4008]	0.602
cg21161138	-0.0245	[-0.0481, -0.0030]	0.024	0.0078	[-0.0622, 0.0776]	0.776	-0.0167	[-0.0835, 0.0506]	0.616	0.4701	[-10.8600, 14.6598]	0.620
cg21566642	-0.0499	[-0.0805, -0.0188]	<0.001	0.0295	[-0.0412, 0.1000]	0.424	-0.0204	[-0.0851, 0.0442]	0.580	0.9974	[-28.0538, 20.7039]	0.580
cg22994830	-0.0007	[-0.0050, 0.0018]	0.630	-0.0201	[-0.0898, 0.0439]	0.570	-0.0208	[-0.0899, 0.0440]	0.558	0.0036	[-0.6289, 0.4025]	0.864
cg24859433	-0.0259	[-0.0473, -0.0076]	0.012	0.0070	[-0.0607, 0.0766]	0.816	-0.0189	[-0.0853, 0.0471]	0.576	0.5115	[-8.4278, 7.0896]	0.584

Footnote to table S22

* performed using R package mediation [59].


† previously reported candidate CpG for mediation of smoking effect on lung function [46].

For analogous results for FEV1 or FVC see online supplementary table S22.

Abbreviations: ACME – average causal mediation effect; ADE – average direct effect.

15.3. Figure S6: Association of Mediation-SI with FEV₁ and comparison with association of packyears SI with FEV₁

Figure S6: Distribution and association* of Mediation-SI with FEV₁, with 95% confidence interval. (A) Boxplot of Mediation-SI (median: 0.3 and range: -1.7 to 5.2) in all participants of SAPALDIA. (B) Boxplot of packyears (median: 2.0 and range: 0 to 145.9) in all participants of SAPALDIA




Footnote to Figure S6:

*Associations were adjusted for the base model (M_{base}): age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition. The M_{base} -adjusted model explained 71.0% of the variance in the outcome. The M_{base} -adjusted model additionally adjusted for the Mediation-SI explained 71.9% of the FEV₁ variance (total adjusted $R^2 = 0.719$) of which 3.2% of the variance was specifically explained by the SI variable. This was comparable to the variance explained by the M_{base} -adjusted model additionally adjusted for packyears and smoking status corresponding to the M_{smok} model ($R^2 = 0.721$, and with 3.3% of the variance specifically explained by the packyears variable). Model including both smoking adjustments (M_{smok} and additionally Mediation-SI) explained 72.4% of the FEV₁ variance.

15.4. Figure S7: Association of Mediation-SI with FVC and comparison with association of packyears with FVC

Figure S7: Distribution and association* of Mediation-SI with FVC, with 95% confidence interval. (A) Boxplot of Mediation-SI (median: 0.3 and range: -1.7 to 5.2) in all participants of SAPALDIA. (B) Boxplot of packyears (median: 2.0 and range: 0 to 145.9) in all participants of SAPALDIA



Footnote to Figure S7:

*Associations were adjusted for the base model (M_{base}): age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition. The M_{base} -adjusted model explained 78.8% of the variance in the outcome. The M_{base} -adjusted model additionally adjusted for the Mediation-SI explained 79.1% of the FVC variance (total adjusted $R^2 = 0.791$) of which 1.2% of the variance was specifically explained by the SI variable. This was comparable to the variance explained by the M_{base} -adjusted model additionally adjusted for packyears and smoking status corresponding to the M_{smok} model (adjusted $R^2 = 0.792$, and with 0.5% of the variance specifically explained by the packyears variable). Model including both smoking adjustments (M_{smok} and additionally Mediation-SI) explained 79.3% of the FVC variance (total adjusted $R^2 = 0.793$).

15.5. Table S23: Mediation-SI association with FEV1 and with FVC by smoking strata

Table S23: Meta-analyses* of Mediation-SI on the cross-sectional association with lung function, FEV₁ (L) and FVC (L), time point 2, separately, and longitudinally predicting the change in lung function during follow-up, FEV₁ (ml/year) and FVC (ml/year), base model adjustment (M_{base}[†]), in all study participant, ever and never smokers.

	Cross-sectional meta-analysis at time point 2				Prediction on change in lung function			
	beta (SE)	P-value [‡]	Direction [‡]	P-value between study heterogeneity	beta (SE)	P-value [‡]	Direction [‡]	P-value between study heterogeneity
FEV1								
All	-0.0650 (0.0089)	2.32E-13	---	0.31	-0.0038 (0.0005)	9.74E-14	---	0.24
Ever smokers	-0.0861 (0.0116)	1.02E-13	---	0.34	-0.0037 (0.0007)	9.74E-08	---	0.22
Never smokers	-0.0241 (0.0283)	0.394	--+	0.055	-0.0047(0.0012)	1.15E-04	--+	0.12
FVC								
All	-0.0252 (0.0101)	0.0125	-+-	0.0066	-0.0034 (0.0007)	4.10E-07	---	0.021
Ever smokers	-0.0426 (0.0132)	0.0013	-+-	0.031	-0.0041 (0.0009)	5.68E-06	---	0.12
Never smokers	-0.0207 (0.0323)	0.522	-++	0.031	-0.0021 (0.0015)	0.151	---	0.14

Footnotes to table S23:

*Cohort-specific association results for Mediation-SI were meta-analysed. The 10 CpGs contributing Mediation-SI are shown in online supplement table S21). Note: DNAm predictors used were technical bias-adjusted, normalized residuals, thus effect size of the association (beta) are not directly comparable to elsewhere reported effect sizes using normalized %-methylation as predictor.


† Base model covariate adjustment (M_{base}): age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition. Prediction models were additionally adjusted for FEV₁/FVC at time point 1.

‡ P-value of meta-analysis: P<0.008 was considered statistically significant, Bonferroni correction for 6 tests per lung function outcome. Order of cohorts for direction of effects: ECRHS, NFBC1966, SAPALDIA.

Abbreviations: beta – coefficient of association; chr – chromosome; SE – standard error.

15.6. Figure S8: Mediation-SI association with FEV₁ in ever - and never smokers

Figure S8: Forest plots of cohort-specific results and meta-analyses of the association of the Mediation-SI with FEV₁ and change in FEV₁ in ever - and never smokers in the discovery cohorts. Associations run applying base model adjustment (M_{base}^*).




Footnote to Figure S8:


*Base model (M_{base}): EWAS were covariate adjusted for age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition. Prediction models were additionally adjusted for FEV₁ at time point 1.

16. Results: Scatter plots of percent methylation with lung function outcomes of 57 replicated CpGs


16.1. Figure S9: Scatter plots visualizing the relationship between percent methylation (β -value, X-axis) with FEV1/FVC (ratio, y-axis) in SAPALDIA at time point 2



16.2. Figure S10: Scatter plots visualizing the relationship between percent methylation (β -value, X-axis) with FEV1 (L, y-axis) in SAPALDIA at time point 2



16.3. Figure S11: Scatter plots visualizing the relationship between percent absolute methylation (β -value, X-axis) with FVC (L, y-axis) in SAPALDIA at time point 2



17. Results: Candidate Gene based DName smoking index (lung-function-gene-SI)

17.1. Table S24: List of CpGs contributing to lung-function-gene-SI

Table S24: List of CpGs contributing to the gene-based smoking index (*lung-function-gene-SI*) representing a subset of CpG markers previously identified to be associated with smoking* that were located in GWAS identified genes associated with lung function. Information on ranks of association of the selected CpGs in the discovery EWAS (M_{base}) with FEV₁ are presented, similar low ranks were observed for association with FEV₁/FVC or FVC.

	Locus	CpG ID	chr	position	smoking FDR P-value*	smoking direction of effects*	rank in EWAS on FEV1 in repeat cross-sectional meta-analysis (discovery)
1	ADAM19	cg08295410	5	156'990'663	4.70E-05	+++++++	113170
2	ARMC2	cg25127315	6	109'169'227	0.0023	+++	425861
3	C10orf11	cg23024158	10	78'011'952	3.00E-04	---+---	135262
4	CDC123	cg19576422	10	12'256'343	7.00E-04	---+?	378523
5	CFDP1	cg10121429	16	75'466'707	0.0036	-----	315711
6	GPR126	cg11176095	6	142'622'515	7.00E-04	++	146657
7	HDAC4	cg11550064	2	240'148'191	5.50E-07	++	82203
8	HTR4	cg07102705	5	148'033'896	3.00E-04	+++	206521
9	LRP1	cg14621254	12	57'569'787	0.0165	---+---	151255
10	MECOM	cg02556393	3	168'866'705	2.60E-20	-----	12608
11	MFAP2	cg04236263	1	17'305'798	0.0099	---+---	142956
12	PPT2	cg06814287	6	32'120'584	1.60E-10	---+---	227036
13	RARB	cg27574595	3	25'583'274	0.0062	++	33899
14	RHOBTB3	cg02549492	5	95'066'568	0.003	+++++	393163
15	TGFB2	cg07810039	1	218'524'558	0.0024	++	260626
16	TLE3	cg10381071	15	70'391'035	3.60E-06	---+---	44658
17	TNS1	cg06320380	2	218'770'208	0.0011	++	131281
18	ZNF323;ZKSCAN3	cg12212060	6	28'323'405	4.10E-06	---+---	367753

Footnote to table S24

*Smoking CpGs defined on the reported FDR corrected P-value <0.05 for association reported with smoking status and reported direction of effects for association with smoking.[45]

Result Associations of lung-function-gene-SI with FEV₁, FEV₁/FVC and FVC:

A smoking index (SI) based on 18 candidate CpGs located in previously identified genes to determine lung function (*lung-function-gene-SI*) was constructed. The construction and associations of the SI were performed as for the ALEC custom SIs. Meta-analysis results of the *lung-function-genes-SI* in all participants and by smoking status strata are presented below (Table S25). The effect of the *lung-function-genes-SI*, combining the effects of gene candidate CpGs, was not as pronounced as that of the effect of the ALEC custom SI, combining the effects of the smoking-related CpGs. The strongest associations were observed in ever smokers for cross-sectional associations with FEV₁ and for prediction of change in FVC in ever smokers (β (SE) =-18.1ml/year (5.1), P=0.0004).

17.2. Table S25: Associations of lung-function-gene-SI with FEV₁, FEV₁/FVC and FVC

Table S25: Meta-analyses of lung function gene-based candidate smoking index (SI) based on a subset of CpG markers (18 CpG markers, Table S24) previously identified to be associated with smoking [45] were located in GWAS identified genes associated with lung function. Associations* on the cross-sectional association with FEV₁ (L), FEV₁/FVC (%) and FVC (L) at, time point 2 and on the prediction of the change in lung function during follow-up, FEV₁ (ml/year), FEV₁/FVC (%/year) and FVC (ml/year), base model adjustment (M_{base}†), in all study participant, ever and never smokers.

	Cross-sectional meta-analysis at time point 2				Prediction of SI on change in lung function meta-analysis			
	beta (SE)	P-value	Direction	P-value (het)	beta (SE)	P-value	Direction	P-value (het)
FEV₁								
All	-0.11 (0.038)	0.0038	---	0.841	-7.1 (2.7)	0.0078	---	0.605
Ever smokers	-0.196 (0.053)	0.0002	---	0.173	10.1 (3.7)	0.0058	---	0.095
Never smokers	0.048 (0.059)	0.4178	+-	0.045	0.3 (4.3)	0.9436	++	0.848
FEV₁/FVC								
All	-1.04 (0.54)	0.0560	---	0.656	-0.04 (0.05)	0.3568	+-	0.874
Ever smokers	-0.97 (0.75)	0.1949	+-	0.363	-0.01 (0.06)	0.8188	++	0.837
Never smokers	0.13 (1.09)	0.9047	+-	0.925	-0.02 (0.08)	0.8316	++	0.830
FVC								
All	-0.098 (0.043)	0.0233	---	0.795	-11.1 (3.6)	0.0021	---	0.511
Ever smokers	-0.203 (0.059)	0.0006	---	0.215	-18.1 (5.1)	0.0004	---	0.019
Never smokers	0.002 (0.013)	0.8835	+-	0.020	0.6 (5.7)	0.9223	++	0.433

Footnotes to table 25:

*Cohort-specific association results for lung-function-gene -SI were meta-analysed.

† Base model covariate adjustment (M_{base}): age, age squared, height, squared deviation from the mean of height, sex and interaction terms of age, age squared, height and squared deviation of height with sex, education (low, medium, high), body mass index, spirometer type, study center as well as cell composition. Prediction models were additionally adjusted for FEV₁/FVC at time point 1.

‡ P-value of meta-analysis: P<0.008 was considered statistically significant, Bonferroni correction for 6 tests per lung function outcome. Order of cohorts for direction of effects: ECRHS, NFBC1966, SAPALDIA.

Abbreviations: beta – coefficient of association; chr – chromosome; SE – standard error; P-value (het) stands for P-value between study heterogeneity.

18. Acknowledgments & Funding of cohorts:

18.1. Discovery cohort: ECRHS - European Community Respiratory Health Survey

Acknowledgments

The authors would like to thank the participants, field workers and researchers who have participated in the ECRHS study for their time and cooperation.

Funding

This work was supported by a contract from the European Commission (018996), Fondo de Investigación Sanitaria (91/0016-060-05/E, 92/0319, 93/0393, 97/0035-01, 99/0034-01 and 99/0034-02), Hospital General de Albacete, Hospital General Ramón Jiménez, Consejería de Sanidad del Principado de Asturias, CIRIT (1997SGR 00079, 1999SGR 00241), and Servicio Andaluz de Salud, SEPAR, Public Health Service (R01 HL62633-01), RCEP (C03/09), Red RESPIRA (C03/011), Basque Health Department, Swiss National Science Foundation, Swiss Federal Office for Education and Science, Swiss National Accident Insurance Fund (SUVA), GSF-National Research Centre for Environment and Health, Deutsche Forschungsgemeinschaft (DFG) (FR 1526/1-1, MA 711/4-1), Programme Hospitalier de Recherche Clinique-DRC de Grenoble 2000 no. 2610, Ministry of Health, Direction de la Recherche Clinique, Ministère de l'Emploi et de la Solidarité, Direction Générale de la Santé, CHU de Grenoble, Comité des Maladies Respiratoires de l'Isère. UCB-Pharma (France), Aventis (France), Glaxo France. Estonian Science Foundation, and Asthma UK (formerly known as National Asthma Campaign UK).

18.2. Discovery cohort: NFBC1966 - Northern Finland Birth Cohort 1966

Acknowledgments

We thank the late Professor Paula Rantakallio (launch of NFBC1966), and Ms Outi Tornwall and Ms Minttu Jussila (DNA biobanking). The authors would like to acknowledge the contribution of the late Academian of Science Leena Peltonen.

Funding

The NFBC resource has been supported by grants from the Academy of Finland (project grants 104781, 120315, 129269, 1114194, 24300796, Center of Excellence in Complex Disease Genetics and SALVE), University Hospital Oulu, Biocenter, University of Oulu, Finland (75617), NHLBI grant 5R01HL087679-02 (1RL1MH083268-01), NIH/NIMH (5R01MH63706:02), ENGAGE project and grant agreement HEALTH-F4-2007-201413, EU FP7 EurHEALTHAgeing -277849, the Medical Research Council, UK (G0500539, G0600705, G1002319, PrevMetSyn/SALVE) and the MRC, Centenary Early Career Award. H2020 DynaHEALTH (European Union's Horizon 2020 research and innovation programme under grant agreement No 633595); Exposomic, Genomic and Epigenomic Approach to Prediction of Metabolic and Cardiorespiratory function and Ill-Health (EGEA), Academy of Finland, Grant No 285547; ALEC Study (funded by the European Union's Horizon 2020 Research and Innovation programme under grant agreement No. 633212); H2020 / Marie Skłodowska-Curie Actions, CAPICE (Marie Curie Grant agreement Number 721567); National Public Health Institute, Biomedicum Helsinki, Finland.

18.3. Discovery cohort: SAPALDIA - Swiss Study on Air Pollution Heart and Lung Disease in Adults

Acknowledgments

The study could not have been done without the help of the study participants, technical and administrative support and the medical teams and field workers at the local study sites.

Study directorate: NM Probst-Hensch (PI; e/g); T Rochat (p), C Schindler (s), N Künzli (e/exp), JM Gaspoz (c)

Scientific team: JC Barthélémy (c), W Berger (g), R Bettschart (p), A Bircher (a), C Brombach (n), PO Bridevaux (p), L Burdet (p), Felber Dietrich D (e), M Frey (p), U Frey (pd), MW Gerbase (p), D Gold (e), E de Groot (c), W Karrer (p), F Kronenberg (g), B Martin (pa), A Mehta (e), D Miedinger (o), M Pons (p), F Roche (c), T Rothe (p), P Schmid-Grendelmeyer (a), D Stolz (p), A Schmidt-Trucksäss (pa), J Schwartz (e), A Turk (p), A von Eckardstein (cc), E Zemp Stutz (e).

Scientific team at coordinating centers: M Adam (e), I Aguilera (exp), S Brunner (s), D Carballo (c), S Caviezel (pa), I Curjuric (e), A Di Pascale (s), J Dratva (e), R Ducret (s), E Dupuis Lozeron (s), M Eeftens (exp), I Eze (e), E Fischer (g), M Foraster (e), M Germond (s), L Grize (s), S Hansen (e), A Hensel (s), M Imboden (g), A Ineichen (exp), A Jeong (g), D Keidel (s), A Kumar (g), N Maire (s), A Mehta (e), R Meier (exp), E Schaffner (s), T Schikowski (e), M Tsai (exp)

(a) allergology, (c) cardiology, (cc) clinical chemistry, (e) epidemiology, (exp) exposure, (g) genetic and molecular biology, (m) meteorology, (n) nutrition, (o) occupational health, (p) pneumology, (pa) physical activity, (pd) pediatrics, (s) statistics

Funding

The Swiss National Science Foundation (grants no 33CS30-148470/1&2, 33CSCO-134276/1, 33CSCO-108796, 324730_135673, 3247BO-104283, 3247BO-104288, 3247BO-104284, 3247-065896, 3100-059302, 3200-052720, 3200-042532, 4026-028099, PMPDP3_129021/1, PMPDP3_141671/1), the Federal Office for the Environment, the Federal Office of Public Health, the Federal Office of Roads and Transport, the canton's government of Aargau, Basel-Stadt, Basel-Land, Geneva, Luzern, Ticino, Valais, and Zürich, the Swiss Lung League, the canton's Lung League of Basel Stadt/ Basel Landschaft, Geneva, Ticino, Valais, Graubünden and Zurich, Stiftung ehemals Bündner Heilstätten, SUVA, Freiwillige Akademische Gesellschaft, UBS Wealth Foundation, Talecris Biotherapeutics GmbH, Abbott Diagnostics, European Commission 018996 (GABRIEL), Wellcome Trust WT 084703MA, Exposomics EC FP7 grant(Grant agreement No: 308610).

18.4. Replication cohort: ALSPAC - Avon Longitudinal Study of Parents and Children

Acknowledgments

We are extremely grateful to all the families who took part in this study, the midwives for their help in recruiting them, and the whole ALSPAC team, which includes interviewers, computer and laboratory technicians, clerical workers, research scientists, volunteers, managers, receptionists and nurses.

Funding

The UK Medical Research Council and Wellcome (Grant ref: 102215/2/13/2) and the University of Bristol provide core support for ALSPAC. The Accessible Resource for Integrated Epigenomics Studies (ARIES) which generated large scale methylation data was funded by the UK Biotechnology and Biological Sciences Research Council (BB/I025751/1 and BB/I025263/1). Additional epigenetic profiling on the ALSPAC cohort was supported by the UK Medical Research Council Integrative Epidemiology Unit and the University of Bristol (MC_UU_12013_1, MC_UU_12013_2, MC_UU_12013_5 and MC_UU_12013_8), the Wellcome Trust (WT088806) and the United States National Institute of Diabetes and Digestive and Kidney Diseases (R01 DK10324).

18.5. Replication cohort: FTC - Finnish Twin Cohort

Acknowledgments

We thank the participants for their invaluable contributions to the study. The Obesity Research Unit team and the staff at the Finnish Twin Cohort Study are acknowledged for their help in the collection of the data. Jaakko Kaprio, University of Helsinki, and Richard J. Rose, Indiana University, are thanked for their contributions to FinnTwin16 cohort

Funding

The FTC data collection and analyses were supported by grants from the Academy of Finland (grants: 297908, 251316), University of Helsinki (grant: 490139), and Sigrid Juselius Foundation received by MO, Academy of Finland Centre of Excellence in Research on Mitochondria, Metabolism and Disease (grant number: 272376), Academy of Finland grants: 314383, 266286), Finnish Medical Foundation, Gyllenberg Foundation, Finnish Foundation for Cardiovascular

Research, Novo Nordisk Foundation, University of Helsinki, Helsinki University Hospital, Government Research Funds, Finnish Diabetes Research Foundation received by KHP, Academy of Finland Centre of Excellence in Complex Disease Genetics (grant numbers: 129680 and 213506), National Institute of Alcohol Abuse and Alcoholism, (grant numbers: AA-09203 and AA-12502), and Academy of Finland, (grant numbers: 141054, 263278, 264146, and 265240) received by Jaakko Kaprio.

18.6. Replication cohort: IOWBC – Isle Of Wight Birth Cohort

Acknowledgments

The authors gratefully acknowledge the cooperation of the children and parents who have participated in this study.

Funding

Recruitment and initial assessment for the first 4 years of age was supported by the Isle of Wight Health Authority. The 10-year follow-up of this study was funded by the National Asthma Campaign, UK (Grant No 364) and the 18-year follow-up by NIH/ NHLBI R01 HL082925-01. The 21 year assessment was funded by Medical Research Council, UK (G23369). The 26 years assessment was supported by The David Hide Asthma & Allergy Research Trust.

18.7. Replication cohort: KORA - Cooperative Health Research in the Augsburg Region Study

Acknowledgments

We are very grateful and thank all participants involved in the KORA surveys for their participation and cooperation. We also thank the clinical staff and scientific teams of the study centre in Augsburg very much for their excellent care of all participants. We further thank Nadine Lindemann, Franziska Scharl and Sonja Kunze for technical support.

Funding

The KORA study was initiated and financed by the Helmholtz Zentrum München – German Research Center for Environmental Health, which was funded by the German Federal Ministry of Education and Research (BMBF) and by the State of Bavaria. Furthermore, KORA research was supported by the Munich Center of Health Sciences (MC-Health), Ludwig-Maximilians-Universität, as part of LMUinnovativ. This work was also supported by the Comprehensive Pneumology Center Munich (CPC-M) as member of the German Center for Lung Research and the Competence Network Asthma and COPD (ASCONET), network COSYCONET (subproject 2, BMBF FKZ 01GI0882) funded by the German Federal Ministry of Education and Research (BMBF).

18.8. Replication cohort: LBC1936 - Lothian Birth Cohort 1936

Acknowledgments

We thank the cohort participants and team members who contributed to these studies.

Funding

Phenotype collection in the LBC1936 was supported by Age UK (The Disconnected Mind project). Methylation typing was supported by Centre for Cognitive Ageing and Cognitive Epidemiology (Pilot Fund award), Age UK, The Wellcome Trust Institutional Strategic Support Fund, The University of Edinburgh, and The University of Queensland. The work was undertaken by The University of Edinburgh Centre for Cognitive Ageing and Cognitive Epidemiology, part of the cross council Lifelong Health and Wellbeing Initiative (MR/K026992/1). Funding from the BBSRC and MRC is gratefully acknowledged.

18.9. Replication cohort: LifeLines Cohort

Acknowledgments

The authors wish to acknowledge the services of the LifeLines Cohort Study, the contributing research centres delivering data to LifeLines and the participating general practitioners, and all the study participants.

Funding

This work was supported by consortium grant number 4.1.13.007 of the Lung foundation Netherlands and a personal grant from the UMCG to H.M. Boezen. The LifeLines initiative has been made possible by funds from FES (Fonds Economische Structuurversterking), SNN (Samenwerkingsverband Noord Nederland) and REP (Ruimtelijk Economisch Programma).

18.10. Replication cohort: NSPHS - Northern Sweden Population Health Study

Acknowledgments

DNA methylation analyses were performed by the SNP & SEQ Technology Platform in Uppsala, which is supported by Uppsala University, Uppsala University Hospital, Science for Life Laboratory (SciLifeLab)—Uppsala and the Swedish Research Council (Contracts 80576801 and 70374401). The computations were performed on resources provided by SNIC through Uppsala Multidisciplinary Center for Advanced Computational Science (UPPMAX) under projects b2012153.

Funding

The NSPHS study was funded by the Swedish Medical Research Council (Project Number K2007-66X-20270-01-3) and the Foundation for Strategic Research. The DNA Methylation study in NSPHS has been funded by Swedish Medical Research Council (Project Number 2011-2354) and the Göran Gustafssons Foundation. This work has also been supported by the Swedish Society for Medical Research (SSMF), the Kjell och Märta Beijers Foundation, Swedish Medical Research Council (Project Number 2015-03327).

19. References

1. Burney PG, Luczynska C, Chinn S, Jarvis D. The European Community Respiratory Health Survey. *The European respiratory journal : official journal of the European Society for Clinical Respiratory Physiology* 1994; 7(5): 954-960.
2. Rantakallio P. The longitudinal study of the northern Finland birth cohort of 1966. *Paediatr Perinat Epidemiol* 1988; 2(1): 59-88.
3. Sovio U, Bennett AJ, Millwood IY, Molitor J, O'Reilly PF, Timpson NJ, Kaakinen M, Laitinen J, Haukka J, Pillas D, Tzoulaki I, Molitor J, Hoggart C, Coin LJ, Whittaker J, Pouta A, Hartikainen AL, Freimer NB, Widen E, Peltonen L, Elliott P, McCarthy MI, Jarvelin MR. Genetic determinants of height growth assessed longitudinally from infancy to adulthood in the northern Finland birth cohort 1966. *PLoS Genet* 2009; 5(3): e1000409.
4. Lehne B, Drong AW, Loh M, Zhang W, Scott WR, Tan ST, Afzal U, Scott J, Jarvelin MR, Elliott P, McCarthy MI, Kooner JS, Chambers JC. A coherent approach for analysis of the Illumina HumanMethylation450 BeadChip improves data quality and performance in epigenome-wide association studies. *Genome Biol* 2015; 16: 37.
5. Martin BW, Ackermann-Liebrich U, Leuenberger P, Kunzli N, Stutz EZ, Keller R, Zellweger JP, Wuthrich B, Monn C, Blaser K, Bolognini G, Bongard JP, Brandli O, Braun P, Defila C, Domenighetti G, Grize L, Karrer W, Keller-Wossidlo H, Medici TC, Peeters A, Perruchoud AP, Schindler C, Schoeni MH, Villiger B, et al. SAPALDIA: methods and participation in the cross-sectional part of the Swiss Study on Air Pollution and Lung Diseases in Adults. *Soz Präventivmed* 1997; 42(2): 67-84.
6. Ackermann-Liebrich U, Kuna-Dibbert B, Probst-Hensch N, Schindler C, Felber Dietrich D, Zemp Stutz E, Bayer-Oglesby L, Baum F, Brändli O, Brutsche M, Downs S, Keidel D, Gerbase M, Imboden M, Keller R, Knöpfli B, Künzli N, Nicod L, Pons M, Staedele P, Tschopp JM, Zellweger JP, Leuenberger P, team S. Follow-up of the Swiss Cohort Study on Air Pollution and Lung Diseases in Adults (SAPALDIA 2) 1991-2003: methods and characterization of participants. *Soz Präventiv Med* 2005; 50: 245-263.
7. Fraser A, Macdonald-Wallis C, Tilling K, Boyd A, Golding J, Davey Smith G, Henderson J, Macleod J, Molloy L, Ness A, Ring S, Nelson SM, Lawlor DA. Cohort Profile: the Avon Longitudinal Study of Parents and Children: ALSPAC mothers cohort. *International journal of epidemiology* 2013; 42(1): 97-110.
8. Boyd A, Golding J, Macleod J, Lawlor DA, Fraser A, Henderson J, Molloy L, Ness A, Ring S, Davey Smith G. Cohort Profile: the 'children of the 90s'--the index offspring of the Avon Longitudinal Study of Parents and Children. *International journal of epidemiology* 2013; 42(1): 111-127.
9. Relton CL, Gaunt T, McArdle W, Ho K, Duggirala A, Shihab H, Woodward G, Lyttleton O, Evans DM, Reik W, Paul YL, Ficz G, Ozanne SE, Wipat A, Flanagan K, Lister A, Heijmans BT, Ring SM, Davey Smith G. Data Resource Profile: Accessible Resource for Integrated Epigenomic Studies (ARIES). *International journal of epidemiology* 2015; 44(4): 1181-1190.
10. Aryee MJ, Jaffe AE, Corrada-Bravo H, Ladd-Acosta C, Feinberg AP, Hansen KD, Irizarry RA. Minfi: a flexible and comprehensive Bioconductor package for the analysis of Infinium DNA methylation microarrays. *Bioinformatics* 2014; 30(10): 1363-1369.
11. Houseman EA, Accomando WP, Koestler DC, Christensen BC, Marsit CJ, Nelson HH, Wiencke JK, Kelsey KT. DNA methylation arrays as surrogate measures of cell mixture distribution. *BMC Bioinformatics* 2012; 13: 86.
12. Kotecha SJ, Watkins WJ, Heron J, Henderson J, Dunstan FD, Kotecha S. Spirometric lung function in school-age children: effect of intrauterine growth retardation and catch-up growth. *American journal of respiratory and critical care medicine* 2010; 181(9): 969-974.
13. Kaprio J. The Finnish Twin Cohort Study: an update. *Twin Res Hum Genet* 2013; 16(1): 157-162.
14. Kaprio J. Twin studies in Finland 2006. *Twin Res Hum Genet* 2006; 9(6): 772-777.
15. Miller MR, Hankinson J, Brusasco V, Burgos F, Casaburi R, Coates A, Crapo R, Enright P, van der Grinten CP, Gustafsson P, Jensen R, Johnson DC, MacIntyre N, McKay R, Navajas D, Pedersen OF,

- Pellegrino R, Viegi G, Wanger J, Force AET. Standardisation of spirometry. *The European respiratory journal : official journal of the European Society for Clinical Respiratory Physiology* 2005; 26(2): 319-338.
16. Quanjer PH, Stanojevic S, Cole TJ, Baur X, Hall GL, Culver BH, Enright PL, Hankinson JL, Ip MS, Zheng J, Stocks J, Initiative ERSGLF. Multi-ethnic reference values for spirometry for the 3-95-yr age range: the global lung function 2012 equations. *The European respiratory journal : official journal of the European Society for Clinical Respiratory Physiology* 2012; 40(6): 1324-1343.
 17. Ollikainen M, Ismail K, Gervin K, Kyllonen A, Hakkarainen A, Lundbom J, Jarvinen EA, Harris JR, Lundbom N, Rissanen A, Lyle R, Pietilainen KH, Kaprio J. Genome-wide blood DNA methylation alterations at regulatory elements and heterochromatic regions in monozygotic twins discordant for obesity and liver fat. *Clin Epigenetics* 2015; 7: 39.
 18. Arshad SH, Holloway JW, Karmaus W, Zhang H, Ewart S, Mansfield L, Matthews S, Hodgekiss C, Roberts G, Kurukulaaratchy R. Cohort Profile: The Isle Of Wight Whole Population Birth Cohort (IOWBC). *International journal of epidemiology* 2018.
 19. Mukherjee N, Lockett GA, Merid SK, Melen E, Pershagen G, Holloway JW, Arshad SH, Ewart S, Zhang H, Karmaus W. DNA methylation and genetic polymorphisms of the Leptin gene interact to influence lung function outcomes and asthma at 18 years of age. *Int J Mol Epidemiol Genet* 2016; 7(1): 1-17.
 20. Holle R, Happich M, Lowel H, Wichmann HE, Group MKS. KORA--a research platform for population based health research. *Gesundheitswesen* 2005; 67 Suppl 1: S19-25.
 21. Wichmann HE, Gieger C, Illig T, Group MKS. KORA-gen--resource for population genetics, controls and a broad spectrum of disease phenotypes. *Gesundheitswesen* 2005; 67 Suppl 1: S26-30.
 22. Lowel H, Meisinger C, Heier M, Hormann A. The population-based acute myocardial infarction (AMI) registry of the MONICA/KORA study region of Augsburg. *Gesundheitswesen* 2005; 67 Suppl 1: S31-37.
 23. Zeilinger S, Kuhnel B, Klopp N, Baurecht H, Kleinschmidt A, Gieger C, Weidinger S, Lattka E, Adamski J, Peters A, Strauch K, Waldenberger M, Illig T. Tobacco smoking leads to extensive genome-wide changes in DNA methylation. *PLoS one* 2013; 8(5): e63812.
 24. Panni T, Mehta AJ, Schwartz JD, Baccarelli AA, Just AC, Wolf K, Wahl S, Cyrus J, Kunze S, Strauch K, Waldenberger M, Peters A. Genome-Wide Analysis of DNA Methylation and Fine Particulate Matter Air Pollution in Three Study Populations: KORA F3, KORA F4, and the Normative Aging Study. *Environmental health perspectives* 2016; 124(7): 983-990.
 25. Deary IJ, Gow AJ, Taylor MD, Corley J, Brett C, Wilson V, Campbell H, Whalley LJ, Visscher PM, Porteous DJ, Starr JM. The Lothian Birth Cohort 1936: a study to examine influences on cognitive ageing from age 11 to age 70 and beyond. *BMC Geriatr* 2007; 7: 28.
 26. Deary IJ, Gow AJ, Pattie A, Starr JM. Cohort profile: the Lothian Birth Cohorts of 1921 and 1936. *International journal of epidemiology* 2012; 41(6): 1576-1584.
 27. Taylor AM, Pattie A, Deary IJ. Cohort Profile Update: The Lothian Birth Cohorts of 1921 and 1936. *International journal of epidemiology* 2018.
 28. Shah S, McRae AF, Marioni RE, Harris SE, Gibson J, Henders AK, Redmond P, Cox SR, Pattie A, Corley J, Murphy L, Martin NG, Montgomery GW, Starr JM, Wray NR, Deary IJ, Visscher PM. Genetic and environmental exposures constrain epigenetic drift over the human life course. *Genome Res* 2014; 24(11): 1725-1733.
 29. Scholtens S, Smidt N, Swertz MA, Bakker SJ, Dotinga A, Vonk JM, van Dijk F, van Zon SK, Wijmenga C, Wolffenbuttel BH, Stolk RP. Cohort Profile: LifeLines, a three-generation cohort study and biobank. *International journal of epidemiology* 2015; 44(4): 1172-1180.
 30. Stolk RP, Rosmalen JG, Postma DS, de Boer RA, Navis G, Slaets JP, Ormel J, Wolffenbuttel BH. Universal risk factors for multifactorial diseases: LifeLines: a three-generation population-based study. *Eur J Epidemiol* 2008; 23(1): 67-74.

31. Igl W, Johansson A, Gyllensten U. The Northern Swedish Population Health Study (NSPHS)--a paradigmatic study in a rural population combining community health and basic research. *Rural Remote Health* 2010; 10(2): 1363.
32. Ahsan M, Ek WE, Rask-Andersen M, Karlsson T, Lind-Thomsen A, Enroth S, Gyllensten U, Johansson A. The relative contribution of DNA methylation and genetic variants on protein biomarkers for human diseases. *PLoS genetics* 2017; 13(9): e1007005.
33. Assenov Y, Muller F, Lutsik P, Walter J, Lengauer T, Bock C. Comprehensive analysis of DNA methylation data with RnBeads. *Nat Methods* 2014; 11(11): 1138-1140.
34. Teschendorff AE, Marabita F, Lechner M, Bartlett T, Tegner J, Gomez-Cabrero D, Beck S. A beta-mixture quantile normalization method for correcting probe design bias in Illumina Infinium 450 k DNA methylation data. *Bioinformatics* 2013; 29(2): 189-196.
35. Touleimat N, Tost J. Complete pipeline for Infinium((R)) Human Methylation 450K BeadChip data processing using subset quantile normalization for accurate DNA methylation estimation. *Epigenomics* 2012; 4(3): 325-341.
36. European Community Respiratory Health Survey II SC. The European Community Respiratory Health Survey II. *The European respiratory journal : official journal of the European Society for Clinical Respiratory Physiology* 2002; 20(5): 1071-1079.
37. Jarvis D, Newson R, Janson C, Corsico A, Heinrich J, Anto JM, Abramson MJ, Kirsten AM, Zock JP, Bono R, Demoly P, Leynaert B, Raherison C, Pin I, Gislason T, Jogi R, Schlunssen V, Svanes C, Watkins J, Weyler J, Pereira-Vega A, Urrutia I, Gullon JA, Forsberg B, Probst-Hensch N, Boezen HM, Martinez-Moratalla Rovira J, Accordini S, de Marco R, Burney P. Prevalence of asthma-like symptoms with ageing. *Thorax* 2018; 73(1): 37-48.
38. Bridevaux PO, Dupuis-Lozeron E, Schindler C, Keidel D, Gerbase MW, Probst-Hensch NM, Bettschart R, Burdet L, Pons M, Rothe T, Turk A, Stolz D, Tschopp JM, Kuenzli N, Rochat T. Spirometer Replacement and Serial Lung Function Measurements in Population Studies: Results From the SAPALDIA Study. *American journal of epidemiology* 2015; 181(10): 752-761.
39. Kunzli N, Kuna-Dibbert B, Keidel D, Keller R, Brändli O, Schindler C, Schweinzer K, Leuenberger P, Ackermann-Liebrich U, team S. Longitudinal validity of spirometers - a challenge in lung function follow-up studies. *Swiss Medical Weekly* 2005; 135(33-34): 503-508.
40. Kunzli N, Ackermann-Liebrich U, Keller R, Perruchoud AP, Schindler C. Variability of FVC and FEV1 due to technician, team, device and subject in an eight centre study: three quality control studies in SAPALDIA. Swiss Study on Air Pollution and Lung Disease in Adults. *The European respiratory journal : official journal of the European Society for Clinical Respiratory Physiology* 1995; 8(3): 371-376.
41. Lampi J, Koskela H, Hartikainen AL, Ramasamy A, Couto Alves A, Jarvelin MR, Pekkanen J. Farm environment during infancy and lung function at the age of 31: a prospective birth cohort study in Finland. *BMJ Open* 2015; 5(7): e007350.
42. Karrasch S, Flexeder C, Behr J, Holle R, Huber RM, Jorres RA, Nowak D, Peters A, Wichmann HE, Heinrich J, Schulz H, Group KS. Spirometric reference values for advanced age from a South German population. *Respiration* 2013; 85(3): 210-219.
43. Mustelin L, Latvala A, Pietilainen KH, Piirila P, Sovijarvi AR, Kujala UM, Rissanen A, Kaprio J. Associations between sports participation, cardiorespiratory fitness, and adiposity in young adult twins. *J Appl Physiol (1985)* 2011; 110(3): 681-686.
44. Teschendorff AE, Yang Z, Wong A, Pipinikas CP, Jiao Y, Jones A, Anjum S, Hardy R, Salvesen HB, Thirlwell C, Janes SM, Kuh D, Widschwendter M. Correlation of Smoking-Associated DNA Methylation Changes in Buccal Cells With DNA Methylation Changes in Epithelial Cancer. *JAMA Oncol* 2015; 1(4): 476-485.
45. Joehanes R, Just AC, Marioni RE, Pilling LC, Reynolds LM, Mandaviya PR, Guan W, Xu T, Elks CE, Aslibekyan S, Moreno-Macias H, Smith JA, Brody JA, Dhingra R, Yousefi P, Pankow JS, Kunze S, Shah SH, McRae AF, Lohman K, Sha J, Absher DM, Ferrucci L, Zhao W, Demerath EW, Bressler J, Grove ML, Huan T, Liu C, Mendelson MM, Yao C, Kiel DP, Peters A, Wang-Sattler R, Visscher PM,

- Wray NR, Starr JM, Ding J, Rodriguez CJ, Wareham NJ, Irvin MR, Zhi D, Barrdahl M, Vineis P, Ambatipudi S, Uitterlinden AG, Hofman A, Schwartz J, Colicino E, Hou L, Vokonas PS, Hernandez DG, Singleton AB, Bandinelli S, Turner ST, Ware EB, Smith AK, Klengel T, Binder EB, Psaty BM, Taylor KD, Gharib SA, Swenson BR, Liang L, DeMeo DL, O'Connor GT, Herceg Z, Ressler KJ, Conneely KN, Sotoodehnia N, Kardia SL, Melzer D, Baccarelli AA, van Meurs JB, Romieu I, Arnett DK, Ong KK, Liu Y, Waldenberger M, Deary IJ, Fornage M, Levy D, London SJ. Epigenetic Signatures of Cigarette Smoking. *Circ Cardiovasc Genet* 2016; 9(5): 436-447.
46. de Vries M, van der Plaat DA, Nedeljkovic I, Verkaik-Schakel RN, Kooistra W, Amin N, van Duijn CM, Brandsma CA, van Diemen CC, Vonk JM, Marike Boezen H. From blood to lung tissue: effect of cigarette smoke on DNA methylation and lung function. *Respiratory research* 2018; 19(1): 212.
47. Roadmap Epigenomics C, Kundaje A, Meuleman W, Ernst J, Bilenky M, Yen A, Heravi-Moussavi A, Kheradpour P, Zhang Z, Wang J, Ziller MJ, Amin V, Whitaker JW, Schultz MD, Ward LD, Sarkar A, Quon G, Sandstrom RS, Eaton ML, Wu YC, Pfenning AR, Wang X, Claussnitzer M, Liu Y, Coarfa C, Harris RA, Shores N, Epstein CB, Gjoneska E, Leung D, Xie W, Hawkins RD, Lister R, Hong C, Gascard P, Mungall AJ, Moore R, Chuah E, Tam A, Canfield TK, Hansen RS, Kaul R, Sabo PJ, Bansal MS, Carles A, Dixon JR, Farh KH, Feizi S, Karlic R, Kim AR, Kulkarni A, Li D, Lowdon R, Elliott G, Mercer TR, Neph SJ, Onuchic V, Polak P, Rajagopal N, Ray P, Sallari RC, Siebenthall KT, Sinnott-Armstrong NA, Stevens M, Thurman RE, Wu J, Zhang B, Zhou X, Beaudet AE, Boyer LA, De Jager PL, Farnham PJ, Fisher SJ, Haussler D, Jones SJ, Li W, Marra MA, McManus MT, Sunyaev S, Thomson JA, Tlsty TD, Tsai LH, Wang W, Waterland RA, Zhang MQ, Chadwick LH, Bernstein BE, Costello JF, Ecker JR, Hirst M, Meissner A, Milosavljevic A, Ren B, Stamatoyannopoulos JA, Wang T, Kellis M. Integrative analysis of 111 reference human epigenomes. *Nature* 2015; 518(7539): 317-330.
48. Gerstein MB, Kundaje A, Hariharan M, Landt SG, Yan KK, Cheng C, Mu XJ, Khurana E, Rozowsky J, Alexander R, Min R, Alves P, Abyzov A, Addleman N, Bhardwaj N, Boyle AP, Cayting P, Charos A, Chen DZ, Cheng Y, Clarke D, Eastman C, Euskirchen G, Fietze S, Fu Y, Gertz J, Grubert F, Harmanci A, Jain P, Kasowski M, Lacroute P, Leng JJ, Lian J, Monahan H, O'Geen H, Ouyang Z, Partridge EC, Patacsil D, Pauli F, Raha D, Ramirez L, Reddy TE, Reed B, Shi M, Slifer T, Wang J, Wu L, Yang X, Yip KY, Zilberman-Schapira G, Batzoglou S, Sidow A, Farnham PJ, Myers RM, Weissman SM, Snyder M. Architecture of the human regulatory network derived from ENCODE data. *Nature* 2012; 489(7414): 91-100.
49. Rao SS, Huntley MH, Durand NC, Stamenova EK, Bochkov ID, Robinson JT, Sanborn AL, Machol I, Omer AD, Lander ES, Aiden EL. A 3D map of the human genome at kilobase resolution reveals principles of chromatin looping. *Cell* 2014; 159(7): 1665-1680.
50. Kanehisa M, Furumichi M, Tanabe M, Sato Y, Morishima K. KEGG: new perspectives on genomes, pathways, diseases and drugs. *Nucleic acids research* 2017; 45(D1): D353-D361.
51. Gene Ontology C. Gene Ontology Consortium: going forward. *Nucleic acids research* 2015; 43(Database issue): D1049-1056.
52. Phipson B, Maksimovic J, Oshlack A. missMethyl: an R package for analyzing data from Illumina's HumanMethylation450 platform. *Bioinformatics* 2016; 32(2): 286-288.
53. Kramer A, Green J, Pollard J, Jr., Tugendreich S. Causal analysis approaches in Ingenuity Pathway Analysis. *Bioinformatics* 2014; 30(4): 523-530.
54. Charmpi K, Ycart B. Weighted Kolmogorov Smirnov testing: an alternative for Gene Set Enrichment Analysis. *Stat Appl Genet Mol Biol* 2015; 14(3): 279-293.
55. Subramanian A, Tamayo P, Mootha VK, Mukherjee S, Ebert BL, Gillette MA, Paulovich A, Pomeroy SL, Golub TR, Lander ES, Mesirov JP. Gene set enrichment analysis: a knowledge-based approach for interpreting genome-wide expression profiles. *Proceedings of the National Academy of Sciences of the United States of America* 2005; 102(43): 15545-15550.
56. Gaunt TR, Shihab HA, Hemani G, Min JL, Woodward G, Lyttleton O, Zheng J, Duggirala A, McArdle WL, Ho K, Ring SM, Evans DM, Davey Smith G, Relton CL. Systematic identification of genetic influences on methylation across the human life course. *Genome Biol* 2016; 17: 61.

57. Hemani G, Zheng J, Elsworth B, Wade KH, Haberland V, Baird D, Laurin C, Burgess S, Bowden J, Langdon R, Tan VY, Yarmolinsky J, Shihab HA, Timpson NJ, Evans DM, Relton C, Martin RM, Davey Smith G, Gaunt TR, Haycock PC. The MR-Base platform supports systematic causal inference across the human phenome. *Elife* 2018: 7.
58. Chen YA, Lemire M, Choufani S, Butcher DT, Grafodatskaya D, Zanke BW, Gallinger S, Hudson TJ, Weksberg R. Discovery of cross-reactive probes and polymorphic CpGs in the Illumina Infinium HumanMethylation450 microarray. *Epigenetics* 2013; 8(2): 203-209.
59. Tingley D. YT, Hirose K., Keele L., Imai K. Mediation: R package for causal mediation analysis. *Journal of Statistical Software* 2014: 59(5): 1-38.

Table S3: Detailed results in all participants: cross-sectional associations with FEV1

CpG ID	chr position	Locus	known smoking related CpG#	Discovery time point 1 (ECRHS/ NFBC/ SAPALDIA)	
				beta (SE)	P-value meta- analysis
cg05575921	5	373378 <i>AHRR</i>	yes	0.081 (0.013)	5.12E-10
cg03636183	19	17000585 <i>F2RL3</i>	yes	0.116 (0.022)	7.09E-08
cg21566642	2	233284661 <i>ALPPL2</i>	yes	0.081 (0.016)	2.77E-07
cg01940273	2	233284934 <i>ALPPL2</i>	yes	0.112 (0.022)	5.63E-07
cg03329539	2	233283329 <i>ALPPL2</i>	yes	0.154 (0.033)	4.17E-06
cg21161138	5	399360 <i>AHRR</i>	yes	0.157 (0.031)	2.73E-07
cg23771366	11	86510998 <i>PRSS23</i>	yes	0.173 (0.035)	5.31E-07
cg11660018	11	86510915 <i>PRSS23</i>	yes	0.191 (0.034)	1.29E-08
cg21611682	11	68138269 <i>LRP5</i>	yes	0.15 (0.043)	0.0005
cg15342087	6	30720209 <i>FLOT1</i>	yes	0.256 (0.053)	1.56E-06
cg26703534	5	377358 <i>AHRR</i>	yes	0.141 (0.036)	9.26E-05
cg25648203	5	395444 <i>AHRR</i>	yes	0.139 (0.036)	9.55E-05
cg19572487	17	38476024 <i>RARA</i>	yes	0.147 (0.031)	1.84E-06
cg00310412	15	74724918 <i>SEMA7A</i>	yes	0.147 (0.044)	0.0008
cg24859433	6	30720203 <i>FLOT1</i>	yes	0.245 (0.048)	3.80E-07
cg09935388	1	92947588 <i>GFI1</i>	yes	0.06 (0.017)	0.0005
cg14753356	6	30720108 <i>FLOT1</i>	yes	0.182 (0.034)	8.01E-08
cg04885881	1	11123118 <i>SRM/EXOSC10</i>	yes	0.16 (0.031)	3.51E-07
cg25949550	7	145814306 <i>CNTNAP2</i>	yes	0.168 (0.059)	0.0046
cg19859270	3	98251294 <i>GPR15</i>	yes	0.262 (0.084)	0.0017
cg03450842	10	80834947 <i>ZMIZ1</i>	yes	0.125 (0.045)	0.0051
cg03707168	19	49379127 <i>PPP1R15A</i>	yes	0.146 (0.038)	0.0001
cg17087741	2	233283010 <i>ALPPL2</i>	yes	0.083 (0.031)	0.0083
cg21140898	1	51442318 <i>CDKN2C</i>	yes	0.065 (0.023)	0.0040
cg01899089	5	369969 <i>AHRR</i>	yes	0.131 (0.041)	0.0014
cg08763102	4	3079751 <i>HTT</i>	yes	0.257 (0.052)	6.51E-07
cg21282907	6	74289980 <i>SLC17A5</i>	yes	0.117 (0.044)	0.0078
cg20853880	2	10184444 <i>KLF11</i>	yes	0.049 (0.02)	0.0141
cg16391678	16	30485597 <i>ITGAL</i>	yes	0.147 (0.054)	0.0061

Footnote to Table S3: see Supplementary Material Text.

/FVC at time point 1 and at time point 2, separately: discovery, r

		Discovery time point 2 (ECRHS/ NFBC/ SAPALDIA)			
direction of effects	P-value between study heterogeneity	beta (SE)	P-value meta-analysis	direction of effects	P-value between study heterogeneity
+++	0.418	0.192 (0.041)	3.96E-21	+++	0.332
+++	0.235	0.208 (0.032)	1.47E-15	+++	0.063
+++	0.035	0.229 (0.036)	3.47E-17	+++	0.578
+++	0.186	0.14 (0.017)	8.11E-18	+++	0.200
+++	0.506	0.229 (0.036)	1.77E-10	+++	0.480
+++	0.700	0.254 (0.039)	6.36E-14	+++	0.027
+++	0.974	0.196 (0.034)	2.69E-09	+++	0.117
+++	0.564	0.252 (0.045)	5.14E-09	+++	0.444
+++	0.415	0.24 (0.046)	1.63E-08	+++	0.068
+++	0.249	0.212 (0.049)	4.18E-09	+++	0.094
+++	0.710	0.126 (0.013)	1.33E-08	+++	0.110
+++	0.592	0.234 (0.041)	5.02E-11	+++	0.115
+++	0.053	0.321 (0.061)	4.89E-11	+++	0.189
++	0.063	0.14 (0.046)	3.10E-08	+++	0.133
+++	0.215	0.19 (0.037)	1.55E-05	+++	0.315
+++	0.756	0.084 (0.017)	9.20E-07	+++	0.706
+++	0.499	0.122 (0.051)	2.04E-07	+++	0.163
+++	0.466	0.177 (0.031)	6.42E-09	+++	0.414
+++	0.394	0.008 (0.173)	1.95E-07	+++	0.002
++	1.76E-05	0.199 (0.023)	8.07E-08	+++	0.009
+++	0.673	0.146 (0.04)	1.80E-07	+++	0.001
+++	0.147	0.181 (0.023)	4.38E-07	+++	0.635
+++	0.559	0.252 (0.036)	5.13E-12	+++	0.214
+++	0.042	0.132 (0.024)	3.04E-08	+++	0.109
+++	0.842	0.173 (0.06)	3.05E-06	+++	0.003
+++	0.474	0.23 (0.045)	0.0037	+++	0.660
+++	0.113	0.325 (0.055)	1.65E-09	+++	0.525
++	0.018	0.108 (0.02)	1.23E-07	+++	0.074
+++	0.019	0.245 (0.044)	1.27E-07	+++	0.086

Replication time point 1 (KORA/ LBC1936/ Lifelines/ NSPHS/FTC)					Replication time
beta (SE)	P-value meta- analysis	replicated P-value <0.0011	direction of effects	P-value between study heterogeneity	beta (SE)
0.123 (0.011)	3.65E-31	yes	++++-	0.010	0.222 (0.061)
0.209 (0.019)	3.08E-29	yes	++++-	0.040	0.383 (0.088)
0.156 (0.014)	9.35E-28	yes	++++-	0.006	0.18 (0.06)
0.204 (0.02)	7.08E-25	yes	++++-	0.023	0.279 (0.098)
0.261 (0.028)	2.01E-20	yes	++++-	0.228	0.28 (0.114)
0.22 (0.026)	4.09E-17	yes	+++++	0.316	0.149 (0.122)
0.259 (0.028)	4.52E-21	yes	+++++	0.909	0.263 (0.096)
0.275 (0.029)	2.29E-21	yes	++++-	0.586	0.185 (0.11)
0.308 (0.037)	1.38E-16	yes	+++++	0.015	0.326 (0.146)
0.37 (0.044)	6.35E-17	yes	++++-	0.058	0.165 (0.139)
0.253 (0.033)	1.83E-14	yes	++++-	0.002	0.312 (0.159)
0.234 (0.034)	5.71E-12	yes	++++-	0.004	0.198 (0.151)
0.192 (0.027)	7.84E-13	yes	+++++	0.016	0.135 (0.087)
0.262 (0.036)	1.85E-13	yes	+++++	0.397	0.232 (0.134)
0.37 (0.044)	4.14E-17	yes	++++-	0.052	0.146 (0.149)
0.13 (0.016)	4.96E-16	yes	+++++	0.022	0.171 (0.07)
0.174 (0.025)	7.46E-12	yes	++++-	0.066	0.131 (0.109)
0.15 (0.024)	7.21E-10	yes	++++-	0.320	0.154 (0.094)
0.378 (0.053)	1.18E-12	yes	+++++	0.629	0.282 (0.169)
0.406 (0.068)	2.90E-09	yes	++++-	0.008	0.305 (0.171)
0.282 (0.041)	4.66E-12	yes	++++-	0.194	0.107 (0.133)
0.166 (0.029)	1.73E-08	yes	++++-	0.026	0.228 (0.111)
0.136 (0.023)	3.94E-09	yes	++++-	0.001	-0.062 (0.094)
0.09 (0.022)	3.47E-05	yes	+---	0.024	0 (0.066)
0.132 (0.032)	4.89E-05	yes	+---	0.037	0.01 (0.103)
0.209 (0.047)	9.94E-06	yes	+---	1.55E-05	-0.133 (0.141)
0.083 (0.041)	0.0421	no	+---	0.094	-0.202 (0.104)
0.046 (0.019)	0.0168	no	++++-	0.395	0.046 (0.061)
0.111 (0.033)	0.0009	yes	++++-	0.272	-0.078 (0.108)

e point 2 (only LBC1936)	Combined meta-analysis (ECRHS, NFBC66, SAPALDIA, KORA, LBC1936, LifeLines, NSPHS)¶				<i>smoking FDR P- value‡</i>	<i>smoking direction of effect‡</i>
	P-value	beta (SE)	P-value meta- analysis	direction of effects	P-value between study hetero- geneity	
0.0003	0.124 (0.008)	7.22E-50	+++++++	0.023	<i>6.10E-22</i>	-----+----
1.52E-05	0.201 (0.015)	4.50E-43	+++++++	0.008	<i>5.70E-17</i>	-----
0.0027	0.151 (0.011)	5.02E-43	+++++++	0.043	<i>4.50E-21</i>	-----
0.0046	0.206 (0.015)	4.09E-41	+++++++	0.031	<i>9.80E-30</i>	-----
0.0145	0.257 (0.023)	5.58E-30	+++++++	0.628	<i>9.70E-16</i>	-----+---
0.2242	0.243 (0.021)	9.72E-30	+++++++	0.152	<i>7.90E-13</i>	-----
0.0067	0.233 (0.022)	5.38E-27	+++++++	0.286	<i>1.90E-14</i>	-----
0.0935	0.238 (0.023)	3.40E-26	+++++++	0.318	<i>4.40E-21</i>	-----
0.0255	0.309 (0.03)	1.26E-25	+++++++	0.049	<i>4.20E-15</i>	-----
0.2345	0.359 (0.036)	5.44E-24	+++++++	0.169	<i>3.90E-14</i>	-----+---
0.0502	0.266 (0.026)	7.34E-24	+++++++	0.101	<i>7.20E-18</i>	-----+---
0.1895	0.25 (0.026)	9.84E-22	+++++++	0.194	<i>2.70E-11</i>	-----
0.1207	0.196 (0.021)	8.87E-21	+++++++	0.018	<i>1.60E-16</i>	-----
0.0841	0.261 (0.028)	4.01E-20	+++++++	0.275	<i>1.20E-13</i>	-----+---
0.3287	0.303 (0.034)	2.05E-19	+++++++	0.067	<i>2.20E-09</i>	-----
0.0142	0.105 (0.012)	7.05E-19	+++++++	0.034	<i>7.00E-14</i>	-----+---
0.2282	0.189 (0.021)	9.08E-19	+++++++	0.405	<i>2.30E-14</i>	-----
0.1023	0.168 (0.02)	5.66E-18	+++++++	0.670	<i>2.70E-11</i>	-----+---
0.0946	0.335 (0.039)	6.04E-18	+++++++	0.013	<i>9.30E-21</i>	-----
0.0761	0.467 (0.055)	2.80E-17	+++++++	0.029	<i>6.30E-17</i>	-----
0.4212	0.265 (0.031)	2.92E-17	+++++++	0.003	<i>2.40E-11</i>	---?-----?---
0.0413	0.206 (0.025)	1.27E-16	+++++++	0.668	<i>3.50E-07</i>	---?-----?---
0.5061	0.161 (0.02)	4.48E-16	+++++++	1.05E-05	<i>6.10E-07</i>	---?-----?---
0.9974	0.12 (0.017)	4.46E-13	+++++++	0.103	<i>3.70E-08</i>	-----?-+---
0.9251	0.172 (0.027)	1.47E-10	+++++++	0.005	<i>1.80E-12</i>	-----
0.3452	0.225 (0.039)	1.20E-08	+++++++	0.001	<i>3.80E-15</i>	-----+---
0.0520	0.176 (0.031)	1.28E-08	+++++++	0.003	<i>1.28E-02</i>	---++---+-----
0.4559	0.077 (0.014)	6.05E-08	+++++++	0.052	<i>3.70E-07</i>	-----?---
0.4696	0.164 (0.031)	1.15E-07	+++++++	0.003	<i>3.00E-11</i>	-----

Table S4: Detailed results in all participants: cross-sectional associations with FEV1 at time point 1

CpG ID	chr	position	Locus	known smoking related CpG#	Discovery time point 1			
					beta (SE)	P-value meta- analysis	direction of effect (ECRHS/ NFBC/ SAPALDIA)	P-value between study hetero- geneity
cg05575921	5	373378	AHRR	yes	0.353 (0.094)	0.0002	++	0.035
cg03636183	19	17000585	F2RL3	yes	0.647 (0.153)	2.25E-05	++	0.168
cg21566642	2	233284661	ALPPL2	yes	0.41 (0.114)	0.0003	+++	0.150
cg01940273	2	233284934	ALPPL2	yes	0.477 (0.16)	0.0029	++	0.055
cg05951221	2	233284402	ALPPL2	yes	0.444 (0.157)	0.0047	?+	0.099
cg21161138	5	399360	AHRR	yes	0.686 (0.219)	0.0018	++	0.142
cg03329539	2	233283329	ALPPL2	yes	0.867 (0.24)	0.0003	+++	0.496
cg11660018	11	86510915	PRSS23	yes	1.147 (0.241)	1.84E-06	+++	0.998
cg19572487	17	38476024	RARA	yes	0.845 (0.219)	1.15E-04	+++	0.747
cg15342087	6	30720209	FLOT1	yes	1.589 (0.378)	2.62E-05	+++	0.538
cg27241845	2	233250370	ALPPL2	yes	0.553 (0.22)	0.0119	++	0.237
cg23771366	11	86510998	PRSS23	yes	1.077 (0.246)	1.16E-05	+++	0.962
cg00310412	15	74724918	SEMA7A	yes	1.006 (0.316)	0.0015	+++	0.347
cg26703534	5	377358	AHRR	yes	0.556 (0.259)	0.0318	+++	0.661
cg07626482	19	47289503	SLC1A5	yes	1.343 (0.441)	0.0023	+++	0.231
cg25648203	5	395444	AHRR	yes	0.709 (0.255)	0.0053	++	0.044
cg02583484	12	54677008	HNRNPA1	yes	0.985 (0.311)	0.0016	+++	0.661
cg12075928	8	141801307	PTK2	yes	0.584 (0.182)	0.0013	+++	0.430
cg07986378	12	11898284	ETV6	yes	0.752 (0.199)	0.0002	+++	0.406
cg18826637	2	145116633		yes	0.421 (0.125)	0.0008	?++	0.855
cg03149958	6	36326677	ETV7	yes	1.174 (0.261)	6.68E-06	+++	0.813
cg19859270	3	98251294	GPR15	yes	1.858 (0.619)	0.0027	+++	0.000
cg19589396	8	103937374		yes	0.937 (0.284)	0.0010	?++	0.462
cg18181703	17	76354621	SOC3	yes	1.026 (0.255)	5.78E-05	+++	0.788
cg05673882	5	74862702	POLK	yes	1.006 (0.21)	1.68E-06	++	0.034
cg25292882	15	39431467		yes	1.259 (0.399)	0.0016	+++	0.250
cg27537125	1	25349681		yes	0.841 (0.512)	0.1007	++	0.355
cg01127300	22	38614796		yes	0.813 (0.205)	7.53E-05	+++	0.122
cg23110422	21	40182073	ETS2	yes	0.834 (0.307)	0.0067	+++	0.294
cg21393163	1	12217629		yes	1.163 (0.377)	0.0020	++	0.002
cg19266329	1	145456128		yes	0.875 (0.299)	0.0034	+++	0.449
cg13976502	14	74227875	C14orf43	yes	0.785 (0.355)	0.0270	+++	0.369
cg24086068	4	77356008	SHROOM3	yes	0.602 (0.187)	0.0013	+++	0.521
cg04813697	10	22920025	PIP4K2A	yes	0.911 (0.237)	1.18E-04	+++	0.252
cg21990700	12	7260776	C1RL	yes	1.161 (0.251)	3.86E-06	+++	0.483
cg08549335	7	30387954	ZNRF2	yes	0.619 (0.174)	0.0004	?++	0.211
cg12303084	20	45985741	ZMYND8	yes	1.234 (0.409)	0.0026	+++	0.545
cg00666749	13	21637118	LATS2	yes	0.682 (0.314)	0.0301	++	0.001
cg06762457	6	149806635	ZC3H12D	yes	0.657 (0.221)	0.0029	++	0.021
cg23205886	5	138611766	SNHG4	yes	1.142 (0.312)	0.0002	+++	0.215
cg02716826	9	33447032	SUGT1P1	yes	0.668 (0.319)	0.0365	+++	0.505
cg03547355	1	227003060		yes	1.163 (0.355)	0.0010	+++	0.335

cg06826457	12	12867669	yes	1.182 (0.293)	5.38E-05	+++	0.344
cg00741986	4	2748332 <i>TNIP2</i>	yes	0.722 (0.341)	0.0341	-++	0.160
cg25953130	10	63753550 <i>ARID5B</i>	yes	0.676 (0.148)	4.64E-06	+--	0.101
cg00073460	6	149806502 <i>ZC3H12D</i>	yes	0.513 (0.192)	0.0077	+--	0.070
cg05593667	6	35490744	yes	0.533 (0.233)	0.0224	-++	0.091
cg01882991	6	6677756	yes	1.423 (0.32)	8.92E-06	+++	0.643
cg16708465	13	95933097 <i>ABCC4</i>	yes	0.546 (0.278)	0.0495	+--	0.323
cg01243823	16	50732212 <i>NOD2</i>	yes	0.501 (0.218)	0.0215	+++	0.426
cg03957124	6	37016869	yes	1.289 (0.395)	0.0011	+++	0.567
cg05135521	2	161188335 <i>RBMS1</i>	yes	0.485 (0.179)	0.0066	+++	0.634
cg16288101	14	88621538	yes	0.715 (0.178)	5.97E-05	+++	0.577
cg05557932	16	3929351 <i>CREBBP</i>	yes	1.121 (0.326)	0.0006	+++	0.263
cg01598596	3	187464648 <i>BCL6</i>	yes	0.563 (0.155)	0.0003	+++	0.176
cg10691866	7	65817282 <i>TPST1</i>	yes	0.675 (0.182)	0.0002	+++	0.942
cg21282907	6	74289980	yes	0.708 (0.315)	0.0248	+++	0.609
cg20059012	12	53613154 <i>RARG</i>	yes	0.476 (0.216)	0.0272	+?+	0.564
cg12761472	6	119031922	yes	1.251 (0.292)	1.79E-05	+++	0.618
cg11231349	1	162050656 <i>NOS1AP</i>	yes	1.17 (0.234)	5.84E-07	?++	0.032
cg06505619	16	698072 <i>WDR90</i>	yes	0.787 (0.286)	0.0059	+--	0.353

Footnote to Table S4: see Supplementary Material Text.

1 and at time point 2, separately: discovery, replication and combined EWAS meta-analyses.

Discovery time point 2 (ECRHS/ NFBC/ SAPALDIA)				Replication time point 1 (KORA/ LBC1936/ Lifelines, FTC)			
beta (SE)	P-value meta-analysis	direction of effect	P-value between study heterogeneity	beta (SE)	P-value meta-analysis	replicated P-value <0.00067	direction of effect
0.693 (0.093)	9.33E-14	+++	0.513	0.835 (0.072)	1.58E-31	yes	++++-
1.112 (0.154)	5.38E-13	+++	0.632	1.342 (0.123)	1.30E-27	yes	+++++
0.775 (0.115)	1.77E-11	+++	0.466	1.085 (0.097)	5.22E-29	yes	+++++
1.047 (0.16)	5.77E-11	+++	0.523	1.351 (0.131)	7.36E-25	yes	++++-
0.775 (0.18)	1.72E-05	??+	1.000	1.242 (0.118)	4.82E-26	yes	++++-
1.306 (0.233)	2.01E-08	+++	0.889	1.549 (0.171)	1.40E-19	yes	+++++
1.276 (0.247)	2.36E-07	+++	0.606	1.641 (0.189)	3.75E-18	yes	++++-
1.269 (0.23)	3.21E-08	+++	0.335	1.566 (0.192)	3.53E-16	yes	++++-
1.403 (0.214)	6.04E-11	+++	0.419	1.399 (0.176)	2.20E-15	yes	+++++
2.455 (0.376)	6.23E-11	+++	0.863	1.943 (0.285)	9.73E-12	yes	++++-
1.198 (0.208)	7.77E-09	+++	0.299	1.1 (0.175)	3.05E-10	yes	+++++
1.079 (0.224)	1.44E-06	+++	0.280	1.369 (0.18)	3.29E-14	yes	++++-
1.823 (0.304)	2.08E-09	+++	0.301	1.722 (0.233)	1.31E-13	yes	+++++
0.904 (0.284)	0.0014	+++	0.180	1.716 (0.216)	1.88E-15	yes	+++++
2.334 (0.4)	5.39E-09	+++	0.869	1.911 (0.331)	7.59E-09	yes	++++-
1.465 (0.266)	3.64E-08	+++	0.826	1.397 (0.224)	4.15E-10	yes	++++-
1.539 (0.285)	6.76E-08	+++	0.533	1.421 (0.24)	3.28E-09	yes	+++++
0.968 (0.186)	1.82E-07	+++	0.321	0.789 (0.151)	1.66E-07	yes	+---+
0.924 (0.213)	1.42E-05	+++	0.158	0.822 (0.156)	1.30E-07	yes	++++-
0.642 (0.105)	8.92E-10	+++	0.573	0.545 (0.119)	4.90E-06	yes	+?+--
1.568 (0.228)	5.44E-12	+++	0.303	0.776 (0.241)	0.0013		+---+
3.208 (0.583)	3.68E-08	+++	0.005	2.662 (0.435)	9.41E-10	yes	++++-
1.203 (0.238)	4.51E-07	+++	0.660	1.139 (0.218)	1.69E-07	yes	+++++
1.314 (0.247)	1.04E-07	+++	0.985	0.985 (0.202)	1.06E-06	yes	++++-
1.311 (0.209)	3.31E-10	+++	0.178	0.764 (0.16)	1.69E-06	yes	+++++
1.969 (0.361)	5.07E-08	+++	0.227	0.851 (0.254)	0.0008		+----
2.114 (0.491)	1.69E-05	+++	0.972	2.154 (0.372)	7.31E-09	yes	++++-
1.159 (0.182)	1.85E-10	+++	0.167	0.692 (0.159)	1.32E-05	yes	++++-
1.506 (0.288)	1.74E-07	+++	0.534	1.269 (0.271)	2.92E-06	yes	++++-
1.752 (0.378)	3.52E-06	+++	0.066	1.791 (0.281)	1.87E-10	yes	+++++
1.963 (0.299)	5.44E-11	+++	0.418	0.824 (0.243)	0.0007		+---+
1.928 (0.358)	7.06E-08	+++	0.094	1.111 (0.294)	0.0002	yes	+---+
1.055 (0.183)	7.80E-09	++	0.009	0.718 (0.193)	0.0002	yes	+?+--
1.209 (0.231)	1.70E-07	+++	0.940	0.781 (0.168)	3.23E-06	yes	++++-
1.53 (0.251)	1.18E-09	+++	0.314	0.836 (0.225)	0.0002	yes	+++++
1.064 (0.18)	3.16E-09	+++	0.348	0.41 (0.116)	0.0004	yes	+++++
1.896 (0.369)	2.72E-07	+++	0.886	1.361 (0.323)	2.46E-05	yes	+++++
1.535 (0.292)	1.50E-07	+++	0.007	0.654 (0.219)	0.0028		+----
1.092 (0.196)	2.59E-08	+++	0.426	0.75 (0.158)	1.94E-06	yes	++++-
1.79 (0.299)	2.07E-09	+++	0.815	0.58 (0.243)	0.0170		+----
1.518 (0.295)	2.53E-07	+++	0.517	1.134 (0.26)	1.33E-05	yes	+++++
1.818 (0.344)	1.22E-07	+++	0.606	0.704 (0.273)	0.0101		+----

1.466 (0.284)	2.46E-07	+++	0.170	0.811 (0.228)	0.0004	yes	++++-
1.7 (0.336)	4.06E-07	+++	0.900	0.959 (0.251)	0.0001	yes	++++-
0.882 (0.148)	2.74E-09	+++	0.304	0.526 (0.13)	5.45E-05	yes	+++++
0.978 (0.178)	3.60E-08	+++	0.538	0.698 (0.148)	2.50E-06	yes	++++-
1.33 (0.257)	2.26E-07	+?+	0.440	0.721 (0.199)	0.0003	yes	++++-
1.739 (0.305)	1.22E-08	+++	0.517	0.478 (0.243)	0.0494		+---+
1.492 (0.28)	9.83E-08	+++	0.587	0.779 (0.257)	0.0024		++++-
1.157 (0.223)	2.05E-07	+++	0.146	0.657 (0.183)	0.0003	yes	++++-
2.231 (0.412)	6.01E-08	+++	0.906	0.543 (0.257)	0.0348		+---+
0.907 (0.169)	8.53E-08	+++	0.753	0.347 (0.147)	0.0185		+++++
0.836 (0.144)	5.80E-09	+++	0.695	0.474 (0.148)	0.0013		+++++
1.808 (0.336)	7.10E-08	+++	0.051	0.671 (0.244)	0.0058		++++-
0.828 (0.163)	3.48E-07	+++	0.052	0.198 (0.132)	0.1337		+----
0.906 (0.179)	3.89E-07	+++	0.196	0.237 (0.144)	0.0992		--+++
1.744 (0.298)	4.60E-09	+++	0.440	0.572 (0.262)	0.0290	no	+---+
0.964 (0.185)	1.77E-07	+++	0.274	0.338 (0.162)	0.0370	no	++?+-
1.676 (0.308)	5.28E-08	+++	0.887	0.705 (0.268)	0.0086	no	++++-
1.262 (0.242)	1.92E-07	??+	1.000	0.444 (0.183)	0.0150	no	+---+
1.295 (0.251)	2.49E-07	+++	0.090	0.273 (0.199)	0.1712	no	+---+

/ NSPHS/ P-value between study hetero- geneity	Replication time point 2 (only LBC1936)		Combined meta-analysis (ECRHS, NFBC66, SAPALDIA, KORA, LBC1936, LifeLines, NSPHS)¶				smoking FDR P- value‡
	beta (SE)	P-value meta- analysis	beta (SE)	P-value meta- analysis	direction of effects	P-value between study hetero- geneity	
0.431	0.97 (0.242)	7.51E-05	0.785 (0.0567)	1.48E-43	++++++	0.429	6.10E-22
0.841	1.496 (0.352)	2.67E-05	1.275 (0.0975)	4.08E-39	++++++	0.663	5.70E-17
0.720	0.667 (0.24)	0.0057	0.939 (0.0741)	7.43E-37	++++++	0.192	4.50E-21
0.211	0.896 (0.395)	0.0237	1.254 (0.1029)	3.30E-34	++++++	0.345	9.80E-30
0.829	1.11 (0.337)	0.0011	1.115 (0.0986)	1.14E-29	??++++	0.258	6.80E-23
0.106	1.247 (0.487)	0.0108	1.563 (0.143)	8.88E-28	++++++	0.740	7.90E-13
0.011	1.224 (0.457)	0.0077	1.614 (0.1513)	1.46E-26	++++++	0.293	9.70E-16
0.008	0.913 (0.442)	0.0397	1.51 (0.1496)	6.09E-24	++++++	0.126	4.40E-21
0.006	0.41 (0.349)	0.2401	1.323 (0.1368)	4.29E-22	++++++	0.001	1.60E-16
0.041	0.827 (0.557)	0.1383	2.172 (0.2277)	1.41E-21	++++++	0.189	3.90E-14
0.001	0.78 (0.366)	0.0336	1.316 (0.1381)	1.63E-21	++++++	0.259	2.70E-10
0.016	1.017 (0.387)	0.0090	1.32 (0.1424)	1.93E-20	++++++	0.102	1.90E-14
0.009	0.539 (0.538)	0.3170	1.723 (0.1872)	3.40E-20	++++++	0.010	1.20E-13
0.087	2.023 (0.633)	0.0015	1.583 (0.1754)	1.75E-19	++++++	0.044	7.20E-18
0.123	1.878 (0.707)	0.0082	2.29 (0.2551)	2.76E-19	++++++	0.989	7.40E-13
0.319	1.276 (0.603)	0.0349	1.474 (0.1744)	2.87E-17	++++++	0.968	2.70E-11
0.446	1.398 (0.512)	0.0066	1.563 (0.1863)	5.04E-17	++++++	0.821	1.70E-20
0.000	0.275 (0.276)	0.3198	0.993 (0.1199)	1.21E-16	++++++	0.005	1.90E-10
0.000	0.407 (0.332)	0.2214	1.038 (0.1323)	4.28E-15	++++++	0.113	3.30E-07
0.086			0.613 (0.0789)	8.24E-15	+++++?	0.705	3.70E-05
0.062	0.411 (0.384)	0.2844	1.268 (0.1635)	8.55E-15	++++++	0.126	1.60E-08
0.011	0.38 (0.691)	0.5820	2.741 (0.3559)	1.34E-14	++++++	0.000	6.30E-17
0.005	0.426 (0.376)	0.2585	1.216 (0.1596)	2.50E-14	++++++	0.070	1.70E-09
0.422	1.131 (0.44)	0.0104	1.196 (0.158)	3.74E-14	++++++	0.994	4.20E-06
0.076	0.363 (0.337)	0.2829	0.969 (0.1306)	1.17E-13	+++++-	0.009	7.20E-09
0.000	0.28 (0.46)	0.5431	1.689 (0.2306)	2.36E-13	++++++	0.007	2.80E-07
0.155	0.248 (0.893)	0.7813	2.156 (0.2987)	5.28E-13	++++++	0.378	5.50E-16
0.392	0.349 (0.354)	0.3253	0.853 (0.12)	1.19E-12	++++++	0.060	7.60E-09
0.050	0.088 (0.537)	0.8703	1.415 (0.2002)	1.60E-12	++++++	0.144	3.50E-11
0.252	0.648 (0.797)	0.4166	1.628 (0.231)	1.81E-12	++++++	0.069	3.80E-12
0.014	-0.07 (0.448)	0.8749	1.34 (0.1908)	2.16E-12	+++++-	0.005	4.00E-04
0.025	0.359 (0.547)	0.5125	1.576 (0.2303)	7.86E-12	++++++	0.088	5.00E-08
0.408			0.911 (0.1332)	7.92E-12	+-----?	0.029	1.00E-04
0.491	0.382 (0.32)	0.2333	0.953 (0.1394)	7.93E-12	++++++	0.584	5.80E-07
0.497	0.267 (0.628)	0.6711	1.166 (0.1716)	1.06E-11	++++++	0.137	3.90E-17
0.553	0.522 (0.24)	0.0303	0.713 (0.1053)	1.26E-11	++++++	0.146	0.0162
0.617	0.618 (0.669)	0.3561	1.608 (0.2415)	2.76E-11	++++++	0.770	4.20E-15
0.005	0.305 (0.419)	0.4676	1.249 (0.189)	3.81E-11	++++++	0.006	0.0054
0.505	0.016 (0.298)	0.9583	0.816 (0.1235)	3.90E-11	++++++	0.081	1.10E-06
0.060	0.526 (0.475)	0.2687	1.258 (0.1919)	5.63E-11	++++++	0.194	2.10E-09
0.999	0.855 (0.613)	0.1638	1.281 (0.198)	9.68E-11	++++++	0.840	3.00E-04
0.001	0.318 (0.547)	0.5619	1.409 (0.2201)	1.54E-10	++++++	0.332	1.20E-08

0.048	0.338 (0.551)	0.5400	1.124 (0.181)	5.35E-10	++++++	0.044	<i>2.90E-05</i>
0.355	0.461 (0.484)	0.3422	1.246 (0.2017)	6.52E-10	++++++	0.325	<i>5.40E-08</i>
0.197	-0.332 (0.276)	0.2300	0.618 (0.1004)	7.24E-10	+++++-	0.006	<i>2.90E-09</i>
0.775	-0.218 (0.272)	0.4224	0.701 (0.114)	8.03E-10	+++++-	0.015	<i>2.10E-09</i>
0.303	0.209 (0.426)	0.6234	0.964 (0.1609)	2.08E-09	+?++++	0.195	<i>2.30E-16</i>
0.020	0.127 (0.474)	0.7885	1.162 (0.1947)	2.39E-09	++++++	0.066	<i>5.40E-07</i>
0.106	0.032 (0.452)	0.9430	1.081 (0.1895)	1.15E-08	++++++	0.038	<i>6.60E-05</i>
0.501	0.175 (0.525)	0.7392	0.816 (0.1435)	1.31E-08	++++++	0.079	<i>2.00E-04</i>
0.034	0.384 (0.47)	0.4143	1.238 (0.2188)	1.53E-08	++++++	0.077	<i>2.00E-05</i>
0.579	0.198 (0.267)	0.4583	0.628 (0.1122)	2.25E-08	++++++	0.340	<i>2.20E-07</i>
0.182	-0.134 (0.223)	0.5464	0.554 (0.0999)	2.98E-08	+++++-	0.003	<i>1.30E-05</i>
0.304	0.014 (0.567)	0.9801	1.137 (0.2051)	2.99E-08	++++++	0.022	<i>0.0012</i>
0.289	0.62 (0.262)	0.0183	0.583 (0.1056)	3.49E-08	++++++	0.054	<i>5.00E-04</i>
0.015	0.328 (0.327)	0.3152	0.613 (0.1154)	1.07E-07	++++-++	0.014	<i>1.40E-14</i>
0.068	-0.521 (0.418)	0.2136	1.042 (0.1964)	1.12E-07	+++++-	0.001	<i>0.0128</i>
0.409	0.404 (0.336)	0.2294	0.656 (0.1266)	2.22E-07	+++?+++	0.119	<i>4.40E-21</i>
0.298	-0.158 (0.407)	0.6974	1.033 (0.2005)	2.58E-07	+++++-	0.019	<i>4.90E-05</i>
0.174	-0.017 (0.29)	0.9540	0.74 (0.1443)	2.90E-07	??++++-	0.017	<i>1.50E-06</i>
0.054	0.092 (0.303)	0.7605	0.775 (0.1531)	4.10E-07	++++++	0.023	<i>5.20E-05</i>

smoking direction of effect#
-----+-----

-----+-----

-----+-----
-----+-----

-----+-----
-----+-----
---+-----

-----+-----
---?-----
-----+--+-----
---???-----+-----

-----+-----
---+-----+--+-----
-----+-----
-----+--+-----
-----+-----
-----+-----
-----+-----
-----+-----

-----+-----
-----+-----
---???-----+-----
---+-----+-----
-----+-----
---?---??---+++++-----
---+-----
-----+++-----
-----+-----
-----+--+-----
---+-----+--+-----

-----+-+-----
-----+-+-----
-----+-----
---?-?-?+-----
-----+-+-----
-----+-----
---+-+-----+-+-----
---+-+-----+-----
-----+-----

-----+-----
-----+-+-----
---+-+-----+-----

---+-+-----+-----
-?-?-?-?-?-----
-----+-+-----+-+-----
---+-+-----+-+-----
-----+-+-----

Table S5: Detailed results in all participants: cross-sectional associations with FVC at time

CpG ID	chr	position	Locus	<i>known smoking related CpG#</i>	Discovery time point 1 (ECRHS/ NFBC/ SAPALDIA)			P-value between study hetero- geneity
					beta (SE)	P-value meta- analysis	direction of effects	
cg03149958	6	36326677	<i>ETV7</i>	<i>yes</i>	0.573 (0.297)	0.0537	+++	0.679
cg08549335	7	30387954	<i>ZNRF2</i>	<i>yes</i>	0.507 (0.198)	0.0104	?++	0.476
cg19266329	1	145456128		<i>yes</i>	0.721 (0.339)	0.0332	+++	0.411
cg05575921	5	373378	<i>AHRR</i>	<i>yes</i>	-0.029 (0.107)	0.7881	--+	0.196
cg03636183	19	17000585	<i>F2RL3</i>	<i>yes</i>	0.076 (0.174)	0.6627	+--+	0.663
cg23205886	5	138611766	<i>SNHG4</i>	<i>yes</i>	0.799 (0.354)	0.0238	+++	0.080
cg24086068	4	77356008	<i>SHROOM3</i>	<i>yes</i>	0.324 (0.211)	0.1257	+++	0.878
cg25953130	10	63753550	<i>ARID5B</i>	<i>yes</i>	0.579 (0.168)	0.0006	+++	0.248

Footnote to Table S5: see Supplementary Material Text.

point 1 and at time point

Discovery time point 2 (ECRHS/ NFBC/ SAPALDIA)				Replication time point 1 (KORA/ LBC36/ Lifelines/ NSPHS/FTC)			
beta (SE)	P-value meta- analysis	direction of effects	P-value between study hetero- geneity	beta (SE)	P-value meta- analysis	replicated P-value <0.0031	direction of effects
1.383 (0.254)	5.19E-08	+++	0.298	0.897 (0.275)	0.0011	yes	+---+
1.004 (0.199)	4.74E-07	+++	0.375	0.474 (0.132)	0.0003	yes	+++++
1.911 (0.334)	1.03E-08	++	0.037	0.594 (0.276)	0.0313	no	+---+
0.27 (0.106)	0.0109	++	0.008	0.428 (0.081)	1.18E-07	yes	++++-
0.537 (0.173)	0.0019	++	0.158	0.668 (0.140)	1.82E-06	no	+++++
1.725 (0.335)	2.55E-07	+++	0.381	0.512 (0.275)	0.0630	no	+---+
1.069 (0.204)	1.59E-07	+++	0.107	0.448 (0.211)	0.0334	no	+?++-
0.845 (0.165)	2.79E-07	+++	0.104	0.333 (0.147)	0.0239	no	+---+

P-value between study hetero- geneity	Replication time point 2 (only LBC1936)		Combined meta-analysis (ECRHS, NFBC66, SAPALDIA, KORA, LBC1936, LifeLines, NSPHS)¶				P-value between study hetero- geneity
	beta (SE)	P-value meta- analysis	beta (SE)	P-value meta- analysis	direction of effects		
0.080	0.486 (0.487)	0.3179	1.2459 (0.186)	1.88E-11	+++++++		0.355
0.948	0.764 (0.304)	0.0123	0.7439 (0.119)	3.80E-10	+++++++		0.522
0.161	0.103 (0.567)	0.8554	1.2535 (0.216)	6.36E-09	+-----		0.015
0.487	0.614 (0.312)	0.0494	0.3704 (0.064)	8.79E-09	+-----		0.027
0.598	0.778 (0.454)	0.0875	0.6182 (0.11)	2.04E-08	+-----		0.360
0.217	0.937 (0.601)	0.1197	1.2061 (0.217)	2.74E-08	+++++++		0.324
0.751	na	na	0.7835 (0.147)	9.89E-08	++++?++		0.123
0.063	-0.271 (0.351)	0.4395	0.5908 (0.113)	1.55E-07	++++-++		0.028

<i>smoking</i> <i>FDR P-</i> <i>value‡</i>	<i>smoking</i> <i>direction of</i> <i>effects‡</i>
1.60E-08	-----
0.0162	-?---??-+++++--
4.00E-04	-----+---
6.10E-22	-----+---
5.70E-17	-----
2.10E-09	-----+-+--
1.00E-04	----???--+-----
2.90E-09	-----+---

Table S9: Detailed results in never smokers: cross-sectional associations with lung function at ti

				Discovery meta-analysis at time point 1 (ECRHS/ NFBC/ SAPALDIA)			
CpG ID	chr position	Locus	known smoking CpG [‡]	beta (SE)	P-value meta-analysis	direction of effect	P-value between study heterogeneity
FEV1							
cg2575839	1	3623859 <i>TP73</i>	<i>no</i>	3.095 (0.808)	0.0001	?-+	0.003
cg1866450	3	169487465 <i>ARPM1</i>	<i>no</i>	-2.513 (0.885)	0.0045	+--	0.008
cg0446037	9	130661175 <i>ST6GALNAC</i>	yes	2.768 (0.544)	3.54E-07	+++	0.349
cg0091155	12	8234647 <i>NECAP1</i>	<i>no</i>	-5.031 (0.974)	2.43E-07	---	0.779
cg2027879	20	57583474 <i>CTSZ</i>	<i>no</i>	1.913 (0.656)	0.0036	--+	1.02E-04
FEV1/FVC							
cg2575839	1	3623859 <i>TP73</i>	<i>no</i>	0.496 (0.109)	5.17E-06	?-+	0.001988
cg0578529	1	204654622 <i>LRRN2</i>	<i>no</i>	0.118 (0.28)	0.6748	++	0.8757
cg1598199	3	169487311 <i>ARPM1</i>	<i>no</i>	-0.623 (0.169)	0.0002	?--	0.005147
cg1866450	3	169487465 <i>ARPM1</i>	<i>no</i>	-0.311 (0.121)	0.0104	++-	0.003122
cg2723503	6	29976917 <i>HLA-J</i>	<i>no</i>	0.383 (0.075)	3.54E-07	++	0.08295
cg1264793	6	70576740 <i>COL19A1</i>	<i>no</i>	-1.018 (0.185)	3.67E-08	---	0.5412
cg1356224	8	33368277 <i>C8orf41</i>	<i>no</i>	0.394 (0.1)	7.58E-05	+++	0.1845
cg1926838	15	23086595 <i>NIPA1</i>	<i>no</i>	-0.381 (0.289)	0.1864	?--	0.01075
cg0988407	15	23086698 <i>NIPA1</i>	<i>no</i>	-0.352 (0.147)	0.0167	+--	0.006672
cg2027879	20	57583474 <i>CTSZ</i>	<i>no</i>	0.453 (0.088)	2.81E-07	+++	0.1306
FVC							
cg2575839	1	3623859 <i>TP73</i>	<i>no</i>	1.594 (0.937)	0.0888	?-+	0.227
cg1275242	1	43751363 <i>C1orf210</i>	<i>no</i>	-0.004 (1.08)	0.9971	++	0.585
cg2563395	8	1616622 <i>DLGAP2</i>	<i>no</i>	0.251 (1.344)	0.8518	++	0.975
cg2566805	12	115183175	<i>no</i>	-3.322 (0.64)	2.10E-07	---	0.803
cg0497514	14	106438118 <i>ADAM6</i>	<i>no</i>	-3.485 (0.668)	1.78E-07	---	0.080
cg0562268	16	58501611 <i>NDRG4</i>	<i>no</i>	-0.725 (1.162)	0.5329	++	0.139
cg2676881	19	30302793 <i>CCNE1</i>	<i>no</i>	-18.361 (3.654)	5.02E-07	---	0.385

Footnote to Table S9: see Supplementary Material Text.

me point 1 and at time point 2, separately: discovery, replication and combined EWAS meta-an

Discovery meta-analysis at time point 2 (ECRHS/ NFBC/ SAPALDIA)				Replication meta-analysis (KORA/ LBC1936/ Lifelines/ NSPHS/ FTC)			
beta (SE)	P-value meta- analysis	direction of effect	P-value between study hetero- geneity	beta (SE)	P- value meta- analysi s	direction of effect	P-value between study hetero- geneity
5.287 (0.878)	1.727E-09	??+	1	-0.027 (0.584)	0.9630	-+--	0.341
-5.687 (1.012)	1.917E-08	---	0.220	-1.327 (0.604)	0.0280	----	0.685
1.252 (0.547)	0.0220	++	0.360	0.094 (0.373)	0.8012	----	0.209
1.95 (1.891)	0.3025	++	0.407	-1.333 (0.735)	0.0697	-+--	0.363
3.255 (0.631)	2.507E-07	++	0.028	-0.284 (0.499)	0.5691	----	0.211
0.708 (0.127)	2.687E-08	??+	1.000	-0.153 (0.096)	0.1130	----	0.2228
-1.003 (0.188)	9.099E-08	+-	0.015	-0.136 (0.13)	0.2952	----	0.9149
-1.223 (0.224)	5.042E-08	??-	1.000	-0.099 (0.077)	0.1959	----	0.4040
-0.802 (0.145)	2.929E-08	+-	0.008	-0.155 (0.083)	0.0611	----	0.7823
0.203 (0.084)	0.0153	+++	0.598	0.073 (0.073)	0.3171	+++-	0.7204
0.04 (0.202)	0.8432	+-	0.429	-0.074 (0.15)	0.6227	-+--	0.2800
0.537 (0.103)	1.928E-07	+++	0.884	0.169 (0.093)	0.0698	+++-	0.3062
-5.263 (0.964)	4.774E-08	??-	1.000	-0.163 (0.141)	0.2472	----	0.5399
-0.845 (0.149)	1.384E-08	---	0.164	-0.064 (0.1)	0.5172	-+--	0.7946
0.473 (0.09)	1.618E-07	++	0.003	0.046 (0.088)	0.5985	----	0.0200
5.311 (1.01)	1.44E-07	??+	1.000	0.85 (0.704)	0.2272	-+--	0.290
5.288 (1.044)	4.03E-07	+++	0.546	0.884 (0.729)	0.2251	++++	0.646
-7.498 (1.477)	3.87E-07	---	0.004	0.444 (0.808)	0.5824	-+--	0.849
-1.366 (0.604)	0.0238	---	0.778	0.205 (0.461)	0.6568	----	0.463
-0.518 (0.705)	0.4628	+-	0.578	-0.852 (0.666)	0.2010	--?--	0.449
6.201 (1.21)	2.98E-07	+++	0.482	-0.217 (0.758)	0.7750	----	0.844
5.29 (3.87)	0.1717	+-	0.080	1.427 (2.549)	0.5756	+++-	0.601

<u>analyses.</u>		Combined meta-analysis (ECRHS/ NFBC/ SAPALDIA/KORA/ LBC36/ Lifelines/ NSPHS)			
Replication time point 2 (only LBC36)					P-value between study hetero- geneity
beta (SE)	P-value	beta (SE)	P-value meta- analysis	direction of effect	
-0.027 (0.584)	0.9630	1.926 (0.541)	0.0004	??+---+	4.02E-05
-1.327 (0.604)	0.0280	-1.807 (0.517)	0.0005	-----+	3.80E-05
0.094 (0.373)	0.8012	0.912 (0.325)	0.0049	++++++	0.630
-1.333 (0.735)	0.0697	-0.623 (0.719)	0.3861	+-----+	0.090
-0.284 (0.499)	0.5691	1.908 (0.448)	2.02E-05	++++++	0.003
-0.117 (0.345)	0.7351	0.213 (0.083)	0.0107	??+--+	1.78E-06
-0.122 (0.814)	0.8806	-0.423 (0.111)	0.00014	-+-+-+	0.001
0.003 (0.618)	0.9961	-0.231 (0.073)	0.00163	??-----	9.38E-05
-0.235 (0.466)	0.6140	-0.308 (0.072)	2E-05	+-----	1.88E-04
-0.045 (0.212)	0.8318	0.121 (0.057)	0.03368	++++++	0.621
0.601 (0.91)	0.5092	-0.092 (0.124)	0.4595	-+-----	0.791
0.082 (0.236)	0.7275	0.349 (0.074)	2.7E-06	++++++	0.206
-2.179 (1.434)	0.1302	-0.263 (0.14)	0.06145	??-----	5.37E-06
-0.406 (0.713)	0.5697	-0.308 (0.084)	0.00026	---+---	0.001
-0.12 (0.253)	0.6366	0.319 (0.07)	5E-06	++++--	4.13E-05
1.792 (1.74)	0.3041	2.541 (0.63)	5.46E-05	??+---+	0.002
1.262 (1.164)	0.2797	2.327 (0.577)	5.44E-05	++++++	0.028
-1.113 (1.935)	0.5657	-1.99 (0.768)	0.0096	---+---	1.95E-05
0.49 (0.773)	0.5265	-0.206 (0.372)	0.5798	---+---	0.187
-0.343 (1.231)	0.7807	-0.596 (0.52)	0.2518	+--?---	0.756
-0.817 (1.287)	0.5266	1.598 (0.67)	0.0171	+++--+	0.001
7.903 (6.389)	0.2175	3.941 (2.093)	0.0597	-+-----	0.329

Table S19: ALEC discovery meta-analysis look-up results for cross-section

CpG ID	chr	position	Locus	known smoking CpG
cg05575921	5	373378	AHRR	yes
cg01940273	2	233284934	ALPPL2	yes
cg21566642	2	233284661	ALPPL2	yes
cg03636183	19	17000585	F2RL3	yes
cg21161138	5	399360	AHRR	yes
cg09935388	1	92947588	GFI1	yes
cg24859433	6	30720203	IER3	yes
cg17386185	3	52321266	GLYCTK	no
cg05951221	2	233284402	ALPPL2	yes
cg25623459	11	1861344	TNNI2	no
cg25028542	7	36429120	ANLN	no
cg06126421	6	30720080	IER3	yes
cg13471990	10	97515222	ENTPD1	no
cg09076123	1	183559527	NCF2	no
cg18142353	12	12420574	LRP6	no
cg25957124	16	21171084	TMEM159	no
cg02240622	15	40601467	PLCB2	no
cg12582959	19	56159199	CCDC106	no
cg21126943	19	42259395	CEACAM6	no
cg23140706	12	54689278	NFE2	yes
cg24412501	11	13690194	FAR1	no
cg00563932	9	139871049	PTGDS	yes
cg03143849	11	2904951	CDKN1C	no
cg20981615	4	48136280	TXK	no
cg20125091	1	92952641	GFI1	no
cg07525077	14	21359943	RNASE3	no
cg12949760	11	2542862	KCNQ1	no
cg09358725	11	33914088	LMO2	no
cg01120308	11	85780971	PICALM	no
cg08529852	9	139557920	EGFL7	yes
cg07658590	21	46963587	SLC19A1	yes
cg27067618	19	15751949	CYP4F3	no
cg01899253	13	29070056	FLT1	no
cg23547429	11	57195025	SLC43A3	no
cg22242539	17	1665220	SERPINF1	no
cg11378484	3	63848695	THOC7	no
cg24621042	14	94857275	SERPINA1	no
cg06394229	19	39303775	LGALS4	no
cg01143454	20	2795601	C20orf141	no
cg17173423	11	59823993	MS4A3	no
cg19258882	12	56472805	ERBB3	no
cg11719283	19	42574717		no
cg19168338	16	4465731	CORO7	no

cg22224704	11	67352041	<i>GSTP1</i>	no
cg23713742	20	34202721	<i>SPAG4</i>	no
cg04988978	17	56359578	<i>MPO</i>	no
cg06196379	6	41254885	<i>TREM1</i>	no
cg07409200	13	43354674	<i>C13orf30</i>	no
cg25732252	9	130679915	<i>ST6GALNAC4</i>	no
cg13745346	16	89044523	<i>CBFA2T3</i>	yes
cg05228408	1	11865352	<i>CLCN6</i>	yes
cg02600394	4	48136234	<i>TXK</i>	no
cg10453758	3	132380190	<i>UBA5</i>	yes
cg24898863	1	153363580	<i>S100A8</i>	no
cg17753124	19	13259872	<i>IER2</i>	yes
cg26259865	16	2880359	<i>ZG16B</i>	no
cg22467534	17	73841658	<i>UNC13D</i>	no
cg00833777	16	31271642	<i>ITGAM</i>	yes
cg11098259	15	58430391	<i>AQP9</i>	no
cg22994830	7	623846	<i>PRKAR1B</i>	yes
cg00622552	15	76016335	<i>ODF3L1</i>	no
cg18884741	7	66204797	<i>RABGEF1</i>	no
cg03165378	1	153329882	<i>S100A9</i>	no
cg18089000	9	136039706	<i>GBGT1</i>	no
cg06812844	21	45773782	<i>TRPM2</i>	no
cg14870461	3	69062103	<i>C3orf64</i>	no
cg00554250	11	47281370	<i>NR1H3</i>	no
cg27461196	19	35630106	<i>FXYP1</i>	no
cg08519905	12	6308774	<i>CD9</i>	no
cg24841244	11	118213330	<i>CD3D</i>	no
cg23320649	3	50604613	<i>C3orf18</i>	yes
cg18463686	7	141646690	<i>CLEC5A</i>	no
cg23181133	19	42300812	<i>CEACAM3</i>	no
cg16361890	5	179220545	<i>LTC4S</i>	yes
cg13053608	17	40345673	<i>GHDC</i>	no
cg26944434	10	112064524	<i>SMNDC1</i>	no
cg05995267	16	29822529	<i>PRRT2</i>	no
cg10057295	13	99230004	<i>STK24</i>	no
cg15337006	16	31271009	<i>ITGAM</i>	yes
cg21120249	9	139921971	<i>C9orf139</i>	yes
cg21019522	11	2920789	<i>SLC22A18</i>	no
cg16967583	2	241807859	<i>AGXT</i>	no
cg18934187	18	51882189	<i>STARD6</i>	no
cg24092253	20	61848099	<i>YTHDF1</i>	no
cg00645579	11	617140	<i>IRF7</i>	no
cg24949488	10	98064362	<i>DNTT</i>	no
cg23839680	7	56118238	<i>CCT6A</i>	no
cg21182407	6	3119541	<i>BPHL</i>	yes
cg05512099	19	30155866	<i>PLEKHF1</i>	no
cg11009736	2	119699682	<i>MARCO</i>	no
cg11584690	19	42574196		yes
cg22381196	16	72041376	<i>DHODH</i>	no
cg13745870	3	57094763	<i>SPATA12</i>	yes

cg03801286	21	35884508	KCNE1	no
cg14070162	17	40575582	PTRF	no
cg23732182	21	44898090	C21orf84	no
cg12810837	12	9822287	CLEC2D	no
cg08510456	3	49591008	BSN	no
cg21480743	10	89621419	KILLIN	yes
cg26616347	7	128577752	IRF5	no
cg21283680	3	15384005	SH3BP5	no
cg02830467	6	153018721	MYCT1	no
cg17329164	6	32121259	PPT2	no
cg09418321	12	4699618	DYRK4	no
cg25050026	3	158519410	MFSD1	no
cg10506318	5	60239580	ERCC8	no
cg02863947	3	119499190	NR1I2	no
cg03891319	3	52016838	ACY1	yes
cg07156669	17	28705245	CPD	no
cg27210390	17	52978583	TOM1L1	no
cg09037813	2	238599761	LRRFIP1	no
cg11939496	1	160833560	CD244	no
cg12971694	9	35618412	CD72	no
cg08399444	12	13248548	GSG1	no
cg00666746	19	15217781	SYDE1	yes
cg05989054	19	1402626	GAMT	yes
cg03574571	19	35820181	CD22	no
cg09848074	7	139172610		no
cg05347985	1	77751443	AK5	no
cg23902550	8	144681106	EEF1D	yes
cg15484375	11	18287647	SAA1	no
cg14700707	6	32191840	NOTCH4	no
cg12564453	16	56995840	CETP	no
cg02225847	16	67563418	FAM65A	no
cg13277939	14	39735211	CTAGE5	no
cg16989646	13	41364245	SLC25A15	no
cg11916609	2	102927488	IL1RL1	no
cg19154438	19	45825730	CKM	no
cg26206598	20	47445432	PREX1	no
cg06521852	22	38141419	TRIOBP	yes
cg10266490	1	55013709	ACOT11	no
cg10257049	5	154230308	C5orf4	yes
cg15125472	19	36248077	HSPB6	no
cg08840010	1	8000314	TNFRSF9	no
cg06810647	16	1665094	CRAMP1L	no
cg24091474	19	36399185	TYROBP	yes
cg15528736	19	50015780	FCGRT	no
cg01240931	5	112074043	APC	yes
cg02266731	12	69357333	CPM	no
cg24612198	11	118175631	CD3E	no
cg07376232	11	118084920	AMICA1	yes
cg21256649	17	66507610	PRKAR1A	no
cg10521852	19	19739820	LPAR2	yes

cg01441777	22	38714416	<i>CSNK1E</i>	no
cg17952262	4	683240	<i>MFSD7</i>	no
cg08130265	15	77519170	<i>C15orf5</i>	no
cg17296078	10	99259721	<i>MMS19</i>	yes
cg02679745	9	139927646	<i>C9orf139</i>	no
cg05037688	9	139556554	<i>EGFL7</i>	no
cg05961212	3	119298195	<i>ADPRH</i>	no
cg13765621	1	158149228	<i>CD1D</i>	no
cg09039163	2	239009036	<i>ESPNL</i>	no
cg22534509	12	123215119	<i>GPR81</i>	no
cg03330678	17	75316233	<i>Sep-09</i>	no
cg14178895	6	11778902	<i>C6orf105</i>	no
cg07351267	19	33684846	<i>LRP3</i>	no
cg09453312	5	156608118	<i>ITK</i>	no
cg21716693	6	36806882	<i>CPNE5</i>	no
cg00278366	12	110940287	<i>RAD9B</i>	no
cg06270401	12	4699085	<i>DYRK4</i>	no
cg20276088	3	133502917		no
cg22285621	11	67071322	<i>SSH3</i>	no
cg11921829	1	157777140	<i>FCRL2</i>	no
cg00443307	12	9141740	<i>KLRG1</i>	no
cg09106999	12	56360065	<i>CDK2</i>	no
cg20070090	1	153363489	<i>S100A8</i>	no
cg00615377	22	36236649	<i>RBM9</i>	no
cg03340878	6	27925166	<i>OR2B6</i>	yes
cg17536532	9	138370739	<i>KIAA0649</i>	yes
cg21491308	19	43892826	<i>TEX101</i>	no
cg02564061	12	49998963	<i>FAM186B</i>	yes
cg04541607	22	27013978	<i>CRYBB1</i>	no
cg25226014	3	45984942	<i>CXCR6</i>	no
cg09457245	12	54778750	<i>ZNF385A</i>	no
cg14324675	6	31554848	<i>LST1</i>	no
cg02357714	5	176936563	<i>DOK3</i>	yes
cg05979020	2	176981336	<i>HOXD10</i>	yes
cg24489015	17	56316162	<i>LPO</i>	no
cg25341726	16	28518331	<i>IL27</i>	no
cg15376097	11	118135270	<i>MPZL2</i>	no
cg01526089	17	3819390	<i>P2RX1</i>	yes
cg22322184	19	7734203	<i>RETN</i>	no
cg15977278	12	104234975	<i>NT5DC3</i>	no
cg03763616	19	50921997	<i>SPIB</i>	no
cg00187686	11	59634218	<i>TCN1</i>	no
cg15195412	16	57406955	<i>CX3CL1</i>	no
cg27060381	22	30723363	<i>TBC1D10A</i>	yes
cg25600606	11	33308345	<i>HIPK3</i>	no
cg18413900	12	58160989	<i>CYP27B1</i>	no
cg07285167	1	36948981	<i>CSF3R</i>	no
cg01578324	6	31704774	<i>CLIC1</i>	no
cg09427311	9	129885730	<i>ANGPTL2</i>	no
cg21653913	19	41307778	<i>EGLN2</i>	no

cg20564273	8	114446439	<i>CSMD3</i>	no
cg27606341	5	39219632	<i>FYB</i>	no
cg04908668	6	32823941	<i>PSMB9</i>	no
cg07073964	19	698371		no
cg21578541	3	52260090	<i>TLR9</i>	no
cg15958424	3	132036067	<i>ACPP</i>	no
cg15552238	19	14785749	<i>EMR3</i>	no
cg19904425	14	94984530	<i>SERPINA12</i>	no
cg01861509	10	73849626	<i>SPOCK2</i>	no
cg22892904	17	77751089	<i>CBX2</i>	no
cg09313705	17	46622491	<i>HOXB2</i>	no
cg14292823	8	144681097	<i>EEF1D</i>	yes
cg16097772	12	69742232	<i>LYZ</i>	no
cg06759890	5	77806538	<i>LHFPL2</i>	no
cg12585943	6	32121368	<i>PPT2</i>	yes
cg21033855	15	43662581	<i>TUBGCP4</i>	no
cg24821554	13	51639953	<i>GUCY1B2</i>	no
cg02181506	14	94856984	<i>SERPINA1</i>	yes
cg24211388	6	31582837	<i>AIF1</i>	no
cg24958765	19	41283667	<i>RAB4B</i>	no
cg12556134	20	35201610	<i>TGIF2</i>	no
cg20340242	2	102608349	<i>IL1R2</i>	yes
cg05253159	7	101928560	<i>SH2B2</i>	no
cg11738543	12	93967225	<i>SOCS2</i>	no
cg01980222	6	41130917	<i>TREM2</i>	no
cg08458487	10	81709191	<i>SFTPD</i>	no
cg09175620	1	54484536	<i>LDLRAD1</i>	no
cg12491659	5	57786356	<i>GAPT</i>	no
cg20178764	5	137609835	<i>GFRA3</i>	no
cg12380764	1	206971195	<i>IL19</i>	no
cg03600318	10	81708991	<i>SFTPD</i>	no
cg24453664	11	33758413	<i>CD59</i>	yes
cg10236239	2	108994514	<i>SULT1C4</i>	yes
cg15746187	1	11713123	<i>FBXO2</i>	no
cg20764656	14	65410479	<i>GPX2</i>	yes
cg15836722	2	113593785	<i>IL1B</i>	no
cg27019278	4	101438804	<i>EMCN</i>	no
cg18333690	1	17634716	<i>PADI4</i>	no
cg08368934	16	57701455	<i>GPR97</i>	no
cg12845808	5	141338604	<i>PCDH12</i>	no
cg07300408	14	21058360	<i>RNASE12</i>	no
cg07195577	17	27052828	<i>TLCD1</i>	yes
cg06280210	7	26331247	<i>SNX10</i>	no
cg00333528	6	89927485	<i>GABRR1</i>	yes
cg04353769	11	59951557	<i>MS4A6A</i>	no
cg09440215	19	58480646	<i>C19orf18</i>	no
cg17709873	6	31540456	<i>LTA</i>	no
cg19531130	11	101786659	<i>KIAA1377</i>	no
cg02415431	22	23923255	<i>IGLL1</i>	no
cg15743985	19	35819809	<i>CD22</i>	yes

cg01623438	20	57582894	<i>CTSZ</i>	no
cg05714729	18	33234096	<i>GALNT1</i>	no
cg11846968	20	31823545	<i>PLUNC</i>	no
cg01718139	19	54566838	<i>VSTM1</i>	no
cg22438810	9	130911792	<i>LCN2</i>	no
cg07408456	19	15590532	<i>PGLYRP2</i>	yes
cg19906550	NA	NA	<i>NA</i>	no
cg15374234	17	72709026	<i>CD300LF</i>	no
cg16872071	9	135997155	<i>RALGDS</i>	no
cg11905488	12	10123604	<i>CLEC12A</i>	no
cg14961391	2	148758708	<i>ORC4L</i>	no
cg27485921	2	46747379	<i>ATP6V1E2</i>	no
cg05973262	6	32191895	<i>NOTCH4</i>	no
cg05697976	12	29376483	<i>FAR2</i>	no
cg10287137	11	72929054	<i>P2RY2</i>	no
cg11340260	17	4835476	<i>GP1BA</i>	no
cg06041363	22	46663418	<i>TTC38</i>	no
cg01274660	7	100465625	<i>TRIP6</i>	no
cg06874144	2	231576873	<i>CAB39</i>	no
cg09868035	20	62492074	<i>C20orf135</i>	no
cg15784615	12	6493767	<i>LTBR</i>	no
cg15248035	9	36169949	<i>CCIN</i>	no
cg22972055	7	872293	<i>UNC84A</i>	no
cg09134726	19	841082	<i>PRTN3</i>	no
cg07099407	6	43027930	<i>KLC4</i>	no
cg10094443	4	39529866	<i>UGDH</i>	no
cg02595219	11	74178761	<i>KCNE3</i>	yes
cg10107958	1	228783383	<i>DUSP5P</i>	no
cg04881903	2	85637116	<i>CAPG</i>	no
cg00739120	19	36035875	<i>GAPDHS</i>	yes
cg26112639	1	247580106	<i>NLRP3</i>	yes
cg02901679	NA	NA	<i>NA</i>	no
cg21991396	1	247581417	<i>NLRP3</i>	no
cg06645778	2	64680425	<i>HSPC159</i>	no
cg23265096	20	57582594	<i>CTSZ</i>	no
cg19601328	17	43368729	<i>MAP3K14</i>	no
cg09303642	12	54690818	<i>NFE2</i>	no
cg18399183	12	51318138	<i>METTL7A</i>	no
cg17777592	13	49975418	<i>CAB39L</i>	no
cg10126923	19	51875451	<i>NKG7</i>	no
cg10787197	6	11779941	<i>C6orf105</i>	no
cg05767404	1	247712591	<i>C1orf150</i>	yes
cg02635407	4	8200549	<i>SH3TC1</i>	no
cg05252264	19	55385587	<i>FCAR</i>	no
cg20713492	1	154293482	<i>AQP10</i>	no
cg09624565	22	37256900	<i>NCF4</i>	no
cg10275770	17	62084205	<i>ICAM2</i>	no
cg27187881	22	42466345	<i>NAGA</i>	no
cg12836863	13	32889023	<i>BRCA2</i>	yes
cg21432842	17	38171697	<i>CSF3</i>	no

cg04451770	10	97515372	<i>ENTPD1</i>	no
cg04113075	6	146865487	<i>RAB32</i>	no
cg03760759	1	156549533	<i>TTC24</i>	no
cg25923056	19	41306455	<i>EGLN2</i>	yes
cg02828993	3	42775696	<i>CCDC13</i>	no
cg19008649	2	217560292	<i>IGFBP5</i>	no
cg17749456	NA	NA	NA	no
cg06317209	12	58210878	<i>AVIL</i>	no
cg11024597	NA	NA	NA	no
cg06022671	11	59439293		no
cg15512851	6	36973518	<i>FGD2</i>	no
cg23090046	14	104094619	<i>KLC1</i>	no
cg04790874	19	42381950	<i>CD79A</i>	no
cg05949660	6	109777642	<i>MICAL1</i>	no
cg26861460	22	44575455	<i>PARVG</i>	no
cg23710823	14	20020657	<i>P704P</i>	no
cg10384245	18	909086	<i>ADCYAP1</i>	no
cg11919271	3	151102879	<i>MED12L</i>	no
cg11298343	19	41306150	<i>EGLN2</i>	yes
cg09001777	19	5851504	<i>FUT3</i>	no
cg02656594	16	27412496	<i>IL21R</i>	no
cg24777950	14	25046121	<i>CTSG</i>	no
cg19399532	1	178512495	<i>C1orf220</i>	no
cg06625767	5	176836695	<i>F12</i>	no
cg15361231	1	193075191	<i>GLRX2</i>	no
cg12554857	4	95264019	<i>HPGDS</i>	no
cg17823175	19	828170	<i>AZU1</i>	no
cg09305224	9	139927245	<i>C9orf139</i>	yes
cg21275690	16	3072970	<i>HCFC1R1</i>	no
cg05769349	12	114847043	<i>TBX5</i>	no
cg26215727	12	6485537	<i>SCNN1A</i>	no
cg10585486	19	41304133	<i>EGLN2</i>	no
cg02676865	10	99259738	<i>MMS19</i>	no
cg26105232	10	6105656	<i>IL2RA</i>	no
cg07239938	19	852813	<i>ELANE</i>	no
cg04182865	5	141346431	<i>RNF14</i>	no
cg13791183	19	41316697	<i>CYP2A6-K097370</i>	no
cg04121771	3	149191624	<i>TM4SF4</i>	no
cg27347104	12	6233657	<i>VWF</i>	no
cg16745604	2	202047459	<i>CASP10</i>	no
cg12089698	8	145086882	<i>SPATC1</i>	no
cg22670733	15	78914284	<i>CHRNA3</i>	no
cg01813965	16	57729104	<i>CCDC135</i>	no
cg16463460	11	32454718	<i>WT1</i>	yes
cg11822932	11	33913716	<i>LMO2</i>	no
cg26928972	3	122043799	<i>CSTA</i>	no
cg06172871	16	72088244	<i>HP</i>	no
cg17142183	2	102608192	<i>IL1R2</i>	no
cg18084554	19	929046	<i>ARID3A</i>	no
cg13703437	5	39219698	<i>FYB</i>	no

cg24474182	3	151047307	<i>MED12L</i>	no
cg07730301	11	67777952	<i>ALDH3B1</i>	no
cg17078393	1	32717002	<i>LCK</i>	no
cg26060255	20	3025968	<i>MRPS26</i>	yes
cg15096140	2	192109731	<i>MYO1B</i>	no
cg20938359	12	322250	<i>SLC6A12</i>	no
cg10465696	11	124767948	<i>ROBO4</i>	no
cg21842274	5	76248637	<i>CRHBP</i>	no
cg25587233	9	131872005	<i>CRAT</i>	no
cg02593766	17	48608677	<i>MYCBPAP</i>	no
cg08044694	19	15391927	<i>BRD4</i>	no
cg24354652	1	28502908	<i>PTAFR</i>	no
cg14210862	9	91193195		no
cg14511156	19	54604124	<i>OSCAR</i>	no
cg22854223	11	44586505	<i>CD82</i>	no
cg14289461	6	112575929	<i>LAMA4</i>	no
cg00134539	21	43824071	<i>UBASH3A</i>	no
cg20720686	7	75582881	<i>POR</i>	no
cg22566906	12	52399713	<i>GRASP</i>	no
cg24921089	11	10472840	<i>AMPD3</i>	no
cg17356733	21	34774627	<i>IFNGR2</i>	no
cg00974864	1	161601053	<i>FCGR3B</i>	no
cg08700306	19	33686390	<i>LRP3</i>	yes
cg06147863	11	47400113	<i>SPI1</i>	no
cg08525145	1	155911361	<i>RXFP4</i>	no
cg25832796	14	24038103	<i>JPH4</i>	no
cg15880738	11	118215112	<i>CD3G</i>	no
cg25634666	11	71846788	<i>FOLR3</i>	no
cg23889010	20	43882990	<i>SLPI</i>	no
cg14654385	11	63973006	<i>FERMT3</i>	no
cg16158874	19	46095562	<i>GPR4</i>	no
cg05681757	12	32655034	<i>FGD4</i>	no
cg03559389	10	679322	<i>DIP2C</i>	no

al associations with FEV1, FEV1/FVC and FVC, at time point 2, base covariate adjustment (MI

				FEV1 at time point 2
associated trait reported	PMID	Preported for FEV1	Preported for FEV1/FVC	beta (SE)
FEV1, FVC, FEF25-75	30343628;30390659	NA	NA	0.69 (-0.09)
lung function	30390659	NA	NA	1.05 (-0.16)
lung function	30390659	NA	NA	0.77 (-0.12)
FEF25-75	30343628;30390659	NA	NA	1.11 (-0.15)
lung function	30390659	NA	NA	1.31 (-0.23)
lung function	30390659	NA	NA	0.48 (-0.12)
FEV1	30343628;30390659	9.57E-09	NA	1.44 (-0.34)
COPD, FEV1, FEV1pFVC	22161163	NA	9.06X10-26	0.88 (-0.84)
FEF25-75	30343628;30390659	NA	NA	0.78 (-0.18)
COPD, FEV1, FEV1pFVC	22161163	NA	3.01X10-24	1.7 (-0.68)
COPD, FEV1, FEV1pFVC	22161163	NA	9.32X10-28	0.39 (-0.47)
FEV1, FVC, FEF25-75	30343628;30390659	1.43E-12	NA	0.78 (-0.17)
COPD, FEV1, FEV1pFVC	22161163	NA	1.25X10-24	0.51 (-0.42)
COPD, FEV1, FEV1pFVC	22161163	NA	3.05X10-24	0.59 (-0.43)
COPD, FEV1, FEV1pFVC	22161163	NA	5.68X10-13	-0.53 (-0.28)
COPD, FEV1, FEV1pFVC	22161163	NA	3.78X10-15	-0.88 (-0.63)
COPD, FEV1, FEV1pFVC	22161163	NA	1.42X10-30	0.72 (-0.5)
COPD, FEV1, FEV1pFVC	22161163	NA	1.40X10-12	-0.42 (-0.36)
COPD, FEV1, FEV1pFVC	22161163	NA	9.95X10-28	0.32 (-0.57)
COPD, FEV1, FEV1pFVC	22161163	NA	3.55X10-29	1.22 (-0.48)
FEV1pFVC	28621160	9.80E-06	NA	1.13 (-0.88)
COPD, FEV1, FEV1pFVC	22161163	NA	1.10X10-16	-0.67 (-0.32)
COPD, FEV1, FEV1pFVC	22161163	NA	1.22X10-27	0.58 (-0.26)
COPD, FEV1, FEV1pFVC	22161163	NA	2.44X10-30	-1.02 (-0.39)
COPD, FEV1, FEV1pFVC	22161163	NA	2.32X10-17	0.97 (-0.54)
COPD, FEV1, FEV1pFVC	22161163	NA	1.79X10-26	0.43 (-0.37)
COPD, FEV1, FEV1pFVC	22161163	NA	4.50X10-19	-0.14 (-0.42)
COPD, FEV1, FEV1pFVC	22161163	NA	1.40X10-29	0.83 (-0.45)
COPD, FEV1, FEV1pFVC	22161163	NA	4.59X10-28	0.82 (-0.53)
COPD, FEV1, FEV1pFVC	22161163	NA	5.62X10-27	0.54 (-0.43)
COPD, FEV1, FEV1pFVC	22161163	NA	6.57X10-24	1.28 (-0.33)
COPD, FEV1, FEV1pFVC	22161163	NA	1.12X10-17	0.37 (-0.37)
COPD, FEV1, FEV1pFVC	22161163	NA	2.36X10-22	0.42 (-0.31)
COPD, FEV1, FEV1pFVC	22161163	NA	2.70X10-29	0.66 (-0.56)
COPD, FEV1, FEV1pFVC	22161163	NA	4.77X10-30	0.23 (-0.59)
COPD, FEV1, FEV1pFVC	22161163	NA	3.16X10-15	2.74 (-0.74)
COPD, FEV1, FEV1pFVC	22161163	NA	4.32X10-14	0.63 (-0.41)
COPD, FEV1, FEV1pFVC	22161163	NA	2.67X10-22	0.25 (-0.46)
COPD, FEV1, FEV1pFVC	22161163	NA	8.82X10-15	1.26 (-0.5)
COPD, FEV1, FEV1pFVC	22161163	NA	5.24X10-30	0.14 (-0.41)
COPD, FEV1, FEV1pFVC	22161163	NA	2.47X10-21	1.08 (-0.35)
COPD, FEV1, FEV1pFVC	22161163	NA	2.22X10-21	1.16 (-0.4)
COPD, FEV1, FEV1pFVC	22161163	NA	6.74X10-26	-0.41 (-0.72)

COPD, FEV1, FEV1pFVC	22161163	NA	1.30X10-29	0.98 (-0.59)
COPD, FEV1, FEV1pFVC	22161163	NA	7.85X10-24	-0.37 (-0.4)
COPD, FEV1, FEV1pFVC	22161163	NA	1.42X10-21	0.87 (-0.47)
COPD, FEV1, FEV1pFVC	22161163	NA	1.84X10-27	-0.03 (-0.44)
COPD, FEV1, FEV1pFVC	22161163	NA	9.71X10-30	0.1 (-0.32)
COPD, FEV1, FEV1pFVC	22161163	NA	9.12X10-21	0.82 (-0.43)
COPD, FEV1, FEV1pFVC	22161163	NA	2.30X10-30	1.49 (-0.47)
COPD, FEV1, FEV1pFVC	22161163	NA	9.31X10-27	0.65 (-0.33)
COPD, FEV1, FEV1pFVC	22161163	NA	8.04X10-31	-0.06 (-0.49)
COPD, FEV1, FEV1pFVC	22161163	NA	1.02X10-12	0.43 (-0.29)
COPD, FEV1, FEV1pFVC	22161163	NA	2.41X10-31	0.98 (-0.55)
COPD, FEV1, FEV1pFVC	22161163	NA	3.54X10-30	1.14 (-0.4)
COPD, FEV1, FEV1pFVC	22161163	NA	1.16X10-12	1.27 (-0.36)
COPD, FEV1, FEV1pFVC	22161163	NA	8.59X10-23	-0.14 (-0.7)
COPD, FEV1, FEV1pFVC	22161163	NA	5.57X10-17	-0.77 (-0.53)
COPD, FEV1, FEV1pFVC	22161163	NA	3.17X10-25	0.22 (-0.39)
lung function	30390659	NA	NA	-0.32 (-0.2)
COPD, FEV1, FEV1pFVC	22161163	NA	5.63X10-24	0.44 (-0.36)
COPD, FEV1, FEV1pFVC	22161163	NA	1.65X10-29	0.52 (-0.43)
COPD, FEV1, FEV1pFVC	22161163	NA	1.10X10-13	0.55 (-0.33)
COPD, FEV1, FEV1pFVC	22161163	NA	4.28X10-15	0.71 (-0.31)
COPD, FEV1, FEV1pFVC	22161163	NA	9.07X10-34	0.08 (-0.5)
COPD, FEV1, FEV1pFVC	22161163	NA	1.97X10-23	0.11 (-0.58)
COPD, FEV1, FEV1pFVC	22161163	NA	1.10X10-16	-0.92 (-0.5)
COPD, FEV1, FEV1pFVC	22161163	NA	2.49X10-35	0.01 (-0.63)
COPD, FEV1, FEV1pFVC	22161163	NA	2.04X10-24	0.85 (-0.4)
COPD, FEV1, FEV1pFVC	22161163	NA	7.67X10-24	-0.39 (-0.42)
COPD, FEV1, FEV1pFVC	22161163	NA	4.02X10-29	1 (-0.4)
COPD, FEV1, FEV1pFVC	22161163	NA	6.58X10-25	1.35 (-0.61)
COPD, FEV1, FEV1pFVC	22161163	NA	1.68X10-23	0.29 (-0.32)
COPD, FEV1, FEV1pFVC	22161163	NA	5.56X10-27	0.03 (-0.31)
COPD, FEV1, FEV1pFVC	22161163	NA	2.08X10-30	0.43 (-0.56)
FEV1pFVC	28621160	5.10E-06	NA	0 (-1.09)
COPD, FEV1, FEV1pFVC	22161163	NA	5.11X10-18	0.39 (-0.72)
COPD, FEV1, FEV1pFVC	22161163	NA	2.21X10-25	0.87 (-0.45)
COPD, FEV1, FEV1pFVC	22161163	NA	2.65X10-22	-0.4 (-0.47)
COPD, FEV1, FEV1pFVC	22161163	NA	1.67X10-25	0.87 (-0.31)
COPD, FEV1, FEV1pFVC	22161163	NA	1.12X10-24	0.06 (-0.49)
COPD, FEV1, FEV1pFVC	22161163	NA	1.06X10-28	0.42 (-0.55)
COPD, FEV1, FEV1pFVC	22161163	NA	8.28X10-21	-0.29 (-0.35)
COPD, FEV1, FEV1pFVC	22161163	NA	1.98X10-28	0.39 (-0.46)
COPD, FEV1, FEV1pFVC	22161163	NA	3.19X10-22	-0.3 (-0.37)
COPD, FEV1, FEV1pFVC	22161163	NA	7.33X10-24	1.08 (-0.59)
COPD, FEV1, FEV1pFVC	22161163	NA	3.66X10-23	0.44 (-0.21)
COPD, FEV1, FEV1pFVC	22161163	NA	6.27X10-30	1.1 (-0.59)
COPD, FEV1, FEV1pFVC	22161163	NA	4.58X10-23	0.54 (-0.29)
COPD, FEV1, FEV1pFVC	22161163	NA	8.54X10-27	0.56 (-0.38)
COPD, FEV1, FEV1pFVC	22161163	NA	8.41X10-13	0.23 (-0.45)
COPD, FEV1, FEV1pFVC	22161163	NA	7.12X10-26	-0.24 (-0.45)
COPD, FEV1, FEV1pFVC	22161163	NA	2.30X10-24	1.05 (-0.36)

COPD, FEV1, FEV1pFVC	22161163	NA	4.09X10-30	0.77 (-0.49)
COPD, FEV1, FEV1pFVC	22161163	NA	3.21X10-32	0.63 (-0.53)
COPD, FEV1, FEV1pFVC	22161163	NA	9.24X10-15	0.49 (-0.29)
COPD, FEV1, FEV1pFVC	22161163	NA	2.95X10-23	0.46 (-0.39)
COPD, FEV1, FEV1pFVC	22161163	NA	2.90X10-25	0.09 (-0.37)
COPD, FEV1, FEV1pFVC	22161163	NA	5.11X10-16	-0.7 (-0.43)
COPD, FEV1, FEV1pFVC	22161163	NA	1.19X10-11	-0.22 (-0.65)
COPD, FEV1, FEV1pFVC	22161163	NA	7.82X10-17	-1.03 (-0.34)
COPD, FEV1, FEV1pFVC	22161163	NA	1.84X10-13	0.28 (-0.21)
COPD, FEV1, FEV1pFVC	22161163	NA	1.05X10-19	0.2 (-0.2)
COPD, FEV1, FEV1pFVC	22161163	NA	2.45X10-20	0.22 (-0.5)
COPD, FEV1, FEV1pFVC	22161163	NA	6.05X10-26	0.34 (-0.49)
COPD, FEV1, FEV1pFVC	22161163	NA	1.39X10-20	-0.12 (-0.27)
COPD, FEV1, FEV1pFVC	22161163	NA	6.03X10-29	-0.15 (-0.48)
COPD, FEV1, FEV1pFVC	22161163	NA	7.38X10-18	1.07 (-1.21)
COPD, FEV1, FEV1pFVC	22161163	NA	6.80X10-10	0.07 (-0.25)
COPD, FEV1, FEV1pFVC	22161163	NA	3.64X10-21	0.85 (-0.27)
COPD, FEV1, FEV1pFVC	22161163	NA	6.66X10-17	0.16 (-0.48)
COPD, FEV1, FEV1pFVC	22161163	NA	7.20X10-26	0.5 (-0.3)
COPD, FEV1, FEV1pFVC	22161163	NA	4.46X10-24	-1.15 (-0.79)
COPD, FEV1, FEV1pFVC	22161163	NA	1.07X10-22	-0.32 (-0.35)
COPD, FEV1, FEV1pFVC	22161163	NA	2.13X10-18	-0.35 (-0.52)
COPD, FEV1, FEV1pFVC	22161163	NA	1.10X10-16	-0.56 (-0.52)
COPD, FEV1, FEV1pFVC	22161163	NA	4.57X10-24	0.23 (-0.48)
COPD, FEV1, FEV1pFVC	22161163	NA	2.41X10-18	-0.13 (-0.41)
FVC	28621160	8.90E-06	NA	-0.09 (-0.6)
COPD, FEV1, FEV1pFVC	22161163	NA	4.75X10-16	0.88 (-0.36)
COPD, FEV1, FEV1pFVC	22161163	NA	2.16X10-16	0.57 (-0.34)
COPD, FEV1, FEV1pFVC	22161163	NA	6.81X10-26	0.01 (-0.48)
COPD, FEV1, FEV1pFVC	22161163	NA	1.99X10-23	0.18 (-0.21)
COPD, FEV1, FEV1pFVC	22161163	NA	2.99X10-15	0.34 (-0.38)
COPD, FEV1, FEV1pFVC	22161163	NA	1.37X10-31	-0.7 (-0.34)
COPD, FEV1, FEV1pFVC	22161163	NA	1.50X10-11	0.22 (-0.3)
COPD, FEV1, FEV1pFVC	22161163	NA	1.07X10-19	0.09 (-0.25)
COPD, FEV1, FEV1pFVC	22161163	NA	2.31X10-21	0.28 (-0.42)
COPD, FEV1, FEV1pFVC	22161163	NA	5.60X10-30	0.56 (-0.4)
COPD, FEV1, FEV1pFVC	22161163	NA	1.11X10-11	0.34 (-0.4)
COPD, FEV1, FEV1pFVC	22161163	NA	2.05X10-24	-0.1 (-0.4)
COPD, FEV1, FEV1pFVC	22161163	NA	2.34X10-22	-0.98 (-0.42)
COPD, FEV1, FEV1pFVC	22161163	NA	3.11X10-15	-0.1 (-0.46)
COPD, FEV1, FEV1pFVC	22161163	NA	2.67X10-25	-0.02 (-0.27)
COPD, FEV1, FEV1pFVC	22161163	NA	1.83X10-12	-0.22 (-0.35)
COPD, FEV1, FEV1pFVC	22161163	NA	7.41X10-24	-0.55 (-0.47)
COPD, FEV1, FEV1pFVC	22161163	NA	1.02X10-23	-0.59 (-0.39)
COPD, FEV1, FEV1pFVC	22161163	NA	2.14X10-10	0.63 (-0.38)
COPD, FEV1, FEV1pFVC	22161163	NA	1.44X10-29	0.59 (-0.49)
COPD, FEV1, FEV1pFVC	22161163	NA	6.59X10-27	0.5 (-0.42)
COPD, FEV1, FEV1pFVC	22161163	NA	7.72X10-27	-0.16 (-0.39)
COPD, FEV1, FEV1pFVC	22161163	NA	4.20X10-13	0.1 (-0.4)
COPD, FEV1, FEV1pFVC	22161163	NA	4.25X10-15	-0.03 (-0.36)

COPD, FEV1, FEV1pFVC	22161163	NA	1.24X10-33	0.46 (-0.4)
COPD, FEV1, FEV1pFVC	22161163	NA	1.18X10-24	0.45 (-0.46)
COPD, FEV1, FEV1pFVC	22161163	NA	1.44X10-33	-0.36 (-0.37)
COPD, FEV1, FEV1pFVC	22161163	NA	6.03X10-20	-0.49 (-0.59)
COPD, FEV1, FEV1pFVC	22161163	NA	2.01X10-34	0.72 (-0.48)
COPD, FEV1, FEV1pFVC	22161163	NA	7.63X10-23	0.5 (-0.44)
COPD, FEV1, FEV1pFVC	22161163	NA	6.57X10-19	0.41 (-0.46)
COPD, FEV1, FEV1pFVC	22161163	NA	2.14X10-26	0.52 (-0.47)
COPD, FEV1, FEV1pFVC	22161163	NA	2.32X10-22	-0.11 (-0.26)
COPD, FEV1, FEV1pFVC	22161163	NA	3.11X10-20	0.12 (-0.3)
COPD, FEV1, FEV1pFVC	22161163	NA	1.25X10-26	0.06 (-0.52)
COPD, FEV1, FEV1pFVC	22161163	NA	1.76X10-19	-0.1 (-0.32)
COPD, FEV1, FEV1pFVC	22161163	NA	1.94X10-17	1.03 (-0.44)
COPD, FEV1, FEV1pFVC	22161163	NA	6.09X10-22	0.19 (-0.4)
COPD, FEV1, FEV1pFVC	22161163	NA	4.75X10-09	-0.13 (-0.57)
COPD, FEV1, FEV1pFVC	22161163	NA	2.59X10-21	0.88 (-0.42)
COPD, FEV1, FEV1pFVC	22161163	NA	2.37X10-25	-0.06 (-0.47)
FEV1	28621160	8.70E-06	NA	1.11 (-0.42)
COPD, FEV1, FEV1pFVC	22161163	NA	6.36X10-20	0.46 (-0.37)
COPD, FEV1, FEV1pFVC	22161163	NA	3.72X10-25	0.21 (-0.47)
COPD, FEV1, FEV1pFVC	22161163	NA	1.02X10-23	0.4 (-0.21)
COPD, FEV1, FEV1pFVC	22161163	NA	4.95X10-22	0.59 (-0.61)
COPD, FEV1, FEV1pFVC	22161163	NA	1.35X10-28	0.53 (-0.41)
COPD, FEV1, FEV1pFVC	22161163	NA	3.64X10-23	-0.21 (-0.34)
COPD, FEV1, FEV1pFVC	22161163	NA	2.20X10-17	0.3 (-0.16)
COPD, FEV1, FEV1pFVC	22161163	NA	4.98X10-12	1.06 (-0.47)
COPD, FEV1, FEV1pFVC	22161163	NA	1.68X10-14	0.26 (-0.32)
COPD, FEV1, FEV1pFVC	22161163	NA	4.12X10-14	-1.04 (-0.37)
COPD, FEV1, FEV1pFVC	22161163	NA	6.50X10-23	-0.82 (-0.68)
COPD, FEV1, FEV1pFVC	22161163	NA	8.51X10-32	0.11 (-0.45)
COPD, FEV1, FEV1pFVC	22161163	NA	1.08X10-24	0.16 (-0.24)
COPD, FEV1, FEV1pFVC	22161163	NA	2.57X10-27	-0.07 (-0.38)
COPD, FEV1, FEV1pFVC	22161163	NA	1.99X10-14	0.05 (-0.46)
COPD	26425700	0.00384		-0.43 (-0.34)
COPD, FEV1, FEV1pFVC	22161163	NA	5.62X10-24	0.01 (-0.41)
COPD, FEV1, FEV1pFVC	22161163	NA	5.55X10-25	0.09 (-0.3)
COPD, FEV1, FEV1pFVC	22161163	NA	2.80X10-27	0.14 (-0.39)
COPD, FEV1, FEV1pFVC	22161163	NA	1.58X10-23	-0.33 (-0.52)
COPD, FEV1, FEV1pFVC	22161163	NA	6.01X10-15	-0.03 (-0.48)
FEV1	28621160	9.60E-06	NA	-1.91 (-1.33)
COPD, FEV1, FEV1pFVC	22161163	NA	1.03X10-14	0.14 (-0.35)
COPD, FEV1, FEV1pFVC	22161163	NA	1.10X10-13	-0.57 (-0.37)
COPD, FEV1, FEV1pFVC	22161163	NA	2.84X10-19	0.45 (-0.35)
COPD, FEV1, FEV1pFVC	22161163	NA	4.97X10-20	0.79 (-0.41)
COPD, FEV1, FEV1pFVC	22161163	NA	5.58X10-23	-0.72 (-0.38)
COPD, FEV1, FEV1pFVC	22161163	NA	1.30X10-21	-0.12 (-0.42)
COPD, FEV1, FEV1pFVC	22161163	NA	6.10X10-30	-0.11 (-0.43)
COPD, FEV1, FEV1pFVC	22161163	NA	4.86X10-28	-0.55 (-0.47)
COPD, FEV1, FEV1pFVC	22161163	NA	2.10X10-22	-0.28 (-0.38)
NA	29092026	NA	NA	-0.09 (-0.08)

FEV1pFVC	28621160	7.30E-06	NA	0.25 (-1.04)
COPD, FEV1, FEV1pFVC	22161163	NA	7.10X10-31	-0.34 (-0.47)
NO2 exposure	29410382	NA	NA	0.6 (-0.53)
COPD, FEV1, FEV1pFVC	22161163	NA	4.03X10-14	0.12 (-0.28)
COPD, FEV1, FEV1pFVC	22161163	NA	4.48X10-18	-0.31 (-0.71)
COPD, FEV1, FEV1pFVC	22161163	NA	4.20X10-25	-0.18 (-0.42)
COPD, FEV1, FEV1pFVC	22161163	NA	1.85X10-18	-0.85 (-0.47)
FVC	28621160	7.10E-06	NA	0.2 (-0.2)
COPD, FEV1, FEV1pFVC	22161163	NA	8.99X10-21	0.09 (-0.39)
COPD, FEV1, FEV1pFVC	22161163	NA	2.13X10-23	0.67 (-0.31)
COPD, FEV1, FEV1pFVC	22161163	NA	5.70X10-22	-0.05 (-0.35)
COPD, FEV1, FEV1pFVC	22161163	NA	2.33X10-20	0.66 (-0.4)
COPD, FEV1, FEV1pFVC	22161163	NA	2.78X10-29	-0.14 (-0.45)
COPD, FEV1, FEV1pFVC	22161163	NA	2.66X10-23	-0.03 (-0.31)
COPD, FEV1, FEV1pFVC	22161163	NA	2.29X10-15	0.15 (-0.26)
COPD, FEV1, FEV1pFVC	22161163	NA	3.76X10-13	0.81 (-0.52)
COPD, FEV1, FEV1pFVC	22161163	NA	7.71X10-29	-0.33 (-0.38)
COPD, FEV1, FEV1pFVC	22161163	NA	1.51X10-37	0.97 (-0.54)
COPD, FEV1, FEV1pFVC	22161163	NA	2.42X10-32	-0.27 (-0.47)
NA	29092026	NA	NA	-1 (-1.34)
COPD, FEV1, FEV1pFVC	22161163	NA	6.94X10-22	-0.45 (-0.64)
COPD, FEV1, FEV1pFVC	22161163	NA	5.69X10-21	-0.05 (-0.43)
COPD, FEV1, FEV1pFVC	22161163	NA	9.83X10-19	-0.37 (-0.67)
COPD, FEV1, FEV1pFVC	22161163	NA	1.91X10-22	0.35 (-0.44)
COPD, FEV1, FEV1pFVC	22161163	NA	9.95X10-28	-0.07 (-0.44)
COPD, FEV1, FEV1pFVC	22161163	NA	1.07X10-29	-0.39 (-0.49)
FEV1pFVC	28621160	3.40E-06	NA	-0.17 (-0.52)
COPD, FEV1, FEV1pFVC	22161163	NA	2.36X10-23	-0.36 (-0.38)
COPD, FEV1, FEV1pFVC	22161163	NA	9.50X10-07	0.29 (-0.23)
COPD, FEV1, FEV1pFVC	22161163	NA	5.29X10-32	-0.23 (-0.48)
COPD, FEV1, FEV1pFVC	22161163	NA	1.97X10-22	0.28 (-0.44)
COPD, FEV1, FEV1pFVC	22161163	NA	6.45X10-25	-0.04 (-0.43)
COPD, FEV1, FEV1pFVC	22161163	NA	4.88X10-20	-1.31 (-0.43)
COPD, FEV1, FEV1pFVC	22161163	NA	5.84X10-15	0.59 (-0.42)
COPD, FEV1, FEV1pFVC	22161163	NA	4.00X10-18	-0.04 (-0.42)
COPD, FEV1, FEV1pFVC	22161163	NA	1.38X10-22	-0.76 (-0.38)
COPD, FEV1, FEV1pFVC	22161163	NA	6.24X10-20	0.02 (-0.32)
COPD, FEV1, FEV1pFVC	22161163	NA	2.46X10-19	0.37 (-0.43)
COPD, FEV1, FEV1pFVC	22161163	NA	1.51X10-29	0.02 (-0.55)
COPD, FEV1, FEV1pFVC	22161163	NA	1.08X10-13	-0.43 (-0.43)
COPD, FEV1, FEV1pFVC	22161163	NA	8.23X10-15	0.14 (-0.18)
COPD, FEV1, FEV1pFVC	22161163	NA	1.03X10-06	0.64 (-0.32)
FEV1pFVC	28621160	7.70E-06	NA	-0.23 (-0.84)
COPD, FEV1, FEV1pFVC	22161163	NA	3.70X10-25	0.13 (-0.49)
COPD, FEV1, FEV1pFVC	22161163	NA	3.23X10-24	-0.26 (-0.52)
FEV1	28621160	7.70E-06	NA	-0.42 (-0.71)
COPD, FEV1, FEV1pFVC	22161163	NA	4.67X10-26	0.01 (-0.27)
COPD, FEV1, FEV1pFVC	22161163	NA	4.87X10-19	-0.14 (-0.46)
COPD, FEV1, FEV1pFVC	22161163	NA	8.09X10-16	-0.43 (-0.58)
COPD, FEV1, FEV1pFVC	22161163	NA	6.51X10-25	0.48 (-0.45)

COPD, FEV1, FEV1pFVC	22161163	NA	6.44X10-27	-0.55 (-0.51)
COPD, FEV1, FEV1pFVC	22161163	NA	4.91X10-22	0.26 (-0.37)
COPD, FEV1, FEV1pFVC	22161163	NA	1.39X10-11	0.17 (-0.19)
COPD, FEV1, FEV1pFVC	22161163	NA	7.38X10-18	-0.13 (-0.27)
COPD, FEV1, FEV1pFVC	22161163	NA	3.95X10-17	-0.73 (-0.41)
COPD, FEV1, FEV1pFVC	22161163	NA	7.13X10-23	-0.27 (-0.42)
COPD, FEV1, FEV1pFVC	22161163	NA	3.32X10-27	0.15 (-0.69)
COPD, FEV1, FEV1pFVC	22161163	NA	3.52X10-19	0.45 (-0.55)
COPD, FEV1, FEV1pFVC	22161163	NA	7.69X10-23	-0.01 (-0.48)
COPD, FEV1, FEV1pFVC	22161163	NA	1.26X10-23	-0.44 (-0.33)
FEV1	25633388	4.20E-06	NA	0.21 (-0.55)
COPD, FEV1, FEV1pFVC	22161163	NA	2.89X10-34	0.19 (-0.51)
COPD, FEV1, FEV1pFVC	22161163	NA	7.70X10-25	-0.23 (-0.3)
COPD, FEV1, FEV1pFVC	22161163	NA	5.30X10-27	-0.61 (-0.35)
COPD, FEV1, FEV1pFVC	22161163	NA	1.12X10-26	0.86 (-0.47)
COPD, FEV1, FEV1pFVC	22161163	NA	5.52X10-11	0.35 (-0.23)
COPD, FEV1, FEV1pFVC	22161163	NA	4.34X10-28	0.58 (-0.38)
COPD, FEV1, FEV1pFVC	22161163	NA	1.57X10-19	0 (-0.43)
COPD, FEV1, FEV1pFVC	22161163	NA	6.43X10-16	-0.25 (-0.36)
COPD, FEV1, FEV1pFVC	22161163	NA	1.83X10-26	-0.02 (-0.63)
COPD, FEV1, FEV1pFVC	22161163	NA	4.84X10-30	-0.05 (-0.62)
COPD, FEV1, FEV1pFVC	22161163	NA	1.83X10-25	-0.04 (-0.39)
COPD, FEV1, FEV1pFVC	22161163	NA	1.44X10-13	0.12 (-0.23)
COPD, FEV1, FEV1pFVC	22161163	NA	1.91X10-27	-0.04 (-0.43)
COPD, FEV1, FEV1pFVC	22161163	NA	2.90X10-15	0.37 (-0.66)
COPD, FEV1, FEV1pFVC	22161163	NA	2.14X10-06	0.54 (-0.55)
COPD, FEV1, FEV1pFVC	22161163	NA	7.67X10-19	0.05 (-0.48)
FEV1	28621160	8.40E-06	NA	0.88 (-0.6)
COPD, FEV1, FEV1pFVC	22161163	NA	2.37X10-08	0.01 (-0.54)
COPD, FEV1, FEV1pFVC	22161163	NA	4.26X10-17	0.22 (-0.28)
COPD, FEV1, FEV1pFVC	22161163	NA	1.57X10-19	-0.87 (-0.52)
COPD, FEV1, FEV1pFVC	22161163	NA	4.23X10-23	0.67 (-0.49)
COPD, FEV1, FEV1pFVC	22161163	NA	7.66X10-31	0.13 (-0.4)
COPD, FEV1, FEV1pFVC	22161163	NA	1.22X10-18	-0.43 (-0.42)
COPD, FEV1, FEV1pFVC	22161163	NA	7.21X10-15	0.74 (-0.38)
COPD, FEV1, FEV1pFVC	22161163	NA	4.61X10-24	0.05 (-0.39)
COPD, FEV1, FEV1pFVC	22161163	NA	2.76X10-29	-0.48 (-0.44)
COPD, FEV1, FEV1pFVC	22161163	NA	7.87X10-09	0.52 (-0.63)
COPD, FEV1, FEV1pFVC	22161163	NA	1.08X10-20	0.17 (-0.27)
COPD, FEV1, FEV1pFVC	22161163	NA	1.49X10-23	-0.4 (-0.51)
COPD, FEV1, FEV1pFVC	22161163	NA	2.72X10-15	-0.63 (-0.36)
COPD, FEV1, FEV1pFVC	22161163	NA	5.41X10-14	-0.05 (-0.12)
COPD, FEV1, FEV1pFVC	22161163	NA	1.06X10-27	0.52 (-0.65)
COPD, FEV1, FEV1pFVC	22161163	NA	1.95X10-20	0.3 (-0.33)
COPD, FEV1, FEV1pFVC	22161163	NA	6.99X10-25	-0.37 (-0.57)
COPD, FEV1, FEV1pFVC	22161163	NA	9.51X10-25	0.16 (-0.67)
COPD, FEV1, FEV1pFVC	22161163	NA	1.63X10-28	-0.01 (-0.54)
COPD, FEV1, FEV1pFVC	22161163	NA	7.31X10-31	1.34 (-0.67)
COPD, FEV1, FEV1pFVC	22161163	NA	7.86X10-28	-0.22 (-0.36)
COPD, FEV1, FEV1pFVC	22161163	NA	1.37X10-17	0.43 (-0.4)

COPD, FEV1, FEV1pFVC	22161163	NA	7.21X10-27	-0.02 (-0.65)
COPD, FEV1, FEV1pFVC	22161163	NA	3.31X10-15	0.17 (-0.52)
FEV1pFVC	28621160	8.20E-06	NA	-0.28 (-0.54)
NA	29092026	NA	NA	0.1 (-0.37)
FEV1pFVC	28621160	8.20E-06	NA	0.63 (-0.59)
COPD, FEV1, FEV1pFVC	22161163	NA	9.34X10-18	0.45 (-0.43)
COPD, FEV1, FEV1pFVC	22161163	NA	5.77X10-25	0.1 (-0.7)
COPD, FEV1, FEV1pFVC	22161163	NA	1.82X10-26	-0.28 (-0.39)
COPD, FEV1, FEV1pFVC	22161163	NA	4.65X10-23	-0.13 (-0.64)
FEV1pFVC	28621160	3.70E-06	NA	-0.33 (-0.49)
COPD, FEV1, FEV1pFVC	22161163	NA	3.94X10-26	-0.63 (-0.59)
COPD, FEV1, FEV1pFVC	22161163	NA	5.37X10-26	0.38 (-0.46)
COPD, FEV1, FEV1pFVC	22161163	NA	2.93X10-23	0.68 (-0.67)
COPD, FEV1, FEV1pFVC	22161163	NA	1.98X10-08	0.24 (-0.36)
COPD, FEV1, FEV1pFVC	22161163	NA	3.99X10-27	-0.42 (-0.41)
FEV1	25633388	6.20E-06	NA	0.17 (-1.09)
COPD	26425700	0.0493		0.41 (-0.43)
COPD, FEV1, FEV1pFVC	22161163	NA	1.53X10-15	-0.05 (-0.22)
NA	29092026	NA	NA	0.03 (-0.33)
COPD, FEV1, FEV1pFVC	22161163	NA	1.32X10-28	0.66 (-0.59)
COPD, FEV1, FEV1pFVC	22161163	NA	2.78X10-27	-0.11 (-0.36)
COPD, FEV1, FEV1pFVC	22161163	NA	1.49X10-30	-0.05 (-0.44)
COPD, FEV1, FEV1pFVC	22161163	NA	7.03X10-23	-0.19 (-0.55)
COPD, FEV1, FEV1pFVC	22161163	NA	9.23X10-27	-0.24 (-0.4)
COPD, FEV1, FEV1pFVC	22161163	NA	1.07X10-24	0.15 (-0.28)
COPD, FEV1, FEV1pFVC	22161163	NA	5.40X10-18	-0.21 (-0.51)
COPD, FEV1, FEV1pFVC	22161163	NA	3.60X10-24	-0.18 (-0.52)
COPD, FEV1, FEV1pFVC	22161163	NA	1.44X10-26	0.12 (-0.7)
COPD, FEV1, FEV1pFVC	22161163	NA	1.52X10-19	-0.67 (-0.61)
COPD	26425700	0.0377		-0.26 (-0.62)
COPD, FEV1, FEV1pFVC	22161163	NA	1.27X10-29	0.11 (-0.41)
NA	29092026	NA	NA	0.27 (-0.47)
COPD, FEV1, FEV1pFVC	22161163	NA	1.76X10-10	-0.13 (-0.46)
COPD, FEV1, FEV1pFVC	22161163	NA	3.23X10-19	0.16 (-0.31)
COPD, FEV1, FEV1pFVC	22161163	NA	2.93X10-23	0.28 (-0.4)
COPD, FEV1, FEV1pFVC	22161163	NA	5.04X10-18	-0.34 (-0.27)
NA	29092026	NA	NA	0.06 (0.39)
COPD, FEV1, FEV1pFVC	22161163	NA	1.11X10-19	0.27 (0.27)
COPD, FEV1, FEV1pFVC	22161163	NA	3.64X10-24	0.27 (-0.27)
COPD, FEV1, FEV1pFVC	22161163	NA	2.87X10-17	0.15 (-0.41)
COPD, FEV1, FEV1pFVC	22161163	NA	3.63X10-28	0.06 (-0.41)
COPD, FEV1, FEV1pFVC	22161163	NA	4.51X10-20	-0.75 (-0.59)
COPD, FEV1, FEV1pFVC	22161163	NA	5.12X10-25	0.4 (-0.43)
FEV1,FVC	22532803	5.00E-07		-0.7 (-0.49)
COPD, FEV1, FEV1pFVC	22161163	NA	2.28X10-26	-0.32 (-0.26)
COPD, FEV1, FEV1pFVC	22161163	NA	5.20X10-28	0.27 (-0.53)
COPD, FEV1, FEV1pFVC	22161163	NA	4.61X10-29	-0.12 (-0.25)
COPD, FEV1, FEV1pFVC	22161163	NA	1.10X10-18	-0.05 (-0.41)
COPD, FEV1, FEV1pFVC	22161163	NA	6.91X10-30	-0.31 (-0.35)
COPD, FEV1, FEV1pFVC	22161163	NA	1.45X10-26	-0.22 (-0.6)

COPD, FEV1, FEV1pFVC	22161163	NA	7.74X10-31	-0.41 (-0.4)
COPD, FEV1, FEV1pFVC	22161163	NA	1.22X10-28	0.21 (-0.23)
COPD, FEV1, FEV1pFVC	22161163	NA	1.93X10-28	-0.14 (-0.56)
COPD, FEV1, FEV1pFVC	22161163	NA	4.21X10-14	-0.14 (-0.52)
COPD, FEV1, FEV1pFVC	22161163	NA	4.60X10-13	-0.15 (-0.38)
COPD, FEV1, FEV1pFVC	22161163	NA	5.76X10-15	0.85 (-0.34)
COPD, FEV1, FEV1pFVC	22161163	NA	1.17X10-19	-0.19 (-0.39)
COPD, FEV1, FEV1pFVC	22161163	NA	1.06X10-25	-0.11 (-0.34)
COPD, FEV1, FEV1pFVC	22161163	NA	6.80X10-23	-0.1 (-0.39)
COPD, FEV1, FEV1pFVC	22161163	NA	3.76X10-15	-0.12 (-0.55)
COPD, FEV1, FEV1pFVC	22161163	NA	2.83X10-28	-0.93 (-0.36)
COPD, FEV1, FEV1pFVC	22161163	NA	1.95X10-18	-0.13 (-0.5)
FEV1pFVC	28621160	7.80E-06	NA	-0.1 (-0.42)
COPD, FEV1, FEV1pFVC	22161163	NA	2.83X10-24	-0.19 (-1.08)
COPD, FEV1, FEV1pFVC	22161163	NA	2.59X10-25	0.29 (-0.44)
COPD, FEV1, FEV1pFVC	22161163	NA	5.42X10-20	0.36 (-0.57)
COPD, FEV1, FEV1pFVC	22161163	NA	6.92X10-09	-0.2 (-0.23)
COPD, FEV1, FEV1pFVC	22161163	NA	5.49X10-21	0.06 (-0.2)
COPD, FEV1, FEV1pFVC	22161163	NA	1.90X10-25	0.03 (-0.39)
COPD, FEV1, FEV1pFVC	22161163	NA	4.76X10-11	0.21 (-0.51)
COPD, FEV1, FEV1pFVC	22161163	NA	6.21X10-29	0.8 (-0.53)
COPD, FEV1, FEV1pFVC	22161163	NA	1.71X10-27	-0.07 (-0.34)
COPD, FEV1, FEV1pFVC	22161163	NA	1.12X10-32	-0.47 (-0.41)
COPD, FEV1, FEV1pFVC	22161163	NA	1.42X10-13	0.62 (-0.48)
COPD, FEV1, FEV1pFVC	22161163	NA	1.05X10-18	0.25 (-0.56)
COPD, FEV1, FEV1pFVC	22161163	NA	1.15X10-31	-0.3 (-0.37)
COPD, FEV1, FEV1pFVC	22161163	NA	2.00X10-24	0.11 (-0.58)
COPD, FEV1, FEV1pFVC	22161163	NA	5.42X10-31	-0.47 (-0.37)
COPD, FEV1, FEV1pFVC	22161163	NA	6.40X10-24	-0.33 (-0.52)
COPD, FEV1, FEV1pFVC	22161163	NA	4.59X10-30	-0.27 (-0.35)
COPD, FEV1, FEV1pFVC	22161163	NA	3.97X10-06	-0.11 (-0.46)
COPD, FEV1, FEV1pFVC	22161163	NA	8.82X10-17	-0.35 (-0.47)
FEV1pFVC	28621160	8.10E-08	NA	-0.04 (-0.34)

base); CpGs sorted by smallest P-value for association with FEV1/FVC in meta-analysis in disco

(ECRHS/ NFBC/ SAPALDIA)			FEV1/FVC at time point 2 (ECRHS/ NFBC/ SAPALDIA)			
P-value meta-analysis	direction of effect	P-value between study heterogeneity	beta (SE)	P-value meta-analysis	direction of effect	P-value between study heterogeneity
9.3E-14	+++	0.513	0.13 (-0.01)	4.0E-21	+++	0.332
5.8E-11	+++	0.523	0.2 (-0.02)	8.1E-18	+++	0.200
1.8E-11	+++	0.466	0.14 (-0.02)	3.5E-17	+++	0.578
5.4E-13	+++	0.632	0.18 (-0.02)	1.5E-15	+++	0.063
2.0E-08	+++	0.889	0.25 (-0.03)	6.4E-14	+++	0.027
4.8E-05	+++	0.705	0.08 (-0.02)	9.2E-07	+++	0.706
1.7E-05	+++	0.869	0.21 (-0.05)	1.5E-05	+++	0.315
0.2941	++-	0.084	0.52 (-0.12)	1.53E-05	+++	0.494
1.7E-05	??+	1.000	0.11 (-0.03)	6.8E-05	??+	1.000
0.0131	+++	0.933	0.39 (-0.1)	8.65E-05	+++	0.493
0.4138	++-	0.710	0.25 (-0.07)	2.33E-04	+++	0.210
4.9E-06	??+	1.000	0.09 (-0.03)	3.6E-04	??+	1.000
0.2310	++-	0.084	0.21 (-0.06)	7.29E-04	+++	0.279
0.1650	+++	0.759	0.21 (-0.06)	8.41E-04	+++	0.906
0.0607	---	0.261	-0.14 (-0.04)	0.0010	---	0.628
0.1599	??-	1.000	-0.3 (-0.1)	0.0016	??-	1.000
0.1493	++-	0.181	0.22 (-0.07)	0.0029	+++	0.889
0.2419	++-	0.358	-0.15 (-0.05)	0.0046	+--	0.068
0.5756	--+	0.337	0.22 (-0.08)	0.0061	+++	0.771
0.0112	+++	0.262	0.19 (-0.07)	0.0062	+++	0.135
0.1964	+++	0.720	0.33 (-0.12)	0.0062	+++	0.225
0.0394	++-	0.300	-0.13 (-0.05)	0.0063	---	0.778
0.0253	++-	0.383	0.1 (-0.04)	0.0086	+++	0.461
0.0090	---	0.488	-0.14 (-0.06)	0.0116	---	0.302
0.0746	++-	0.203	0.2 (-0.08)	0.0116	+++	0.970
0.2511	++-	0.147	0.13 (-0.05)	0.0148	+++	0.236
0.7309	++-	0.137	0.15 (-0.06)	0.0152	+++	0.330
0.0660	+++	0.624	0.16 (-0.07)	0.0159	+++	0.514
0.1174	++-	0.042	0.18 (-0.08)	0.0180	+++	0.105
0.2016	+++	0.701	0.15 (-0.06)	0.0184	+++	0.880
1.10E-04	+++	0.134	0.11 (-0.05)	0.0188	+++	0.813
0.3206	--+	0.298	0.12 (-0.05)	0.0208	+++	0.623
0.1774	+++	0.825	0.1 (-0.05)	0.0222	+++	0.810
0.2321	+++	0.655	0.18 (-0.08)	0.0225	+++	0.466
0.6919	++-	0.606	0.2 (-0.09)	0.0225	+++	0.503
2.30E-04	+++	0.247	0.24 (-0.11)	0.0232	+++	0.674
0.1264	--+	0.200	0.14 (-0.06)	0.0237	+++	0.948
0.5857	++-	0.202	0.15 (-0.07)	0.0261	+++	0.206
0.0122	+++	0.435	0.16 (-0.07)	0.0311	+++	0.085
0.7272	++-	0.396	0.13 (-0.06)	0.0313	+++	0.525
0.0020	+++	0.609	0.11 (-0.05)	0.0319	+++	0.210
0.0036	+++	0.063	0.12 (-0.06)	0.0329	+++	0.432
0.5686	++-	0.031	0.22 (-0.1)	0.0339	+--	0.085

0.0967	++	0.063	0.18 (-0.09)	0.0349	+++	0.422
0.3502	--	0.362	0.12 (-0.06)	0.0364	++	0.354
0.0625	+++	0.425	0.14 (-0.07)	0.0365	++	0.101
0.9450	--	0.171	0.13 (-0.06)	0.0381	+++	0.290
0.7602	--	0.383	0.1 (-0.05)	0.0399	++	0.244
0.0542	+++	0.580	0.13 (-0.06)	0.0400	+++	0.596
0.0016	+++	0.051	0.14 (-0.07)	0.0408	++	0.017
0.0472	+++	0.485	0.1 (-0.05)	0.0422	+++	0.664
0.8964	++	0.180	-0.14 (-0.07)	0.0433	+-	0.237
0.1357	+++	0.911	0.09 (-0.04)	0.0442	+++	0.628
0.0744	+++	0.227	0.16 (-0.08)	0.0444	+++	0.616
0.0041	+++	0.660	0.12 (-0.06)	0.0478	++	0.033
4.86E-04	+++	0.158	0.1 (-0.05)	0.0527	++	0.021
0.8445	+-	0.833	0.2 (-0.1)	0.0529	+-	0.279
0.1430	+-	0.352	-0.15 (-0.08)	0.0532	+-	0.299
0.5764	+++	0.972	0.11 (-0.06)	0.0534	+++	0.827
0.1205	---	0.97	-0.06 (-0.03)	5.5E-02	---	0.994
0.2173	+++	0.876	0.1 (-0.05)	0.0550	+-	0.039
0.2233	++	0.317	0.12 (-0.06)	0.0550	+++	0.851
0.0948	--	0.097	0.09 (-0.05)	0.0555	+++	0.464
0.0224	+-	0.060	0.09 (-0.05)	0.0576	+-	0.019
0.8706	--	0.274	0.14 (-0.07)	0.0576	+++	0.665
0.8493	--	0.750	0.16 (-0.08)	0.0592	+++	0.380
0.0640	+-	0.076	-0.14 (-0.07)	0.0612	---	0.700
0.9913	++	0.680	0.17 (-0.09)	0.0632	+-	0.090
0.0351	+++	0.855	0.11 (-0.06)	0.0668	+++	0.743
0.3594	+-	0.637	-0.11 (-0.06)	0.0677	---	0.734
0.0133	+++	0.695	0.11 (-0.06)	0.0743	+++	0.667
0.0268	??+	1.000	0.17 (-0.09)	0.0769	??+	1.000
0.3649	--	0.021	0.08 (-0.05)	0.0801	++	0.590
0.9167	+-	0.885	-0.08 (-0.04)	0.0808	-?	0.445
0.4460	+-	0.094	0.14 (-0.08)	0.0809	+-	0.152
0.9966	+-	0.798	-0.26 (-0.15)	0.0815	--	0.564
0.5866	+-	0.632	0.18 (-0.1)	0.0827	+++	0.863
0.0523	++	0.015	0.11 (-0.06)	0.0875	+++	0.696
0.4019	---	0.899	-0.12 (-0.07)	0.0888	---	0.795
0.0042	+-	0.026	0.08 (-0.04)	0.0907	+++	0.645
0.8967	+-	0.333	0.12 (-0.07)	0.0928	+++	0.270
0.4440	+-	0.655	0.13 (-0.08)	0.0989	+++	0.698
0.4072	--	0.224	-0.09 (-0.05)	0.0998	---	0.735
0.3938	+-	0.311	0.11 (-0.07)	0.1044	+-	0.205
0.4205	+-	0.203	-0.09 (-0.05)	0.1046	+-	0.072
0.0678	??+	1.000	0.15 (-0.09)	0.1063	??+	1.000
0.0372	+++	0.858	0.05 (-0.03)	0.1064	+++	0.908
0.0613	+++	0.542	0.13 (-0.08)	0.1131	++	0.134
0.0608	+-	0.125	0.07 (-0.04)	0.1200	+++	0.557
0.1384	+-	0.386	0.08 (-0.05)	0.1205	++	0.298
0.6099	++	0.299	-0.1 (-0.07)	0.1392	+-	0.071
0.5914	---	0.867	0.1 (-0.07)	0.1437	+++	0.723
0.0037	??+	1.000	0.08 (-0.06)	0.1446	??+	1.000

0.1146	+++	0.865	0.1 (-0.07)	0.1454	+++	0.908
0.2382	+++	0.528	0.11 (-0.08)	0.1466	+++	0.890
0.0954	+++	0.813	0.06 (-0.04)	0.1467	++	0.699
0.2337	+++	0.314	-0.08 (-0.06)	0.1473	---	0.745
0.8190	++	0.361	0.08 (-0.05)	0.1489	+++	0.762
0.1020	+-	0.360	-0.09 (-0.06)	0.1499	++	0.037
0.7316	++	0.437	-0.13 (-0.09)	0.1513	+-	0.115
0.0026	---	0.552	-0.07 (-0.05)	0.1529	---	0.617
0.1804	?+	0.212	0.04 (-0.03)	0.1532	?+	0.152
0.3249	+++	0.478	0.04 (-0.03)	0.1536	+++	0.186
0.6644	++	0.115	0.1 (-0.07)	0.1543	+++	0.961
0.4858	++	0.645	0.1 (-0.07)	0.1550	++	0.383
0.6451	+-	0.641	0.06 (-0.04)	0.1563	+++	0.984
0.7583	++	0.412	0.1 (-0.07)	0.1580	+++	0.801
0.3769	--	0.320	0.24 (-0.17)	0.1582	++	0.055
0.7887	++	0.694	0.05 (-0.04)	0.1589	+++	0.397
0.0020	+++	0.346	0.06 (-0.04)	0.1602	+++	0.298
0.7353	++	0.134	-0.1 (-0.07)	0.1635	+-	0.261
0.1004	+++	0.792	0.06 (-0.04)	0.1674	+++	0.887
0.1456	??	1.000	-0.17 (-0.12)	0.1719	??	1.000
0.3682	--	0.649	-0.07 (-0.05)	0.1745	---	0.636
0.5014	+-	0.087	-0.1 (-0.08)	0.1761	+-	0.134
0.2797	+-	0.381	-0.1 (-0.08)	0.1788	+-	0.256
0.6314	++	0.492	0.09 (-0.07)	0.1792	+++	0.686
0.7548	+-	0.426	-0.08 (-0.06)	0.1798	---	0.872
0.8866	++	0.196	0.11 (-0.08)	0.1809	+++	0.738
0.0141	+++	0.517	0.07 (-0.05)	0.1823	++	0.115
0.0940	+++	0.753	0.07 (-0.05)	0.1825	++	0.646
0.9876	+-	0.790	0.09 (-0.07)	0.1829	+++	0.436
0.3744	++	0.638	0.04 (-0.03)	0.1847	+++	0.692
0.3704	++	0.401	-0.07 (-0.05)	0.1855	+-	0.223
0.0418	---	0.885	-0.07 (-0.05)	0.1863	+-	0.492
0.4651	++	0.286	-0.06 (-0.04)	0.1919	+-	0.091
0.7306	?+	0.220	0.05 (-0.04)	0.1934	?+	0.331
0.5170	++	0.296	-0.08 (-0.06)	0.1995	--	0.225
0.1635	++	0.258	0.07 (-0.06)	0.2074	++	0.012
0.3959	--	0.192	0.07 (-0.06)	0.2080	+++	0.837
0.7915	+-	0.961	-0.07 (-0.06)	0.2102	---	0.662
0.0204	+-	0.112	-0.08 (-0.06)	0.2120	+-	0.092
0.8181	++	0.180	-0.08 (-0.07)	0.2123	+-	0.361
0.9513	--	0.049	0.05 (-0.04)	0.2162	++	0.516
0.5306	+-	0.098	-0.06 (-0.05)	0.2164	+-	0.403
0.2405	++	0.135	-0.08 (-0.07)	0.2168	+-	0.017
0.1347	+-	0.459	-0.07 (-0.06)	0.2211	---	0.476
0.0979	??+	1.000	0.07 (-0.06)	0.2220	??+	1.000
0.2268	??+	1.000	0.09 (-0.08)	0.2230	??+	1.000
0.2281	+++	0.937	-0.07 (-0.06)	0.2232	---	0.731
0.6816	+-	0.043	0.07 (-0.06)	0.2257	+-	0.009
0.8027	++	0.227	-0.07 (-0.06)	0.2262	++	0.062
0.9313	+-	0.381	-0.06 (-0.05)	0.2296	+-	0.270

0.2536	++	0.443	0.07 (-0.06)	0.2309	++	0.243
0.3332	+++	0.686	0.08 (-0.07)	0.2320	++	0.393
0.3258	--	0.351	0.06 (-0.05)	0.2323	++	0.217
0.4096	??	1.000	-0.11 (-0.09)	0.2323	??	1.000
0.1310	+++	0.975	0.08 (-0.07)	0.2350	++	0.207
0.2504	+++	0.951	0.08 (-0.06)	0.2363	+++	0.904
0.3781	++	0.420	0.08 (-0.07)	0.2418	+++	0.555
0.2698	+++	0.921	0.08 (-0.07)	0.2425	+++	0.375
0.6751	+-	0.605	-0.04 (-0.04)	0.2481	---	0.755
0.6876	+-	0.034	0.05 (-0.04)	0.2552	+++	0.864
0.9021	--	0.214	0.09 (-0.08)	0.2572	+++	0.577
0.7661	--	0.153	0.05 (-0.05)	0.2598	++	0.030
0.0177	+++	0.082	0.07 (-0.06)	0.2698	+++	0.993
0.6396	+++	0.885	-0.06 (-0.06)	0.2717	---	0.772
0.8202	??	1.000	-0.1 (-0.09)	0.2730	??	1.000
0.0361	+++	0.999	0.07 (-0.06)	0.2742	++	0.153
0.9067	++	0.034	0.07 (-0.07)	0.2758	++	0.633
0.0079	+++	0.737	0.07 (-0.06)	0.2767	++	0.681
0.2084	+++	0.710	0.06 (-0.05)	0.2774	++	0.231
0.6494	++?	0.918	0.07 (-0.06)	0.2819	++?	0.465
0.0550	--	0.044	0.03 (-0.03)	0.2839	--	0.397
0.3313	++	0.118	0.09 (-0.09)	0.2893	+++	0.360
0.2012	++	0.018	0.06 (-0.06)	0.2921	++	0.165
0.5377	++	0.230	-0.05 (-0.05)	0.2948	+-	0.575
0.0590	+++	0.786	0.02 (-0.02)	0.2956	++	0.149
0.0229	+++	0.695	-0.07 (-0.07)	0.2968	+-	0.632
0.4196	+-	0.242	0.05 (-0.05)	0.3000	+-	0.124
0.0049	---	0.711	-0.06 (-0.05)	0.3013	+-	0.330
0.2300	+-	0.087	0.1 (-0.1)	0.3057	++	0.284
0.7996	+-	0.803	-0.07 (-0.06)	0.3087	--	0.591
0.5094	++	0.212	0.04 (-0.04)	0.3102	+++	0.725
0.8650	++	0.140	0.05 (-0.06)	0.3214	++	0.312
0.9127	+-	0.209	-0.07 (-0.07)	0.3257	++	0.217
0.2021	+-	0.274	-0.05 (-0.05)	0.3263	+-	0.273
0.9823	++	0.412	0.06 (-0.06)	0.3293	++	0.545
0.7676	++	0.901	0.04 (-0.04)	0.3346	+++	0.712
0.7190	+-	0.035	0.05 (-0.06)	0.3355	+++	0.266
0.5254	++	0.072	-0.07 (-0.07)	0.3366	++	0.209
0.9440	+-	0.902	-0.07 (-0.07)	0.3376	---	0.887
0.1512	--	0.127	-0.18 (-0.19)	0.3393	---	0.908
0.6816	++	0.063	-0.05 (-0.05)	0.3395	---	0.790
0.1286	---	0.482	0.05 (-0.05)	0.3420	++	0.355
0.1981	--	0.089	0.05 (-0.05)	0.3434	++	0.636
0.0504	+++	0.715	0.06 (-0.06)	0.3448	+++	0.847
0.0620	---	0.190	-0.05 (-0.06)	0.3489	--	0.563
0.7678	--	0.557	-0.06 (-0.06)	0.3511	+-	0.263
0.8089	--	0.371	0.06 (-0.06)	0.3596	++	0.250
0.2391	---	0.890	-0.06 (-0.07)	0.3612	+-	0.479
0.4634	---	0.678	0.05 (-0.06)	0.3650	++	0.241
0.2577	---	0.538	-0.01 (-0.01)	0.3657	---	0.994

0.8091	+-	0.835	0.13 (-0.15)	0.3664	++	0.614
0.4699	++	0.122	0.06 (-0.07)	0.3698	++	0.550
0.2633	++	0.191	-0.07 (-0.07)	0.3723	---	0.962
0.6704	+++	0.919	0.04 (-0.04)	0.3728	++	0.812
0.6677	++	0.097	-0.09 (-0.1)	0.3767	+-	0.623
0.6773	--	0.193	0.05 (-0.06)	0.3839	+++	0.915
0.0695	---	0.770	-0.06 (-0.07)	0.3867	---	0.879
0.3146	+++	0.998	0.03 (-0.03)	0.3869	++	0.165
0.8105	++	0.796	-0.05 (-0.06)	0.3871	+-	0.669
0.0299	+++	0.116	0.04 (-0.05)	0.3900	++	0.219
0.8917	++	0.417	0.04 (-0.05)	0.3955	+++	0.707
0.1005	+++	0.498	0.05 (-0.06)	0.3963	++	0.384
0.7594	++	0.392	0.05 (-0.07)	0.4043	++	0.311
0.9279	+-	0.119	0.04 (-0.04)	0.4064	++	0.032
0.5763	++	0.427	0.03 (-0.04)	0.4085	+-	0.223
0.1154	+++	0.408	0.06 (-0.08)	0.4113	+-	0.091
0.3841	+-	0.638	0.05 (-0.06)	0.4156	++	0.225
0.0702	+++	0.604	0.06 (-0.08)	0.4204	++	0.760
0.5706	+-	0.686	0.05 (-0.07)	0.4233	++	0.580
0.4548	---	0.834	-0.15 (-0.19)	0.4244	++	0.316
0.4841	++	0.397	-0.07 (-0.09)	0.4303	+-	0.075
0.9104	++	0.187	-0.05 (-0.06)	0.4320	+-	0.290
0.5873	+-	0.052	-0.08 (-0.1)	0.4390	+-	0.257
0.4257	++	0.299	0.05 (-0.06)	0.4542	++	0.713
0.8662	++	0.121	0.05 (-0.06)	0.4556	++	0.869
0.4312	++	0.507	0.05 (-0.07)	0.4565	++	0.813
0.7375	--	0.830	0.05 (-0.07)	0.4603	++	0.684
0.3442	---	0.810	-0.04 (-0.06)	0.4618	+-	0.247
0.2169	+++	0.620	-0.02 (-0.03)	0.4655	+-	0.874
0.6292	++	0.268	0.05 (-0.07)	0.4689	+++	0.893
0.5169	--	0.057	-0.05 (-0.06)	0.4696	--	0.131
0.9346	++	0.721	-0.04 (-0.06)	0.4699	+-	0.654
0.0025	---	0.350	-0.04 (-0.06)	0.4774	+-	0.639
0.1562	+++	0.818	0.04 (-0.06)	0.4816	++	0.499
0.9313	+-	0.334	0.04 (-0.06)	0.4849	++	0.561
0.0463	---	0.836	-0.04 (-0.06)	0.4875	+-	0.154
0.9497	--	0.068	0.03 (-0.05)	0.4916	++	0.298
0.3869	++	0.754	-0.04 (-0.06)	0.4943	+-	0.265
0.9638	++	0.749	0.05 (-0.08)	0.4960	++	0.563
0.3171	---	0.596	-0.04 (-0.06)	0.5043	--	0.245
0.4521	++	0.672	0.02 (-0.03)	0.5077	+-	0.082
0.0460	+++	0.086	0.03 (-0.05)	0.5085	+-	0.076
0.7871	+-	0.215	0.08 (-0.12)	0.5089	++	0.106
0.7952	++	0.446	0.05 (-0.07)	0.5110	++	0.256
0.6259	++	0.090	-0.05 (-0.08)	0.5148	++	0.315
0.5526	--	0.357	-0.07 (-0.1)	0.5149	---	0.903
0.9733	+-	0.760	0.03 (-0.04)	0.5181	++	0.597
0.7597	+-	0.505	-0.04 (-0.07)	0.5186	+-	0.482
0.4559	+-	0.569	0.05 (-0.08)	0.5199	+++	0.967
0.2833	++	0.049	0.04 (-0.07)	0.5309	++	0.509

0.2788	---	0.611	0.05 (-0.07)	0.5313	+++	0.660
0.4803	+++	0.809	0.03 (-0.05)	0.5376	+++	0.949
0.3682	++	0.189	0.02 (-0.03)	0.5398	++	0.466
0.6315	++	0.042	0.02 (-0.04)	0.5407	++	0.064
0.0715	++	0.003	-0.04 (-0.06)	0.5440	++	0.332
0.5218	++	0.263	-0.04 (-0.06)	0.5440	++	0.386
0.8280	++?	0.418	0.06 (-0.09)	0.5546	++?	0.510
0.4138	++	0.060	0.05 (-0.08)	0.5554	++	0.564
0.9867	++	0.224	0.04 (-0.07)	0.5554	++	0.036
0.1869	---	0.790	0.03 (-0.05)	0.5584	++	0.359
0.7026	++	0.011	0.04 (-0.08)	0.5606	++	0.004
0.7133	++	0.926	0.04 (-0.07)	0.5652	++	0.709
0.4433	---	0.730	0.02 (-0.04)	0.5724	++	0.265
0.0775	---	0.850	0.03 (-0.05)	0.5792	++	0.550
0.0688	+++	0.317	-0.04 (-0.07)	0.5807	+-	0.019
0.1397	++	0.326	0.02 (-0.03)	0.5842	+++	0.982
0.1251	+++	0.982	0.03 (-0.06)	0.5851	++	0.485
0.9973	++	0.954	-0.03 (-0.06)	0.5899	++	0.749
0.4753	++	0.530	0.03 (-0.05)	0.5947	++	0.863
0.9767	++	0.437	0.05 (-0.09)	0.5979	+-	0.349
0.9381	++	0.907	-0.05 (-0.09)	0.5987	+-	0.557
0.9089	++	0.091	-0.03 (-0.06)	0.6008	++	0.653
0.5966	++	0.780	0.02 (-0.03)	0.6021	++	0.835
0.9224	++	0.208	0.03 (-0.06)	0.6074	+++	0.909
0.5700	++	0.628	0.05 (-0.1)	0.6087	+-	0.078
0.3206	+++	0.967	-0.04 (-0.08)	0.6092	++	0.747
0.9129	++	0.602	-0.04 (-0.07)	0.6093	+-	0.870
0.1470	++	0.407	0.04 (-0.08)	0.6098	++	0.813
0.9871	??+	1.000	0.04 (-0.08)	0.6139	??+	1.000
0.4284	++	0.301	-0.02 (-0.04)	0.6156	++	0.326
0.0960	---	0.343	-0.04 (-0.08)	0.6186	++	0.429
0.1734	++?	0.640	-0.03 (-0.07)	0.6211	++?	0.002
0.7439	++	0.811	0.03 (-0.06)	0.6233	++	0.651
0.3049	---	0.461	-0.03 (-0.06)	0.6241	++	0.533
0.0513	+++	0.883	0.03 (-0.05)	0.6257	++	0.806
0.8930	+-	0.744	-0.03 (-0.06)	0.6302	+-	0.199
0.2795	++	0.164	0.03 (-0.06)	0.6322	++	0.360
0.4057	++	0.437	0.04 (-0.09)	0.6394	++	0.427
0.5144	++	0.163	0.02 (-0.04)	0.6411	++	0.295
0.4312	++	0.061	0.03 (-0.07)	0.6471	++	0.283
0.0766	---	0.223	-0.02 (-0.05)	0.6490	++	0.766
0.6359	+-	0.898	0.01 (-0.02)	0.6564	++	0.550
0.4221	++	0.231	-0.04 (-0.09)	0.6570	++	0.028
0.3670	+++	0.936	0.02 (-0.05)	0.6591	++	0.739
0.5198	++	0.062	-0.04 (-0.08)	0.6615	++	0.063
0.8067	++	0.445	0.04 (-0.1)	0.6684	++	0.624
0.9917	++	0.358	-0.03 (-0.08)	0.6692	++	0.123
0.0440	+++	0.371	0.04 (-0.09)	0.6723	++	0.032
0.5313	++	0.274	0.02 (-0.05)	0.6724	++	0.695
0.2794	++	0.744	0.02 (-0.06)	0.6768	+-	0.082

0.9801	??-	1.000	0.04 (-0.1)	0.6772	??+	1.000
0.7459	+--	0.109	0.03 (-0.07)	0.6789	++-	0.141
0.5958	+--	0.258	0.03 (-0.08)	0.6856	++	0.593
0.7844	++	0.197	0.02 (-0.05)	0.6877	++	0.879
0.2818	++	0.413	0.03 (-0.09)	0.6880	++	0.269
0.2968	++	0.391	0.03 (-0.06)	0.6926	++	0.607
0.8804	++?	0.917	0.04 (-0.1)	0.6932	++?	0.639
0.4784	--+	0.099	-0.02 (-0.06)	0.7010	--+	0.321
0.8341	+-?	0.466	0.03 (-0.09)	0.7063	+-?	0.681
0.4989	++	0.009	0.03 (-0.07)	0.7106	++	0.412
0.2891	+--	0.203	-0.03 (-0.09)	0.7145	++	0.296
0.4066	++	0.124	0.02 (-0.07)	0.7240	+--	0.144
0.3063	??+	1.000	-0.04 (-0.1)	0.7258	??-	1.000
0.5059	++	0.036	0.02 (-0.05)	0.7261	+--	0.069
0.3028	+--	0.320	0.02 (-0.06)	0.7352	++	0.692
0.8782	??+	1.000	0.06 (-0.17)	0.7385	??+	1.000
0.3391	++	0.763	-0.02 (-0.06)	0.7391	-+-	0.040
0.8086	--+	0.907	0.01 (-0.03)	0.7411	++	0.958
0.9359	++	0.240	-0.02 (-0.05)	0.7449	++	0.456
0.2616	+++	0.966	0.03 (-0.09)	0.7472	++	0.876
0.7685	+--	0.072	0.02 (-0.05)	0.7512	++	0.705
0.9168	++	0.586	0.02 (-0.06)	0.7537	++	0.944
0.7272	+--	0.149	0.02 (-0.08)	0.7566	++	0.113
0.5555	+--	0.599	0.02 (-0.06)	0.7574	++	0.533
0.6014	++	0.408	0.01 (-0.04)	0.7667	++	0.740
0.6749	+--	0.487	0.02 (-0.07)	0.7679	++	0.589
0.7296	--+	0.597	-0.02 (-0.08)	0.7680	++	0.762
0.8661	??+	1.000	-0.03 (-0.11)	0.7762	??-	1.000
0.2678	-+-	0.497	0.02 (-0.09)	0.7790	-+-	0.214
0.6746	-+-	0.671	-0.02 (-0.09)	0.7832	-+-	0.673
0.7971	++	0.979	0.02 (-0.06)	0.7883	++	0.158
0.5664	++	0.368	-0.02 (-0.07)	0.7886	++	0.273
0.7829	++	0.638	-0.02 (-0.07)	0.7929	-+-	0.357
0.6071	++	0.490	0.01 (-0.05)	0.7944	++	0.121
0.4940	++	0.129	-0.01 (-0.06)	0.8012	++	0.174
0.2138	+--	0.720	-0.01 (-0.04)	0.8054	+--	0.174
0.8804	++	0.488	0.01 (0.06)	0.8062	--+	0.393
0.3290	++	0.659	0.01 (0.04)	0.8133	++	0.776
0.3290	++	0.659	0.01 (-0.04)	0.8133	++	0.776
0.7210	-+-	0.533	-0.01 (-0.06)	0.8174	++	0.222
0.8923	+--	0.039	-0.01 (-0.06)	0.8182	+--	0.432
0.1994	-+-	0.623	-0.02 (-0.08)	0.8184	++	0.404
0.3520	++	0.059	-0.01 (-0.06)	0.8253	--+	0.924
0.1570	?--	0.588	-0.01 (-0.07)	0.8377	?-+	0.430
0.2211	---	0.781	-0.01 (-0.04)	0.8415	--+	0.869
0.6105	??+	1.000	0.02 (-0.08)	0.8439	??+	1.000
0.6315	?--	0.383	-0.01 (-0.04)	0.8463	?-+	0.354
0.8988	--+	0.971	0.01 (-0.06)	0.8468	+--	0.212
0.3760	++	0.163	-0.01 (-0.05)	0.8500	++	0.243
0.7136	--+	0.869	-0.02 (-0.09)	0.8506	-+-	0.509

0.3069	+-	0.135	0.01 (-0.06)	0.8550	+-	0.271
0.3675	++	0.628	0.01 (-0.03)	0.8608	-+-	0.802
0.7970	++	0.771	-0.01 (-0.08)	0.8621	-+-	0.170
0.7906	+-	0.700	-0.01 (-0.08)	0.8629	--+	0.616
0.6890	++	0.578	0.01 (-0.05)	0.8633	-+-	0.484
0.0115	+++	0.828	-0.01 (-0.05)	0.8648	++	0.611
0.6265	+-	0.410	-0.01 (-0.06)	0.8649	+-	0.772
0.7514	--+	0.510	0.01 (-0.05)	0.8667	++	0.344
0.8009	--+	0.876	-0.01 (-0.06)	0.8728	++	0.597
0.8312	+-	0.798	-0.01 (-0.08)	0.8729	+-	0.398
0.0102	---	0.637	0.01 (-0.05)	0.8928	+-	0.672
0.7968	++	0.602	-0.01 (-0.07)	0.9041	-+-	0.489
0.8134	++	0.829	-0.01 (-0.06)	0.9073	-+-	0.112
0.8600	??-	1.000	0.02 (-0.17)	0.9143	??+	1.000
0.5206	++	0.475	-0.01 (-0.06)	0.9192	++	0.367
0.5351	++	0.145	-0.01 (-0.08)	0.9261	++	0.587
0.3966	+-	0.076	0 (-0.03)	0.9266	+-	0.008
0.7819	++	0.694	0 (-0.03)	0.9375	++	0.650
0.9421	++	0.281	0 (-0.06)	0.9500	++	0.782
0.6759	++	0.364	0 (-0.07)	0.9533	+-	0.250
0.1300	+++	0.734	0 (-0.08)	0.9557	-+-	0.121
0.8391	--+	0.511	0 (-0.05)	0.9565	++	0.732
0.2515	---	0.769	0 (-0.06)	0.9620	+-	0.534
0.1917	++	0.336	0 (-0.07)	0.9626	-+-	0.726
0.6549	++	0.859	0 (-0.08)	0.9639	-+-	0.466
0.4109	+-	0.577	0 (-0.05)	0.9659	+-	0.109
0.8454	+-	0.588	0 (-0.08)	0.9705	-+-	0.215
0.1990	---	0.314	0 (-0.05)	0.9720	--+	0.190
0.5325	--+	0.630	0 (-0.08)	0.9746	++	0.831
0.4373	+-	0.373	0 (-0.05)	0.9781	++	0.478
0.8090	-+-	0.922	0 (-0.07)	0.9820	-+-	0.701
0.4584	--+	0.644	0 (-0.07)	0.9885	++	0.918
0.9167	--+	0.093	0 (-0.05)	0.9904	--+	0.318

very cohorts.

FVC at time point 2 (ECRHS/ NFBC/ SAPALDIA)

beta (SE)	P-value meta- analysis	direction of effect	P-value between study hetero- geneity
0.27 (-0.11)	0.0109	++	0.008
0.41 (-0.18)	0.0220	++	0.023
0.33 (-0.13)	0.0123	++	0.054
0.54 (-0.17)	0.0019	++	0.158
0.43 (-0.26)	0.0977	++	0.055
0.21 (-0.13)	0.1129	++	0.294
0.93 (-0.38)	0.0131	++	0.357
-1.37 (-0.95)	0.1482	+-	0.330
0.56 (-0.2)	0.0043	??+	1.000
0.51 (-0.77)	0.5072	+++	0.978
-0.41 (-0.53)	0.4352	--+	0.167
0.62 (-0.18)	0.0008	??+	1.000
-0.16 (-0.48)	0.7393	--+	0.180
-0.13 (-0.48)	0.7823	--+	0.479
0.06 (-0.32)	0.8598	++	0.275
-0.11 (-0.68)	0.8689	??-	1.000
0.01 (-0.56)	0.9860	++	0.170
0.25 (-0.41)	0.5362	+-	0.253
-0.51 (-0.64)	0.4236	--+	0.193
0.55 (-0.54)	0.3121	+++	0.680
-0.3 (-1.02)	0.7690	++	0.206
-0.24 (-0.37)	0.5076	+-	0.116
0.39 (-0.29)	0.1844	--+	0.174
-0.72 (-0.44)	0.1027	---	0.673
0.57 (-0.62)	0.3572	++	0.042
0.05 (-0.42)	0.9032	--+	0.058
-0.87 (-0.47)	0.0618	---	0.312
0.39 (-0.51)	0.4434	++	0.850
0.46 (-0.6)	0.4422	++	0.125
-0.04 (-0.48)	0.9263	+-	0.467
1.14 (-0.37)	0.0022	++	0.102
-0.02 (-0.41)	0.9619	--+	0.339
0.04 (-0.35)	0.9038	++	0.932
0.13 (-0.63)	0.8346	++	0.330
-0.64 (-0.66)	0.3369	---	0.642
2.56 (-0.85)	0.0025	+++	0.335
0.15 (-0.46)	0.7462	--+	0.261
-0.28 (-0.52)	0.5849	+-	0.332
0.76 (-0.57)	0.1786	+++	0.836
-0.39 (-0.46)	0.3942	+-	0.479
1.04 (-0.39)	0.0080	++	0.046
0.89 (-0.44)	0.0436	++	0.040
-1.38 (-0.82)	0.0927	---	0.358

0.34 (-0.66)	0.6066	+-+	0.098
-1.01 (-0.45)	0.0240	---	0.302
0.52 (-0.53)	0.3252	-++	0.523
-0.65 (-0.5)	0.1940	---	0.046
-0.32 (-0.36)	0.3735	---	0.814
0.56 (-0.48)	0.2406	+++	0.740
1.18 (-0.53)	0.0272	+++	0.086
0.39 (-0.37)	0.2879	+++	0.921
0.44 (-0.55)	0.4252	++-	0.184
0.11 (-0.32)	0.7265	+-+	0.922
0.52 (-0.62)	0.4037	+-+	0.291
0.94 (-0.45)	0.0358	+-+	0.329
1.09 (-0.41)	0.0073	+++	0.636
-0.97 (-0.8)	0.2262	---	0.569
-0.43 (-0.59)	0.4652	++-	0.483
-0.19 (-0.44)	0.6545	--+	0.815
-0.13 (-0.23)	0.5604	+--	0.907
0.05 (-0.4)	0.8948	--+	0.308
0.21 (-0.48)	0.6634	+-+	0.149
0.21 (-0.37)	0.5633	--+	0.139
0.53 (-0.34)	0.1240	+-+	0.002
-0.5 (-0.57)	0.3841	--+	0.136
-0.39 (-0.65)	0.5545	--+	0.481
-0.6 (-0.56)	0.2855	++-	0.027
-0.72 (-0.71)	0.3083	---	0.726
0.59 (-0.45)	0.1926	+++	0.714
-0.16 (-0.48)	0.7363	-+-	0.573
0.85 (-0.45)	0.0590	+++	0.515
1.2 (-0.66)	0.0675	??+	1.000
0.02 (-0.36)	0.9510	--+	0.027
0.33 (-0.35)	0.3453	+?+	0.880
0.06 (-0.63)	0.9185	+-+	0.176
1.17 (-1.26)	0.3531	++-	0.670
-0.16 (-0.82)	0.8440	+-+	0.689
0.95 (-0.51)	0.0628	-++	0.009
0.12 (-0.53)	0.8207	-+-	0.821
0.7 (-0.34)	0.0416	+-+	0.002
-0.56 (-0.55)	0.3073	-+-	0.492
-0.09 (-0.63)	0.8817	--+	0.814
-0.05 (-0.4)	0.8970	--+	0.138
0 (-0.51)	0.9951	+-+	0.088
0.14 (-0.41)	0.7328	+-+	0.070
0.81 (-0.64)	0.2046	??+	1.000
0.25 (-0.24)	0.2939	+++	0.924
0.86 (-0.66)	0.1910	+++	0.248
0.48 (-0.32)	0.1325	+-+	0.065
0.47 (-0.42)	0.2664	-++	0.256
0.72 (-0.51)	0.1521	+++	0.088
-0.55 (-0.5)	0.2694	---	0.541
1.03 (-0.39)	0.0084	??+	1.000

0.8 (-0.55)	0.1495	+++	0.735
0.29 (-0.59)	0.6204	+--	0.346
0.44 (-0.33)	0.1753	+++	0.765
0.83 (-0.43)	0.0553	+++	0.368
-0.15 (-0.42)	0.7285	+--	0.374
-0.4 (-0.48)	0.4087	+--	0.706
0.59 (-0.74)	0.4224	+++	0.855
-0.97 (-0.39)	0.0137	---	0.921
0.16 (-0.24)	0.4894	?-+	0.555
0.09 (-0.23)	0.6757	+--	0.933
-0.04 (-0.56)	0.9376	+--	0.084
0.03 (-0.56)	0.9639	-+-	0.991
-0.42 (-0.3)	0.1568	---	0.589
-0.68 (-0.54)	0.2053	---	0.428
0.36 (-1.39)	0.7950	+--	0.220
-0.17 (-0.27)	0.5309	---	0.988
0.82 (-0.3)	0.0072	+++	0.871
0.64 (-0.54)	0.2349	++-	0.209
0.4 (-0.34)	0.2436	-++	0.810
-0.82 (-0.85)	0.3359	??-	1.000
-0.07 (-0.4)	0.8710	-++	0.828
0.02 (-0.59)	0.9686	+--	0.153
-0.16 (-0.59)	0.7888	++-	0.626
-0.07 (-0.54)	0.8959	--+	0.495
0.26 (-0.46)	0.5742	+--	0.737
-0.76 (-0.7)	0.2805	-++	0.097
0.73 (-0.4)	0.0689	+++	0.999
0.4 (-0.38)	0.2943	-++	0.443
-0.28 (-0.54)	0.6047	---	0.819
0.05 (-0.23)	0.8234	--+	0.436
0.84 (-0.43)	0.0508	+++	0.281
-0.46 (-0.38)	0.2267	---	0.752
0.49 (-0.34)	0.1482	+++	0.361
-0.14 (-0.27)	0.6177	?--	0.690
0.7 (-0.48)	0.1401	-++	0.542
0.54 (-0.45)	0.2285	+--	0.134
0.25 (-0.46)	0.5798	--+	0.146
0.25 (-0.45)	0.5863	+++	0.952
-0.81 (-0.48)	0.0932	---	0.484
0.29 (-0.51)	0.5704	++-	0.188
-0.14 (-0.3)	0.6526	--+	0.023
0.14 (-0.4)	0.7144	++-	0.146
-0.32 (-0.53)	0.5440	+--	0.730
-0.42 (-0.44)	0.3391	+--	0.362
0.59 (-0.41)	0.1546	??+	1.000
0.49 (-0.53)	0.3505	??+	1.000
0.97 (-0.46)	0.0366	+++	0.748
-0.53 (-0.45)	0.2407	+--	0.444
0.6 (-0.45)	0.1823	+++	0.585
0.37 (-0.4)	0.3582	+--	0.216

0.39 (-0.45)	0.3812	--+	0.166
0.13 (-0.52)	0.8066	++-	0.900
-0.65 (-0.41)	0.1135	---	0.151
0.1 (-0.64)	0.8791	??+	1.000
0.6 (-0.54)	0.2612	+--	0.407
0.21 (-0.49)	0.6685	++	0.947
0.3 (-0.52)	0.5595	+--	0.133
0.41 (-0.53)	0.4415	++	0.433
0.24 (-0.29)	0.3952	+++	0.735
-0.17 (-0.34)	0.6230	+--	0.056
-0.2 (-0.59)	0.7371	--+	0.343
-0.26 (-0.36)	0.4680	--+	0.539
1.08 (-0.49)	0.0271	+++	0.084
0.65 (-0.46)	0.1545	+++	0.535
0.01 (-0.61)	0.9857	??+	1.000
0.79 (-0.47)	0.0943	+++	0.448
-0.07 (-0.53)	0.9005	+--	0.003
1.28 (-0.47)	0.0070	+++	0.887
0.44 (-0.41)	0.2834	+++	0.772
-0.08 (-0.55)	0.8916	+--?	0.548
0.43 (-0.23)	0.0632	+--	0.101
0.26 (-0.69)	0.7035	++-	0.390
0.6 (-0.47)	0.1987	+--	0.118
0.04 (-0.38)	0.9232	++-	0.397
0.26 (-0.18)	0.1460	+--	0.315
1.91 (-0.52)	2.48E-04	+++	0.704
0.04 (-0.36)	0.9082	++	0.699
-1.21 (-0.41)	0.0033	---	0.220
-1.63 (-0.77)	0.0333	+--	0.298
0.54 (-0.5)	0.2818	++-	0.348
0.04 (-0.27)	0.8692	+--	0.037
-0.27 (-0.44)	0.5361	+--	0.432
0.4 (-0.52)	0.4339	+--	0.161
-0.35 (-0.38)	0.3606	+--	0.393
-0.14 (-0.46)	0.7588	--+	0.629
-0.13 (-0.33)	0.6891	---	0.997
-0.07 (-0.43)	0.8663	+--	0.095
-0.07 (-0.59)	0.9128	++-	0.192
0.35 (-0.54)	0.5119	+++	0.802
-1.26 (-1.52)	0.4059	--+	0.052
0.35 (-0.39)	0.3673	+--	0.142
-0.9 (-0.42)	0.0325	---	0.216
0.36 (-0.39)	0.3557	--+	0.038
0.83 (-0.45)	0.0686	+++	0.958
-0.53 (-0.44)	0.2262	---	0.617
0.08 (-0.47)	0.8585	++	0.427
-0.33 (-0.49)	0.5040	--+	0.126
-0.22 (-0.53)	0.6774	+--	0.874
-0.51 (-0.43)	0.2278	--+	0.136
-0.05 (-0.09)	0.5246	--+	0.341

-0.45 (-1.2)	0.7089	---	0.938
-0.53 (-0.53)	0.3146	--+	0.242
0.97 (-0.62)	0.1182	-++	0.139
0.09 (-0.31)	0.7855	++-	0.764
-0.19 (-0.81)	0.8179	++-	0.023
-0.34 (-0.47)	0.4783	--+	0.113
-0.81 (-0.53)	0.1237	+--	0.414
0.15 (-0.23)	0.5205	+--	0.623
0.37 (-0.44)	0.4057	+++	0.685
0.72 (-0.35)	0.0367	+++	0.092
-0.23 (-0.39)	0.5458	+--	0.655
0.51 (-0.45)	0.2564	+++	0.850
-0.24 (-0.51)	0.6440	--+	0.352
-0.23 (-0.34)	0.5089	+--	0.547
0.11 (-0.3)	0.7035	+++	0.959
0.72 (-0.58)	0.2136	+--	0.108
-0.67 (-0.43)	0.1200	+--	0.359
1.12 (-0.61)	0.0664	+++	0.586
-0.34 (-0.53)	0.5254	---	0.992
-0.25 (-1.56)	0.8711	-+-	0.153
-0.07 (-0.73)	0.9289	+--	0.582
0.37 (-0.48)	0.4363	+--	0.497
-0.19 (-0.76)	0.8052	+--	0.087
0.29 (-0.49)	0.5516	--+	0.274
-0.31 (-0.49)	0.5271	-++	0.086
-0.65 (-0.56)	0.2460	---	0.722
-0.28 (-0.59)	0.6347	---	0.999
-0.22 (-0.43)	0.5996	-+-	0.640
0.48 (-0.26)	0.0654	+++	0.455
-0.53 (-0.54)	0.3243	---	0.351
0.6 (-0.49)	0.2228	+--	0.405
0.34 (-0.49)	0.4860	+--	0.378
-1.37 (-0.49)	0.0054	---	0.215
0.73 (-0.46)	0.1174	+++	0.997
-0.06 (-0.47)	0.9067	+--	0.338
-0.69 (-0.43)	0.1099	---	0.669
-0.1 (-0.35)	0.7779	--+	0.413
0.57 (-0.48)	0.2394	-++	0.548
0.03 (-0.62)	0.9554	+--	0.276
-0.42 (-0.48)	0.3765	-+-	0.699
0.01 (-0.2)	0.9445	+--	0.905
0.67 (-0.36)	0.0640	+++	0.580
-0.43 (-0.97)	0.6561	+--	0.740
0.09 (-0.56)	0.8733	+--	0.851
0.22 (-0.59)	0.7166	+--	0.582
-0.32 (-0.83)	0.7022	--+	0.425
-0.07 (-0.3)	0.8264	+--	0.933
0.04 (-0.52)	0.9362	+--	0.324
-0.91 (-0.65)	0.1645	+--	0.463
0.65 (-0.51)	0.2003	+--	0.113

-0.78 (-0.57)	0.1746	---	0.461
0.25 (-0.42)	0.5484	--+	0.786
0.16 (-0.21)	0.4577	-++	0.507
-0.28 (-0.3)	0.3596	--+	0.064
-0.66 (-0.46)	0.1480	--+	0.008
-0.21 (-0.47)	0.6489	+--	0.382
-0.07 (-0.81)	0.9359	-+?	0.522
0.12 (-0.62)	0.8427	++-	0.072
-0.17 (-0.55)	0.7620	---	0.979
-0.75 (-0.37)	0.0422	---	0.993
0.17 (-0.64)	0.7902	+--	0.166
0.04 (-0.58)	0.9457	-++	0.929
-0.35 (-0.33)	0.2895	--+	0.250
-0.85 (-0.39)	0.0287	---	0.956
1.24 (-0.53)	0.0205	+++	0.383
0.27 (-0.26)	0.3032	+--	0.329
0.67 (-0.42)	0.1148	+++	0.729
0.26 (-0.48)	0.5898	+++	0.897
-0.54 (-0.4)	0.1746	---	0.698
-0.26 (-0.71)	0.7106	+--	0.500
0.35 (-0.71)	0.6174	+--	0.536
0.19 (-0.44)	0.6603	+--	0.284
0.03 (-0.25)	0.9212	+--	0.430
0.03 (-0.48)	0.9450	+--	0.285
0.07 (-0.74)	0.9200	+--	0.229
0.9 (-0.62)	0.1495	+++	0.567
0.35 (-0.54)	0.5145	+--	0.427
0.83 (-0.71)	0.2452	++-	0.244
-0.23 (-0.58)	0.6969	??-	1.000
0.37 (-0.32)	0.2452	+--	0.328
-0.87 (-0.59)	0.1407	---	0.611
1.2 (-0.58)	0.0384	++?	0.161
0.15 (-0.45)	0.7328	--+	0.489
-0.25 (-0.47)	0.5905	--+	0.219
1 (-0.42)	0.0183	+++	0.691
0.28 (-0.44)	0.5242	+++	0.940
-0.66 (-0.5)	0.1858	+--	0.424
0.48 (-0.71)	0.4971	+--	0.824
0.18 (-0.3)	0.5391	+--	0.351
-0.6 (-0.57)	0.2947	---	0.165
-0.65 (-0.4)	0.1026	---	0.352
-0.16 (-0.13)	0.2287	---	0.924
0.87 (-0.73)	0.2322	+++	0.367
0.37 (-0.37)	0.3185	+++	0.769
-0.4 (-0.64)	0.5366	+--	0.181
-0.06 (-0.75)	0.9399	++-	0.295
0.09 (-0.61)	0.8761	+--	0.614
1.53 (-0.77)	0.0476	+++	0.350
-0.37 (-0.4)	0.3588	---	0.570
0.49 (-0.44)	0.2706	+--	0.066

0.07 (-0.71)	0.9183	??+	1.000
0.17 (-0.59)	0.7671	+--	0.287
-0.39 (-0.6)	0.5199	+--	0.059
0.01 (-0.42)	0.9749	-+-	0.165
0.83 (-0.65)	0.2021	+++	0.863
0.57 (-0.48)	0.2344	+--	0.255
0.16 (-0.82)	0.8472	-+?	0.635
-0.18 (-0.44)	0.6777	--+	0.138
-0.25 (-0.75)	0.7416	+--?	0.306
-0.62 (-0.58)	0.2789	--+	0.023
-0.59 (-0.67)	0.3795	+--	0.360
0.65 (-0.52)	0.2057	+--	0.432
1.13 (-0.72)	0.1157	??+	1.000
0.21 (-0.4)	0.5971	+--	0.073
-0.83 (-0.46)	0.0720	---	0.654
-0.02 (-1.18)	0.9889	??-	1.000
0.71 (-0.48)	0.1407	+--	0.145
-0.06 (-0.24)	0.7995	--+	0.861
0.13 (-0.37)	0.7175	-+-	0.365
0.89 (-0.66)	0.1781	+++	0.721
-0.12 (-0.4)	0.7632	+--	0.103
0.11 (-0.49)	0.8307	+--	0.681
-0.21 (-0.63)	0.7437	+--	0.127
-0.29 (-0.46)	0.5206	---	0.981
0.16 (-0.31)	0.6081	+--	0.225
-0.21 (-0.58)	0.7089	+--	0.342
-0.23 (-0.58)	0.6959	--+	0.324
0.23 (-0.75)	0.7579	??+	1.000
-0.99 (-0.68)	0.1468	---	0.901
-0.29 (-0.7)	0.6728	--+	0.602
0.04 (-0.46)	0.9313	+--	0.393
0.34 (-0.53)	0.5264	+++	0.793
0.06 (-0.52)	0.9109	+--	0.411
0.18 (-0.35)	0.6131	+--	0.226
0.45 (-0.45)	0.3180	+--	0.439
-0.33 (-0.3)	0.2724	---	0.891
0.25 (0.44)	0.5741	+--	0.387
0.42 (0.31)	0.1673	+++	0.742
0.42 (-0.31)	0.1673	+++	0.742
-0.01 (-0.46)	0.9849	-+-	0.774
0.18 (-0.46)	0.6918	++-	0.058
-0.89 (-0.66)	0.1757	---	0.823
0.32 (-0.48)	0.5011	++-	0.013
-0.75 (-0.55)	0.1749	?--	0.920
-0.37 (-0.29)	0.2048	---	0.823
0.46 (-0.57)	0.4156	??+	1.000
-0.06 (-0.28)	0.8290	?--	0.175
-0.17 (-0.46)	0.7050	--+	0.480
-0.06 (-0.39)	0.8812	--+	0.532
-0.09 (-0.68)	0.8942	--+	0.813

-0.44 (-0.46)	0.3304	+--	0.379
0.35 (-0.26)	0.1693	--+	0.275
-0.09 (-0.63)	0.8844	+--	0.940
-0.5 (-0.59)	0.3969	-+-	0.869
-0.29 (-0.42)	0.4981	+--	0.629
1.22 (-0.37)	0.0011	+++	0.947
-0.28 (-0.43)	0.5161	+--	0.598
-0.07 (-0.39)	0.8489	--+	0.110
-0.02 (-0.43)	0.9640	--+	0.710
-0.09 (-0.63)	0.8844	-+-	0.893
-1.16 (-0.41)	0.0045	---	0.362
0 (-0.56)	0.9971	+--	0.734
-0.04 (-0.47)	0.9310	+--	0.720
-0.43 (-1.17)	0.7135	??-	1.000
0.47 (-0.50)	0.3433	+--	0.495
0.6 (-0.65)	0.3570	+--	0.161
-0.26 (-0.26)	0.3203	---	0.603
0.01 (-0.23)	0.9697	+--	0.667
0.29 (-0.44)	0.5141	+--	0.508
0.34 (-0.57)	0.5502	++-	0.692
0.99 (-0.59)	0.0940	+++	0.512
0.05 (-0.39)	0.8878	--+	0.466
-0.53 (-0.46)	0.2507	---	0.777
0.87 (-0.54)	0.1070	+--	0.146
0.54 (-0.63)	0.3879	+--	0.638
-0.34 (-0.41)	0.4084	---	0.764
0.16 (-0.66)	0.8028	+--	0.971
-0.65 (-0.42)	0.1219	-+-	0.291
-0.2 (-0.59)	0.7392	-++	0.263
-0.27 (-0.39)	0.5006	--+	0.378
-0.13 (-0.52)	0.8045	---	0.955
-0.41 (-0.53)	0.4376	--+	0.534
0 (-0.38)	0.9956	--+	0.374

|
